





Fully featured to meet the demands of the office, the Epson L1455 allin-one ink tank system printer takes productivity bigger with the ability to print documents up to A3+ size at high speeds through Epson's $\label{eq:precisionCore} \textit{PrecisionCore}^{\text{TM}} \ \textit{printhead technology and automatic duplex printing}.$ Deliver high-quality documents, which are framed economically with the ability to yield 6,000 pages for black and 6,500 pages for colour through affordable inks. The L1455 integrates into any office through its complete suite of connectivity features.

















The Epson L1455 is bundled with a starter kit of 1 x 140ml bottle of black ink and 3 x 70ml bottle of

ENGINEERED FOR BUSINESS

Supersized Productivity

Print, scan and copy in duplex up to A3 size at high speeds with Epson PrecisionCore technology.

Superb Quality & Cost-Savings

Print with impeccable quality at up to 4800dpi, with affordable quality inks that yield up to 6,000 pages for black and 6,500 for colour.

Convenient Connectivity

The Epson L1455 comes equipped with a full suite of connectivity features that encompasses Ethernet, Wi-Fi, Wi-Fi Direct* and USB 2.0.



Engineered for convenience, the L1455 presents PC-less operations via a 4.3" colour touchscreen LCD, media card slots, USB ports for Flash drives, as well as a full suite of wireless connectivity so you can print directly from your mobile devices. All of these, at the lowest A3 automatic duplex printing cost*.



Supersized Productivity

Print up to A3+

Print larger and clearer documents, spreadsheets, diagrams and charts to bring out maximum detail and clarity at A3+ size. The multi-function L1455 supports copying and faxing up to A3 size as well.

High Speed Duplex Printing

Enjoy print speeds of up to 18ipm for A4 & 10ipm for A3 sized documents with Epson PrecisionCore printheads. The breakthrough PrecisionCore technology is equipped with versatile, high-speed solutions for commercial, industrial and office printing. Offering a vast improvement from the conventional piezo printheads, this technology delivers professional output quality at blazing speeds. The L1455 also supports automatic duplex printing up to 8.7ipm for A4, reducing paper consumption.

Duplex Automatic Document Feeder

The L1455 is equipped with a 35-sheet duplex ADF unit for convenient scanning and copying of double-sided documents, even up to A3 size.





Superb Quality & Cost-Savings

The L1455 prints black and white documents with razor sharp text that are water and smudge-resistant. You can also print lab-quality glossy photos on photo media paper at a high resolution output of 4800dpi. Each set of inks yields 6,000 pages for black and 6,500 pages for colour, offering the lowest cost of printing duplex on an A3 printer*.

High Capacity Ink Tanks



Water-Resistant Black Texts



Convenient Connectivity

Network Connectivity and Standalone Capability

Equipped with Ethernet, Wi-Fi, and Wi-Fi Direct*, the L1455 is perfect for office environments. Wi-Fi Direct acts as an access point, allowing up to four devices to connect directly to the printer at a time without a router.



*Wi-Fi and Wi-Fi Direct cannot be used simultaneously

Epson Connect Enabled

Wirelessly print your documents from anywhere in the world with Epson Connect's wide range of features:

- Epson iPrint
- Epson Email Print
- Remote Print Driver
- Scan to Cloud

Other Mobile Solutions:

Google Cloud Print™

For more information on Epson Connect, please visit http://www.epson.com.sg/connect

Compatibility with Epson Device Admin

With Epson Device Admin, you can now manage, monitor and configure your Epson device fleet easily. It is compatible with a large range of networked printers and scanners, and views all information via one smart, intuitive interface.



Epson Device Admin Functions

- Manage Epson devices in groups.
- Receive automatic alerts when the device runs out of consumables or faces an error for quick response.
- Generate reports automatically for cost-savings activities or implementing managed print services.
- Configure multiple devices efficiently with templates to simplify large deployments.

For more information, please refer to http://www.epson.com.sg/epsondeviceadmin

Ease of Use



LCD Screen

Experience easy setup and PC-less operation with a 4.3" touchscreen colour LCD.



Dual 250 Sheets Input

The L1455 comes equipped with dual 250-sheets input trays, allowing you to set 2 different paper sizes in separate trays, saving your time and effort in printing documents of different sizes.



Single Sheet Rear Feeder

A single sheet feeder lets you set labels, thick paper, envelopes and photo paper conveniently.



Card Slots/USB Host Function

The L1455 comes with card slots (SD Card & Memory Stick) and USB port for printing, scanning and saving faxes directly with memory devices.

Epson Warranty for Peace of Mind

Enjoy warranty coverage for up to two years or 80,000 prints, whichever comes first, for maximum value from your printer. Epson's warranty includes coverage of printhead, which is most important for a printer designed for high volume printing.

Quality that Shines. Value that Lasts.

Epson genuine ink bottles are formulated to deliver outstanding high-volume print quality with L-series printers. Every bottle is individually sealed to ensure the purity of ink and comes with a smart tip designed for mess-free refills. Choose Epson genuine ink bottles to enjoy lasting quality with your L-series printer.

PARTNERS IN PERFECTION



LabelWorks™ LW-700 Label Printer

The Epson LabelWorks LW-700 offers convenient standalone label printing or connectivity to PC or Mac.



EB-1985WU Business Projector

Ideal for meetings or presentations and enhanced with the ability to play videos, the EB-1985WU high brightness business projector displays your desired content with ease and style.



| MODEL NUMBER | L1455 |
|--|--|
| Printer Type | Print, Scan, Copy, Fax with ADF |
| Printing | · mi, dour, dopy, at mirrur |
| Printing Method | PrecisionCore™ Printhead |
| Nozzle Configuration | 400 x 2 nozzles Black, 128 x 2 nozzles per colour (Cyan, Magenta, Yellow) |
| Print Direction | Bi-directional printing, Uni-directional printing |
| Maximum Resolution | 4,800 x 2,400 dpi (with Variable-Sized Droplet Technology) |
| Minimum Ink Droplet Volume | 2.8 pl |
| Print Speed*1 | |
| Draft Text - Memo , A4 (Black#1 / Colour#2) | Up to 32 ppm / 20 ppm |
| ISO 24734, A4 (Black / Colour) | Simplex: Up to 18 ipm / 10 ipm, Duplex: 8.7 ipm / 6.0 ipm |
| ISO 24734.2, A3 (Black / Colour) | Simplex: Up to 10 ipm / 5.0 ipm, Duplex: 6.0 ipm / 3.7 ipm |
| Photo Default - 10 x 15 cm / 4 x 6 " "2#3 | Approx. 42 sec per photo (Border) |
| Automatic 2-sided printing | Yes (up to A3) |
| Copying | |
| Copy Speed | |
| ISO 29183, A4 (Black / Colour) | Simplex: Up to 16 ipm / 8.8 ipm |
| Copy Quality | Normal / Best quality |
| Maximum Copies from Standalone | 999 copies |
| Reduction / Enlargement | 25 - 400 %, Auto Fit Function |
| Maximum Copy Resolution | 600 x 600 dpi |
| Maximum Copy Size | A3 |
| Scanning | |
| Scanner Type | Flatbed colour image scanner |
| Sensor Type | CIS |
| Optical Resolution | 1200 x 2400 dpi |
| Maximum Scan Area | 297.18 x 431.8 mm (11.7 x 17 *) |
| Scanner Bit Depth | |
| Colour | 48-bit input, 24-bit output |
| Grayscale | 16-bit input, 8-bit output |
| Black & White | 16-bit input, 1-bit output |
| Scan Speed Flatbed / ADF (Simplex) | |
| Monochrome 200 dpi | 6.0 sec / 8.3 ppm |
| Colour 200 dpi | 12 sec / 4.8 ppm |
| Fax Function | |
| Type of FAX | Walk-up black-and-white and colour fax capability |
| Receive Memory / Page Memory | 6MB, Page memory |
| | Up to 550 pages (ITU-T No.1 chart) |
| Error Correction Mode | ITU Group3 fax with Error Correction Mode |
| FAX Speed (Data Transfer Rate) | Up to 33.6 kbps, Approx. 3 sec/page |
| FAX Resolution | Up to 200 x 200 dpi |
| Transmission Paper Size | |
| Flatbed | A5, Half Letter, B5 (JIS), Letter, A4, Legal, B4 (JIS), A3, 11 x 17 in |
| ADF | A5, B5 (JIS), Letter, A4, Legal, B4 (JIS), A3, 11 x 17 in |
| Receiving Paper Size | A5, Half Letter, B5 (JIS), Letter, A4, Legal, B4 (JIS), A3, 11 x 17 in |
| Speed Dial / Group Dial | Up to 200 numbers, 199 groups |
| Fax Features | PC Fax (Transmission / Receive), Automatic Redial, Address Book, Delay Send, Broadcast Fax (Mono Only), Transmit Reservation (200 case) |
| ADF Function | |
| Support Paper Thickness | 64-95 g/m² |
| Paper Capacity Card Slot / USB Host Function | 35 pages (75 g/m²) |
| USB Host | UCD Uses (Comp to promote day into (Observe function) |
| Type of Direct Printing | USB Host (Scan to memory device / Storage function) Card Slots / USB Memory |
| Supported Memory Cards | SD Card, Memory Stick |
| Paper Handling | ob data, memory duck |
| Paper Feed Method | Friction feed |
| Number of Paper Trays | 3 (Front 2, Rear 1) |
| Paper Hold Capacity | O (TOTA E, TREE 1) |
| Input Capacity | Cassette 1: 250 sheets, A4 Plain paper (80 g/m²), 20 sheets, Premium Glossy Photo Paper |
| при Сараску | Cassette 2: 250 sheets, A4 Plain paper (80 g/m²) |
| | Rear Slot: 1 sheet |
| Output Capacity | 125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper |
| Paper Size | A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7*, 4 x 6*, 3.5 x 5*, Envelopes: #10, DL, C6, C4 |
| Maximum Paper Size | 329 x 1200 mm (12.95 x 47.24 °) |
| Print Margin | 3 mm top, left, right, bottom via custom settings in printer driver |
| Interface | |
| USB | Hi-Speed USB 2.0 |
| Network | Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct |
| Network Protocol | TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD |
| Network Management Protocols | SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD |
| Security Functions | LDAP Address Book, Panel Admin Mode |
| | |
| Mobile and Cloud Printing | |
| | Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud |
| Epson Connect | |
| | Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud Google Cloud Print |
| Epson Connect Other Mobile Solutions | |
| Epson Connect Other Mobile Solutions Control Panel | Google Cloud Print |
| Epson Connect Other Mobile Solutions Control Panel LCD Screen | Google Cloud Print |
| Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software | Google Cloud Print 4.3 * TFT Colour LCD |
| Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software | Google Cloud Print 4.3 * TFT Colour LCD Windows XP/XP Profesional x 64 Edition/Vista/7/8/8.1/10 |
| Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software | Google Cloud Print 4.3 * TFT Colour LCD Windows XP/XP Profesional x 64 Edition/Vista/7/8/6.1/10 Windows Server 2003/2003 x 64 Edition/2003 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 |
| Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software | Google Cloud Print 4.3 * TFT Colour LCD Windows XP/XP Profesional x 64 Edition/Vista/7/8/8.1/10 Windows Server 2003/2003 x 64 Edition/2008 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS |
| Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility | Google Cloud Print 4.3 * TFT Colour LCD Windows XP/XP Profesional x 64 Edition/Vista/7/8/8.1/10 Windows Server 2003/2003 x 64 Edition/2008 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS |
| Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications | Google Cloud Print 4.3 * TFT Colour LCD Windows XP/XP Profesional x 64 Edition/Vista/7/8/8.1/10 Windows Server 2003/2003 x 64 Edition/2003 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later |
| Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage | Google Cloud Print 4.3 * TFT Colour LCD Windows XP/XP Profesional x 64 Edition/Vista/7/8/8.1/10 Windows Server 2003/2003 x 64 Edition/2003 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later AC 100 - 240 V |
| Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency | Google Cloud Print 4.3 * TFT Colour LCD Windows XP/XP Profesional x 64 Edition/Vista/7/8/8.1/10 Windows Server 2003/2003 x 64 Edition/2003 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later AC 100 - 240 V |
| Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption | Google Cloud Print 4.3 * TFT Colour LCD Windows XP/XP Profesional x 64 Edition/Vista/7/8/8.1/10 Windows Server 2003/2003 x 64 Edition/2008 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later AC 100 - 240 V 50 - 60 Hz |
| Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating | Google Cloud Print 4.3 * TFT Colour LCD Windows XP/XP Profesional x 64 Edition/Vistar/7/8/8.1/10 Windows Server 2003/2003 x 64 Edition/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later AC 100 - 240 V 50 - 60 Hz 20 W 1.9 W |
| Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power off | Google Cloud Print 4.3 * TFT Colour LCD Windows XP/XP Profesional x 64 Edition/Vstar/7/8/8.1/10 Windows Server 2003/2003 x 64 Edition/2003 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later AC 100 - 240 V 50 - 60 Hz 20 W 8.9 W |
| Epson Connect Other Mobile Solutions Control Panel LOD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep | Google Cloud Print 4.3 * TFT Colour LCD Windows XP/XP Profesional x 64 Edition/Vistar/7/8/8.1/10 Windows Server 2003/2003 x 64 Edition/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later AC 100 - 240 V 50 - 60 Hz 20 W 1.9 W |
| Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power off | Google Cloud Print 4.3 * TFT Colour LCD Windows XP/XP Profesional x 64 Edition/Vistar/7/8/8.1/10 Windows Server 2003/2003 x 64 Edition/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later AC 100 - 240 V 50 - 60 Hz 20 W 1.9 W |
| Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power off Noise Level PC Printing / Premium Glossy | Google Cloud Print 4.3 * TFT Colour LCD Windows XP/XP Profesional x 64 Edition/Vstar/7/8/8.1/10 Windows Server 2003/2003 x 64 Edition/2003 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later AC 100 - 240 V 50 - 60 Hz 20 W 8.9 W 1.9 W 0.4 W |
| Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Slaep Power off Noise Level PC Printing / Premium Glossy Photo Paper Best Photo | Google Cloud Print 4.3 * TFT Colour LCD Windows XP/XP Profesional x 64 Edition/Vstar/7/8/8.1/10 Windows Server 2003/2003 x 64 Edition/2003 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later AC 100 - 240 V 50 - 60 Hz 20 W 8.9 W 1.9 W 0.4 W |
| Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power off Noise Level PC Printing / Premium Glossy Photo Pager Best Photo PC Printing / Plain Paper Default ³ | Google Cloud Print 4.3 * TFT Colour LCD Windows XP/XP Profesional x 64 Edition/Vistar/7/8/8.1/10 Windows Server 2003/2003 x 64 Edition/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later AC 100 - 240 V 50 - 60 Hz 20 W 8.9 W 1.9 W 0.4 W 5.8 B(A), 44 dB(A) |
| Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power off Noise Level | Google Cloud Print 4.3 * TFT Colour LCD Windows XP/XP Profesional x 64 Edition/Vista/7/8/8.1/10 Windows Server 2003/2003 x 64 Edition/2008 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later AC 100 - 240 V 50 - 60 Hz 20 W 8.9 W 1.9 W 0.4 W 5.8 B(A), 44 dB(A) |
| Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power off Noise Level PC Printing / Premium Glossy Photo Paper Best Photo PC Printing / Palin Paper Default ³ Consumables | Google Cloud Print 4.3 * TFT Colour LCD Windows XP/XP Profesional x 64 Edition/Vistar/7/8/8.1/10 Windows Server 2003/2003 x 64 Edition/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later AC 100 - 240 V 50 - 60 Hz 20 W 8.9 W 1.9 W 0.4 W 5.8 B(A), 44 dB(A) |
| Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sikep Power off Noise Level PC Printing / Premium Glossy Photo Paper Best Photo PC Printing / Plain Paper Default ¹³ Consumables Epson Genuine Ink Bottle | Google Cloud Print 4.3 * TFT Colour LCD Windows XP/XP Profesional x 64 Edition/Vistar/7/8/8.1/10 Windows Server 2003/2003 x 64 Edition/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later AC 100 - 240 V 50 - 60 Hz 20 W 8.9 W 1.9 W 0.4 W 5.8 B(A), 44 dB(A) 6.4 B(A), 48 dB(A) Page Yield* Order Code |
| Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power off Noise Level PC Printing / Premium Glossy Photo Paper Best Photo PC Printing / Plain Paper Default ³ Consumables Epson Genuine Ink Bottle Black | 4.3 * TFT Colour LCD |
| Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power off Noise Level PC Printing / Premium Glossy Photo Paper Best Photo PC Printing / Plain Paper Default ¹³ Consumables Epson Genuine Ink Bottle Black Cyan | 4.3 * TFT Colour LCD |

Dimensions & Weight

L1455

Weight: 23 kg (50.7 lb)



*1 Print speed (Pages Per Minute) is calculated when printed on A4 plain paper in the fastest mode, 10 x 15 cm photo print speed when printed on Epson Premium Glossy Photo Paper. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.







#1 Black Text

#2 Black Text and graphics

Photo 4R (4 x 6 ")

- *2 When printed on Epson Premium Glossy Photo Paper.
- *3 Default mode in accordance with ISO7779 for MFPs.
- *4 Quoted yields are based on the ISO 24711/24712 patterns of mixed text and colour graphics with Epson methodology. Quoted yields are based on the replacement ink bottles purchased. For print quality, part of the ink from the included bottles is used for printer startup so yields could be lower than those of replacement ink bottles. Actual yields will vary due to reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. Ink is used for both printing and printhead maintenance. All inks are used for both black and colour printing.



© 2018 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Selko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Dealer's Stamp