

SPECIFICATIONS
SureColor SC-P703 & SC-P903

MODEL NUMBER	SC-P703 SC-P903	
Maximum Print Size	13" wide 17" wide	
Printing Technology	On-demand ink jet (piezo electric), Variable-Sized Droplet Technology	
Printing Method	Black/Gray : 180 nozzles for each 4 black ink, Colour : 180 nozzles for each 6 colour ink	
Nozzle Configuration	Black Enhance Overcoat	
Overcoat Print	Bi-directional printing, uni-directional printing	
Print Direction	(LCCS Technology. The promotion depends on each ESC)	
LUT		
Print Quality		
Maximum Resolution	5760x1440 dpi	
Minimum Ink Droplet Volume	1.5pl	
Ink System		
Name	UltraChrome PRO10 Ink	
Colours	Cyan, Vivid Magenta, Photo Black, Matte Black, Gray, Light Gray, Yellow, Vivid Light Magenta, Light Cyan, Violet	
Ink Capacity	25ml 50ml	
Control Panel		
Colour & Size	4.3 inch colour LCD & Electrostatic touch screen	
Paper Handling		
Paper Feed Method	Friction Feed	
Printing Area (width)	Cut Sheet : 89mm (3.5") - 330.2mm (13") Cut Sheet : 89mm (3.5") - 431.8mm (17")	
	Roll paper (Built in unit), Width: 210mm (A4) - 330.2mm (13"), Max roll diameter : 84mm Roll paper (Option roll paper unit), Width: 210mm (A4) - 431.8mm(17"), Max roll diameter : 132mm	
	ASF: PlainPaper: 0.08-0.11mm, Genuine Media : 0.08-0.50 mm, Front Thick Paper Path : 0.3 - 0.7 mm, Front Straight Path : 0.7 - 1.5 mm, Roll Path : 0.12-0.70 mm	
	ASF: Plain paper 120 sheets(73g/m²)	
Thickness		
ASF Capacity:Max. sheets		
Required Minimum Margin		
Without Border	3.5" x 5, 4" x 6", 4" x 7.11"(16:9 wide), 5" x 7", 5" x 8, 8" x 10", 10" x 12", 11" x 14", 13" x 19": all directions 0 mm **Max quality [Level4, 5] mode doesn't have borderless print. 3.5" x 5, 4" x 6", 4" x 7.11"(16:9 wide), 5" x 7", 5" x 8, 8" x 10", 10" x 12", 11" x 14", 16" x 20", 17" x 22" : all directions 0 mm **Max quality [Level4, 5] mode doesn't have borderless print.	
	Board paper (Front) : Top and bottom 20mm, right and left 3mm, Roll paper : Top 50mm , Bottom 14mm, The others : all directions 3mm	
	Windows 7/ 8/ 8.1/ 10, MacOS 10.9 or later	
	Wired Connection: Super-Speed USB, 10BASE-T/100BASE-TX, Wireless Connection: Wi-Fi 4	
	ESC/P-R	
Required Minimum Margin		
Support Operation System		
Interface		
Control Code		
Environmental Characteristics		
Temperature	Operating: 10°C - 35°C, Storage: -20°C - 40°C	
Humidity	Operating: 20 - 80% (no condensation), Storage: 5 - 85% (no condensation)	
Dimensions / Weight		
Dimension (WxDxH)	Close: 515x368x185 mm, Open: 515x769x420 mm Close: 615x368x199 mm, Open: 615x905x520 mm	
Weight	Main Unit: Approx. 12.6kg (without ink cartridge) Main Unit: Approx. 14.8kg (without ink cartridge), Option roll unit: 3.1kg	
Electrical Characteristics		
Rated power supply Voltage	AC 100-120V / 100-240V / 220-240V *Rated Voltage will vary depending on area	
Rated Frequency	50-60Hz	
Power Consumption	Printing: Approx.22 W Printing: Approx.24 W	
	Sleep : Approx. 1.1 W	
	Power off : Approx. 0.14W(100-240V), Power off : Approx. 0.08W(100-120V), Power off : Approx. 0.18W(220-240V)	
Rated power supply Current	1.3-0.7A(100-240V), 1.2A(100-120V), 0.7A(220-240V)	
Acoustic Noise Level	Colour printing: Approx. 39dB(A) according to ISO 7779 Colour printing: Approx. 41dB(A) according to ISO 7779	
Bundled Item	Setup I/C, Software disc, Disc tray, Setup guide, Power cable, USB cable, Warranty	

SC-P703
Dimension & Weight
Weight: Approx. 12.6kg (without ink cartridge)



SC-P903
Dimension & Weight
Weight: Approx. 14.8kg (without ink cartridge)



© 2020 Epson Singapore Pte Ltd. All Rights Reserved.
Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Partner's Stamp

Information correct at time of printing
Printed July 2020

DESIGNED FOR PROFESSIONAL REPRODUCTION OF PHOTOS

SURECOLOR SC-P703 & SC-P903



The Epson SureColor SC-P703 and SC-P903 printers will be a treat for professional photographers and creatives who have a keen eye for detail and an appreciation for high-performance hardware that is aesthetically pleasing. The accuracy and quality of the printers' output is further enhanced by the deepest blacks and an expanded blue colour gamut.

- Versatile Media Handling
- Up to 1.5mm Thick*
- Ethernet
- Wi-Fi
- Epson Connect

ULTRACHROME PRO10 INK




IT'S IN THE DETAILS.
With the UltraChrome™ inks, create works of art on the widest spectrum of colours



Epson (Thailand) Co.,Ltd.
Puun Tower, 22nd Floor
1152 Rama 4 Road, Klong Toei, Klong Toei, Bangkok 10110

Contact Us
Email: support@eth.epson.co.th
Phone: Epson Thailand
Phone: 02-460-9699

Follow Us
Facebook, Instagram, YouTube, LinkedIn, WhatsApp
EpsonThailand




A BREAKTHROUGH IN PROFESSIONAL PRINTING TECHNOLOGY

Incorporating the same large-format
printing technology used by the world's
leading photographers into a sleek,
compact design, allowing for the
creation of museum-quality prints
from the convenience of a desktop.

BE INSPIRED

A large-format photographic print showcases the immense
creativity of the artist. With an ultra-high print resolution of
up to 5760x1440 dpi, you can clearly portray every detail of
your creative vision in the print. Tweaking of print settings
is made easier via the bundled software.



HIGH PRINT QUALITY

The SC-P703 & SC-P903 professional graphics photo printers are developed with outstanding print quality standards. The increased black density for better gradation, deeper blacks, and less graininess, is achieved through the Epson UltraChrome PRO10 ink and Enhance Overcoat Technology for finer detail and texture in black areas. The expansion of the blue colour gamut allows the user to have a more accurate colour reproduction.

ULTRACHROME
PRO10 INK



AESTHETICALLY PLEASING DESIGN

The photo printers have a sleek, compact and ergonomic design. The SC P703 (A3+model) is 32% smaller than its predecessor, SC-P607 while the SC-P903 (A2 model) is 30% smaller than its predecessor, SC-P807*.

*Based on internal calculation



UNITED FUNCTION

The SC-P703 and SC-P903 offer multiple functionalities, enabling ease of use when you print.



Matte Black (MK) and Photo Black (PK) inks are now constantly available. And since there is no MK/PK black ink change, it provides efficient production by making the time taken to switch between art and photo papers much faster.



Easy media profile setting enables the media to be set easily. The printer will then help to cut the print to size.




Redefining printing workflow through the ability to manage multiple printers on 1 computer easily.



Extremely light and robust paper trays with vertical grid lines to hold the paper firmly.



Customisable user interface (UI) for professionals and a print status indicator with LED lighting to easily monitor the print status of a print job.



Advanced integrated spindle-less roll paper unit and fine art paper feeding via Automatic Sheet Feeder (ASF).



Epson Media Installer is a new solution that frees users from handling ICC (International Colour Consortium) difficulties.

THE MAGIC OF MONOCHROME

Showcase your work of art, boosted by high-quality black enhance overcoat printing, offering ultra-realistic monochrome prints. This is made possible by the reliable Epson P-series printer.

