








**YOUR PARTNER IN ENRICHING THE CLASSROOM EXPERIENCE.**

Cut through the hassle, and get straight to your presentation. Epson's series of document cameras not only captures details with Full HD resolution, its versatile connectivity also gives you great functionality. Furthermore, its compatibility with Epson's interactive projectors allows you to easily manipulate your images without moving away from the screen. For smoother and hassle-free presentations – Epson is the answer.



-   
Full HD Resolution
-   
HDMI\*
-   
Split Screen\*
-   
Compatible with Microscope
-   
Built-in Microphone

\*Available for ELPDC21 and ELPDC13 only.

**ENGINEERED FOR BUSINESS**

Epson's series of Full HD document cameras is engineered to bring your presentations alive. Enjoy seamless integration with Epson's interactive projectors, versatile connectivity and the best in digital imaging, all packed into a sleek and compact design, for impressive presentations.



	ELPDC21	ELPDC13	ELPDC07
<b>Key Benefit</b>	Desktop document camera with <b>optical</b> zoom	Desktop document camera with <b>digital</b> zoom	Ultra-portable <b>USB powered</b> document camera
<b>Effective Pixels</b>	2MP (1920 x 1080 pixels)	2MP (1920 x 1080 pixels)	2MP (1920 x 1080 pixels)
<b>Camera Sensor</b>	1/2.7 inch CMOS Sensor	1/2.7 inch CMOS Sensor	1/2.7 inch CMOS Sensor
<b>Frame-Per-Second (FPS)</b>	30	30	30
<b>Output Resolution</b>	Up to Full HD (1080p)	Up to Full HD (1080p)	Up to Full HD (1080p)
<b>Zoom</b>	10x Digital 12x Optical	16x Digital	8x Digital
<b>Built-in Microphone</b>	Yes	Yes	Yes
<b>AV Recording</b>	Yes	Yes	No
<b>Weight</b>	Approx 2.6kg	Approx 2.5kg	Approx 1.0kg

## PARTNERS IN PERFECTION

### Epson Ultra Short-throw Interactive Projectors

Compatibility with Epson's ultra short-throw interactive projectors allows you to easily interact with your images, literally at your fingertips with finger-touch and pen interactivity.


Pair your Epson's document camera with an interactive projector for impressive presentations today.



## Realistic and Larger Images

### Larger Imaging Sensor

Achieve sharp, clear images with amazing quality and detail in any light with the large imaging sensor, which captures more light per pixel. The ELPDC21 automatically detects the native aspect ratio of projectors and selects the correct output resolution to match.



### 12x Optical and 10x Digital Zoom

Zoom in on every intricate detail and let students get up close and personal with the subject at hand. The ELPDC21 delivers a unique perspective on any subject with up to 12x optical zoom and 10x digital zoom. Bring lessons alive, right before their eyes, without having to pass around a microscope or photograph.




### Large Capture Area


Open students' eyes to a whole new world of possibilities. With a large capture area, the ELPDC21 lets you display virtually any object - from a two-page spread in a textbook to 3D objects or content from your smart devices.



B4



A3




### Microscope Support

You can even share organisms under a microscopic via the included microscope adapter. Just fit the adapter to any standard microscope eyepiece and bring the smallest particles to the big screen for all to see.


### Frame Rate

Watch your presentation come alive with the 30 frames-per-second (fps) video that provides ultra-smooth video performance and minimal delays.




### Full HD Image Output

Capture every detail and impress your audiences with brilliant Full HD 1080p resolution.



### Versatile Connectivity

Take learning to the next level with engaging multimedia presentations. Output the captured images to any HDMI or VGA display device, as well as to a PC via the USB connections. Enhance any learning experience with attention-grabbing content. You can even capture images and save them to the SD card or connected PC.



ELPDC21




## Hassle-free Compatibility

### Interactive Projector Integration


Enjoy instant interactivity with easy-to-use interactive tools. With PC-less annotation, add notes and diagrams to live images with Epson's interactive projectors. Its compatibility with Epson's interactive projectors gives you ease-of-control to your presentations.



Example 1: Start/stop recording on the big screen



Example 2: Zoom in/out on the big screen



### Epson Easy Interactive Tools (EIT) Software

With PC connectivity, users can use the Epson's Interactive Tool (EIT) to annotate on the live image. It is even easier with the Epson interactive projector, which allows users to annotate using the interactive feature.

## Portable and Compact

Save on space with the sleek and compact design that conveniently folds into a ready-to-carry unit.



## Convenient Features

### Split Screen

Split screen capability enables projection of a live video and still image from a SD card. The versatile remote controller works for both document camera and projector.

Using the split screen, viewers can enjoy both still and moving images.



Camera

Picture in SD Card

### Record and Share Lessons

Now, it's easier than ever to capture creative lessons and share them later with other students. Use the document camera and built-in microphone to record classroom demonstrations and projects. Then, play them back for students who missed the class.




### Built-in LED Light

The built-in LED light illuminates objects so that you can project objects clearly even if the surrounding area is dimly lit.



### Convenient One-touch Control

Enjoy convenient one-touch button to freeze, focus, capture and video record the images.





## Realistic and Larger Images

### Large Capture Area



Open students' eyes to a whole new world of possibilities. With a large capture area, the ELPDC13 lets you display virtually any object - from a two-page spread in a textbook to 3D objects or content from your smart devices.



B4



A3



### Microscope Support

You can even share organisms under a microscopic view via the included microscope adapter. Just fit the adapter to any standard microscope eyepiece and bring the smallest particles to the big screen for all to see.



### 16x Digital Zoom

Versatile rotating camera head with intuitive 16x digital zoom and a microscope adapter to provide sharp detail and clear magnification, making it the perfect tool for a dynamic presentation.




### Frame Rate

Watch your presentation come alive with the 30 frames-per-second (fps) video that provides ultra-smooth video performance and minimal delays.



### Full HD Image Output

Capture every detail and impress your audiences with brilliant Full HD 1080p resolution.




### Hassle-free Compatibility


Enjoy instant interactivity with easy-to-use interactive tools. With PC-less annotation, add notes and diagrams to live images with Epson's interactive projectors. Its compatibility with Epson's interactive projectors gives you ease-of-control to your presentations..



Example 1: Start/stop recording on the big screen



Example 2: Zoom in/out on the big screen




### Compact and Flexible

Captured images can be easily displayed by adjusting the arm position and camera head of the ELPDC13. This document camera is also space-saving with its sleek and compact design that conveniently folds into a ready-to-carry unit.



### Versatile Connectivity

Take learning to the next level with engaging multimedia presentations. Output the captured images to any HDMI or VGA display device, as well as to a PC via the USB connections. Enhance any learning experience with attention-grabbing content. You can even capture images and save them to the SD card or connected PC.



ELPDC13



## Convenient Built-in Features

### Split Screen

Split screen capability enables projection of a live video and still image from a SD card. The versatile remote controller works for both document camera and projector.

Using the split screen, viewers can enjoy both still and moving images.



Camera

Picture in SD Card

### Record and Share Lessons

Now, it's easier than ever to capture creative lessons and share them later with other students. Use the document camera and built-in microphone to record classroom demonstrations and projects. Then, play them back for students who missed the class.



### Built-in LED Light

The built-in LED light illuminates objects so that you can project objects clearly even if the surrounding area is dimly lit.



### Convenient One-touch Control


Enjoy convenient one-touch button to freeze, focus, capture and video record the images.



### Realistic and Larger Images


The ELPDC07 features an 8x digital zoom and a microscope adapter to provide sharp detail and clear magnification, making it the perfect tool for a dynamic presentation.

Open students' eyes to a whole new world of possibilities. With a large capture area, the ELPDC07 lets you display virtually any object - from a one-page spread in a textbook to 3D objects or content from your smart devices. You can even share organisms under a microscope via the included microscope adapter. Just fit the adapter to any standard microscope eyepiece and bring the smallest particles to the big screen for all to see.




### Frame Rate

Watch your presentation come alive with the 30 frames-per-second (fps) video that provides ultra-smooth video performance and minimal delays.




### Full HD Image Output

Capture every detail and impress your audiences with brilliant Full HD 1080p resolution.



## Hassle-free Compatibility

Enjoy instant interactivity with easy-to-use interactive tools. With PC-less annotation, add notes and diagrams to live images with Epson's interactive projectors. Its compatibility with Epson's interactive projectors gives you ease-of-control to your presentations.



Zoom in/out on the big screen

## Portable and Compact

Made easy for users to bring along to presentations, this document camera packs conveniently with any main unit without the need of an extra storage bag or compartment.

The ELPDC07 does not require any power adapter and can be easily powered by USB port. Measuring only 60mm when folded, the document camera is portable, compact and easily carried anywhere and anytime.




## Convenient Built-in Features

Now, it's easier than ever to capture creative lessons and share them later with other students. Use the document camera and built-in microphone to record classroom demonstrations and projects. Then, play them back for students who missed the class.

The built-in LED light illuminates objects so that you can project objects clearly even if the surrounding area is dimly lit.

## Convenient One-touch Control

Enjoy convenient one-touch button to freeze, focus, capture and video record the images.



ELPDC07

## SPECIFICATIONS ELPDC21/13/07

**EPSON**  
EXCEED YOUR VISION

MODEL NAME	ELPDC21	ELPDC13	ELPDC07
<b>Main Parts Specification</b>			
Sensor	CMOS		
Size	1 / 2.7"		
Effective Pixels	2M Pixels (1920 x 1080)		
Native Resolution	1080p (16:9 Aspect Ratio)		
Frame Rate	Up to 30fps		
Video Output	SXGA (1280 x 1024) / XGA (1024 x 768) / WXGA (1280 x 800) / HD (1360 x 768) / 1080p (1920 x 1080)		N/A
HDMI	480p / 720p / 1080p		N/A
USB-B	VGA / SVGA / XGA / SXGA / WXGA / 720p / 1080p		VGA / SVGA / XGA / SXGA / 720p / WXGA / 1080P
<b>Optical Systems</b>			
Lens	Optical Zoom / Focus		No Optical Zoom / Focus
Type	F = 3.4 - 5		F = 2.0
F-Number			
Shooting Area	Max 297 x 526 mm at 1080p output resolution		Max 273 x 364mm at XGA output resolution
Zoom	Up to 10x Digital Up to 12x Optical	Up to 16x Digital	Up to 8x Digital
Focus	Automatic (need to press "Focus" button), Focus adjust time: less than 2 sec		Automatic (need to press "Focus" button), Focus adjust time: less than 3 sec
<b>Illumination</b>			
Upper	White LED x 2 (variable LED light)		
<b>Interface Port</b>			
Input	D-Sub 15Pin (VGA)	1 (Black)	N/A
Output	D-Sub 15Pin (VGA)	1 (Blue)	N/A
	HDMI	1 (in common with CEC control)	N/A
USB I/O	Type B x 1		
Internal Microphone	Yes (Monoral)		
Memory I/O	SD Card	1 (SD / SDHC, No SDXC support)	N/A
<b>Basic Function</b>			
Freeze	Yes		
Output Source Select	Yes		N/A
Image Brightness Adjustment	Yes		Yes (using PC App)
Light Brightness Control	Yes		
Auto Detect Aspect Ratio	Yes		
<b>Extended Function</b>			
Still Image Capture	Yes (need external SD card)		N/A
Video Capture	Yes (w/Audio) (need external SD card)		N/A
Digital Scroll / Pan / Tilt	Yes (available for over 2x digital zoom) (without Zoom window)		Yes (with Epson projector or PC application)
Image File Play / Slideshow	Yes (need external SD card)		N/A
Split Screen	Yes		N/A
<b>Adjustment Function</b>			
Image	White Balance	Yes (Auto, Cloudy, Daylight, Fluorescent, Incandescent)	
	Focus	Yes (Manual adjustment)	
	Focus Lock	Yes	N/A
	Image Mode	Yes (Normal, Text, Display)	
	Colour / B&W / Negative	Yes (Colour, Black & White, Negative)	
	Image Rotation	Yes (0, 180 degrees)	
	Microscope	Yes	
	Noise Reduction	Yes	
Function	HDMI Output	Yes (Auto, SDTV (480p), HDTV (720p), HDTV (1080p))	
	Output Resolution	Yes (Auto, XGA (1024 x 768), WXGA (1280 x 800), WXGA (1360 x 768), SXGA (1280 x 1024), Full HD (1920 x 1080))	
	Flicker Reduction	Yes (50Hz, 60Hz)	
	Language	Yes	
	Sleep Mode	Yes	
	Sleep Mode Timer	Yes	
	HDMI Link	Yes (On / Off)	
<b>Power</b>			
Power Supply Voltage	100 - 240V AC (50/60 Hz)		USB Bus Powered 5V
Output Voltage Of AC Power Adapter	12V		N/A
Power Consumption	13W		Less than 2.5W
Power Consumption (Standby)	Less than 0.5W		N/A
<b>Operating Temperature</b>			
Dimensions	5 - 35 °C <41 - 95 °F> ( 0m / 0ft - 2.286m / 7.500ft ) ( 20% - 80% humidity, No condensation )		
Open (D x W x H)	502 x 270 x 328 mm	447 x 270 x 317 mm	76 x 260 x 388 mm
Folded (D x W x H)	120 x 375 x 122 mm	120 x 367 x 122 mm	76 x 260 x 60 mm
Weight	Approx. 2.6kg	Approx. 2.5kg	Approx. 1.0kg
<b>Theft Proof</b>			
Kensington Lock	Yes		
Security Bar	Yes		N/A
Security Lock Hole	Yes		N/A

### ELPDC21 / ELPDC13

#### Supplied Accessories

USB Cable  
Computer Cable (VGA Cable)  
External AC Power Adapter  
Remote Control: Yes (with 2 AA Batteries)  
Microscope Adapter  
Software CD-ROM  
User Manual CD-ROM

### ELPDC07

#### Supplied Accessories

USB Cable  
Microscope Adapter  
Soft Carrying Case  
Software CD-ROM  
User Manual CD-ROM

### ELPDC21/ ELPDC13



©2016 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited.

EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation.

All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct at time of printing  
Printed March 2016

Sales Enquiries  
800 120 5564

[f](#) EpsonSEA [t](#) @EpsonSEA [y](#) YouTube EpsonSoutheastAsia [in](#) Epson Southeast Asia

To find out more, visit [www.epson.com.sg/projectors](http://www.epson.com.sg/projectors) or call +65 800 120 5564

Epson Singapore Pte Ltd 1 Harbourfront Place, #03-02 HarbourFront Tower One, Singapore 098633. Tel: (65) 6586-5500 Fax: (65) 6271-9755

Epson Customer Care Centre 108 Pasir Panjang Road, #04-08 Golden Agri Plaza, Singapore 118535. Epson Helpdesk: 800 120 5564. Operating hours: Monday - Friday, 9am - 6pm, Saturday, 9am - 1pm. Closed on Sunday and Public Holiday.