

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier

Mixture identification:

Trade name: Ink Cartridge, T8927

- Trade code:
- T8927 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use:

Ink for inkjet printing

1.3. Details of the supplier of the safety data sheet

Company:

:	SEIKO EPSON CORPORATION		
8	80 Harashinden, Hirooka, Shiojiri-shi, Nagano-ken, 399-0785 JAPAN		
	Phone number:	+81-263-52-2552	
	FAX number:	+81-263-53-3702	
Competent person responsible for the safety data sheet:			
	MSDS_HRO@exc.epson.co	o.jp	
Date:	12 January, 20	16	
Revision:	1.0		
1.4. Emergency telephone	e number		
Phone number:	+81-263-52-25	52 (Mon~Fri, 9AM~5PM JST)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Warning, Flam. Liq. 4, Combustible liquid.

> Adverse physicochemical, human health and environmental effects: No other hazards

2.2. Label elements

Hazard pictograms: None

Warning Hazard statements:

H227 Combustible liquid.

Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smokina.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

- P370+P378 In case of fire: Use water to extinguish.
- P403 Store in a well-ventilated place.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

T8927_en_16-01-12_10 Page n. 1 of 8



3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of GHS regulation and related classifications:

Qty	Name	Ident. Nun	nber	Classification
65% ~	1-ethoxy-2-(2-methoxy	CAS:	1002-67-1	2.6/4 Flam. Liq. 4 H227
80%	ethoxy)ethane	EC:	213-690-5	
10% ~	gamma-Butyrolactone	CAS:	96-48-0	The product is not classified as
12.5%		EC:	202-509-5	dangerous according to GHS - Fifth revised edition.
5% ~ 7%	Dipropylene glycol monomethylether	CAS:	34590-94-8	2.6/4 Flam. Liq. 4 H227
0.5% ~ 1%	Carbon black	CAS: EC:	1333-86-4 215-609-9	The product is not classified as dangerous according to GHS - Fifth revised edition.

SECTION 4: First aid measures

- 4.1. Description of first aid measures
 - In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed
 - None
- 4.3. Indication of any immediate medical attention and special treatment needed Treatment: None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media: Water spray, dry chemical, carbon dioxide or alcohol-resistant foam. Extinguishing media which must not be used for safety reasons: None in particular.
- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters
 - Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

T8927_en_16-01-12_10 Page n. 2 of 8



6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

- 6.2. Environmental precautions
 - Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

- Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling

 Avoid contact with skin and eyes, inhalation of vapours and mists.
 Don't use empty container before they have been cleaned.
 Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
 Contamined clothing should be changed before entering eating areas.
 Do not eat or drink while working.
 See also section 8 for recommended protective equipment.

 7.2. Conditions for safe storage, including any incompatibilities

 Always keep in a well ventilated place.
 - Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

7.3. Specific end use(s) None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No occupational exposure limit available DNEL Exposure Limit Values N.A.

PNEC Exposure Limit Values N.A.

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Not needed for normal use.

T8927_en_16-01-12_10 Page n. 3 of 8 Version 8.0 Revison 1.0



Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None

SECTION 9: Physical and chemical properties

	in 9: Physical and chemical properties		
9.1	 Information on basic physical and chemical prop 	erties	
Appearance and colour:		Black Liquid	
Odour:		Slightly	
	Odour threshold:	N.A.	
	pH:	Not Relevant	
Melting point / freezing point:		N.A.	
Initial boiling point and boiling range:		N.A.	
	Solid/gas flammability:	N.A.	
	Upper/lower flammability or explosive limits:	N.A.	
	Vapour density:	N.A.	
	Flash point:	N.A.	
	Evaporation rate:	N.A.	
	Vapour pressure:	N.A.	
	Relative density:	N.A.	
	Solubility in water:	Soluble	
	Solubility in oil:	N.A.	
	Partition coefficient (n-octanol/water):	N.A.	
	Auto-ignition temperature:	N.A.	
	Decomposition temperature:	N.A.	
	Viscosity:	< 5 mPa⋅s	at 20 °C
	Explosive properties:	N.A.	
	Oxidizing properties:	N.A.	
9.2	2. Other information		
	Miscibility:	N.A.	
	Fat Solubility:	N.A.	
	Conductivity:	N.A.	
	Substance Groups relevant properties	N.A.	

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

- 10.2. Chemical stability
 - Stable under normal conditions
- 10.3. Possibility of hazardous reactions None
- 10.4. Conditions to avoid Stable under normal conditions.10.5. Incompatible materials
 - None in particular.
- 10.6. Hazardous decomposition products None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects Toxicological information of the mixture: Ink

T8927_en_16-01-12_10 Page n. 4 of 8



e) germ cell mutagenicity:

Test: Mutagenesis - Species: Salmonella Typhimurium and Escherichia coli Negative

Toxicological information of the main substances found in the mixture:

1-ethoxy-2-(2-methoxyethoxy)ethane - CAS: 1002-67-1

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg

Test: LD50 - Route: Dermal - Species: Rat > 2000 mg/kg

b) skin corrosion/irritation:

Test: Skin Irritant - Route: Dermal - Species: Rabbit Negative

c) serious eye damage/irritation:

- Test: Eye Irritant Species: Rabbit Negative
- e) germ cell mutagenicity:
- Test: Mutagenesis Species: Salmonella Typhimurium Negative g) reproductive toxicity:
- g) reproductive toxic

Test: Reproductive Toxicity - Route: Oral - Species: Rat Negative Carbon black - CAS: 1333-86-4

a) acute toxicity:

Test: LD50 - Route: Dermal - Species: Rabbit > 3 g/kg - Source: Acute Toxicity Data. Journal of the American College of Toxicology, Part B. Vol. 15 Test: LD50 - Route: Oral - Species: Rat > 15400 mg/kg - Source: Acute Toxicity Data. Journal of the American College of Toxicology, Part B. Vol. 15

If not differently specified, the information required in Regulation (EU) 2015/830 listed below must be considered as N.A.:

- a) acute toxicity;
- b) skin corrosion/irritation;
- c) serious eye damage/irritation;
- d) respiratory or skin sensitisation;
- e) germ cell mutagenicity;
- f) carcinogenicity;
- g) reproductive toxicity;
- h) STOT-single exposure;
- i) STOT-repeated exposure;
- j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. 1-ethoxy-2-(2-methoxyethoxy)ethane - CAS: 1002-67-1

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae > 89.5 mg/l - Duration h: 96

Endpoint: LC50 - Species: Daphnia > 93.6 mg/l - Duration h: 48

Endpoint: LC50 - Species: Fish > 90.8 mg/l - Duration h: 96

- 12.2. Persistence and degradability
 - N.A.
- 12.3. Bioaccumulative potential
 - N.A.
- 12.4. Mobility in soil
 - N.A.
- 12.5. Results of PBT and vPvB assessment
 - vPvB Substances: None PBT Substances: None
- 12.6. Other adverse effects None

T8927_en_16-01-12_10



SECTION 13: Disposal considerations

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

- 14.1. UN number
 - Not classified as dangerous in the meaning of transport regulations.
- 14.2. UN proper shipping name
- N.A. 14.3. Transport hazard class(es)
- 14.3. Transport nazard class(es N.A.
- 14.4. Packing group
 - N.A.
- 14.5. Environmental hazards N.A.
- 14.6. Special precautions for user
 - N.A.
- 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) 2015/830

Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Where applicable, refer to the following regulatory provisions :

Directive 2003/105/CE ('Activities linked to risks of serious accidents') and subsequent amendments. Regulation (EC) nr 648/2004 (detergents).

1999/13/EC (VOC directive)

Provisions related to directives 82/501/EC(Seveso), 96/82/EC(Seveso II):

N.A.

- USA Federal regulations
 - TSCA Toxic Substances Control Act

TSCA inventory: all the components are listed on the TSCA inventory.

- TSCA listed substances:
- Dipropylene glycol monomethylether is listed in TSCA Section 8a PAIR.
- SARA Superfund Amendments and Reauthorization Act

Section 302 – Extremely Hazardous Substances: no substances listed.

T8927_en_16-01-12_10

Page n. 6 of 8

Version 8.0 Revison 1.0



Section 304 - Hazardous substances: no substances listed. Section 313 - Toxic chemical list: 1-ethoxy-2-(2-methoxyethoxy)ethane. CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act Substance(s) listed under CERCLA: 1-ethoxy-2-(2-methoxyethoxy)ethane. CAA - Clean Air Act CAA listed substances: 1-ethoxy-2-(2-methoxyethoxy)ethane is listed in CAA Section 112(b) - HAP, Section 112(b) - HON. CWA - Clean Water Act CWA listed substances: None. USA - State specific regulations California Proposition 65 Substance(s) listed under California Proposition 65: None. Massachusetts Right to know Substance(s) listed under Massachusetts Right to know: Dipropylene glycol monomethylether Carbon black. New Jersey Right to know Substance(s) listed under New Jersey Right to know: 1-ethoxy-2-(2-methoxyethoxy)ethane Dipropylene glycol monomethylether Carbon black. Pennsylvania Right to know Substance(s) listed under Pennsylvania Right to know: 1-ethoxy-2-(2-methoxyethoxy)ethane Dipropylene glycol monomethylether Carbon black. 15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H227 Combustible liquid.

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

CCNL - Appendix 1

Insert further consulted bibliography

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This Safety Data Sheet cancels and replaces any preceding release.

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
- CAS: Chemical Abstracts Service (division of the American Chemical

T8927_en_16-01-12_10 Page n. 7 of 8 Version 8.0 Revison 1.0



CLP: DNEL: EINECS: GefStoffVO: GHS:	Society). Classification, Labeling, Packaging. Derived No Effect Level. European Inventory of Existing Commercial Chemical Substances. Ordinance on Hazardous Substances, Germany. Globally Harmonized System of Classification and Labeling of
IATA:	Chemicals. International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport
	Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
LTE:	Long-term exposure.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods
STE:	by Rail. Short-term exposure.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWATLV:	Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).
WGK:	German Water Hazard Class.