

# BUSINESS AND HOME PROJECTORS GUIDE

COMPLETING ALL YOUR HOME AND BUSINESSES NEEDS.



Large Venue Range

Interactive Range

Lightscene

Business Range

Portable Range

Home Entertainment Range



androidtv

EpiqVision

\*Leading Epson business and education projectors vs. leading 1-chip DLP® projectors, selected according to NPD data as of July 2015. Based on U.S. research conducted by Radius Research. Information correct at time of printing. Printed December 2020.

# ENTRY RANGE



## EB-L200X

4,200 lm

4,200 lm

XGA

☾ >2,500,000:1

±30° (V) / ±30° (H)

1.62x

● (Vertical only)



20,000 Hrs

2

1

2

A x1 / B x1

1 / 2

1

1

1

1

**Built-in**  
(Support Screen Mirroring)

1

254 / 193 w

16 w Mono

299 x 325 x 90 mm

4.1 kg

ELPAP11

ELPAF60

## EB-L200W

4,200 lm

4,200 lm

WXGA

☾ >2,500,000:1

±30° (V) / ±30° (H)

1.62x

● (Vertical only)



20,000 Hrs

2

1

2

A x1 / B x1

1 / 2

1

1

1

1

**Built-in**  
(Support Screen Mirroring)

1

254 / 193 w

16 w Mono

299 x 325 x 90 mm

4.1 kg

ELPAP11

ELPAF60

## EB-L200F

4,500 lm

4,500 lm

FHD

☾ >2,500,000:1

±30° (V) / ±30° (H)

1.62x

● (Vertical only)



20,000 Hrs

2

1

2

A x1 / B x1

1 / 2

1

1

1

1

**Built-in**  
(Support Screen Mirroring)

1

254 / 193 w

16 w Mono

299 x 325 x 90 mm

4.1 kg

ELPAP11

ELPAF60

# BUSINESS PROJECTORS

## QUICK GUIDE

Model Number

MAIN SPECIFICATIONS	White Brightness
	Colour Brightness
	Resolution
	Contrast Ratio
	Keystone (V) / (H)
	Optical Zoom
	Auto Keystone
LASER	Type
	Laser Life (Normal/Quiet)
LAMP	Lamp Life (Normal/Eco)
INPUT TERMINAL	D-Sub15 (VGA)
	Composite Video (RCA)
	HDMI
	USB
	Audio Input (RCA/Stereo Mini Jack)
	MIC-Input
OUTPUT TERMINAL	Monitor-Out
	Audio-Out
NETWORK	Network (LAN RJ45)
	Wireless
CONTROL	RS232C
OTHERS	Power (Normal/Eco) Consumption
	Speaker Wattage
	Dimension Excluding Feet (D x W x H)
	Weight (Kg) *Without Accessories
	Optional Wireless Dongle
	Air Filter
	Lamp Model

## ENTRY RANGE



### EB-972

4,100 lm

4,100 lm

XGA

16,000:1

±30° (V) / ±30° (H)

1.6x

(Vertical only)

6,500 / 17,000 Hrs

2

1

2

A x1 / B x1

1 / 2

1

1

1

1

Optional

1

327 / 225 w

16 w Mono

282 x 309 x 90 mm

3.1 kg

ELPAP11

ELPAF54

ELPLP97



### EB-982W

4,200 lm

4,200 lm

WXGA

16,000:1

±30° (V) / ±30° (H)

1.6x

(Vertical only)

6,500 / 17,000 Hrs

2

1

2

A x1 / B x1

1 / 2

1

1

1

1

Optional

1

327 / 225 w

16 w Mono

282 x 309 x 90 mm

3.1 kg

ELPAP11

ELPAF54

ELPLP97



# MID SIZED ROOMS

## SCREEN MIRRORING



**EB-2155W**

**EB-2165W**

**EB-2065**

**EB-L510U**

**EB-L610U**

5,000 lm

5,500 lm

5,500 lm

5,000 lm

6,000 lm

5,000 lm

5,500 lm

5,500 lm

5,000 lm

6,000 lm

WXGA

WXGA

XGA

WUXGA

WUXGA

15,000:1

15,000:1

15,000:1

>2,500,000:1

>2,500,000:1

±30° (V) / ±30° (H)

±30° (V) / ±30° (H)

±30° (V) / ±30° (H)

±30° (V) / ±30° (H)

±30° (V) / ±30° (H)

1.6x

1.6x

1.6x

1.6x

1.6x



(Vertical only)

(Vertical only)

5,000 / 10,000 Hrs

5,000 / 10,000 Hrs

5,000 / 10,000 Hrs



20,000 Hrs

20,000 Hrs

2

2

2

2

2

1

1

1

2 (1 x support MHL)

2 (1 x support MHL)

2 (1 x support MHL)

2

2

1

1

1

A x1 / B x1

A x1 / B x1

A x1 / B x1

A x1 / B x1

A x1 / B x1

1 / 2

1 / 2

1 / 2

0 / 2

0 / 2

1

Share with Computer 2

1

Share with Computer 2

1

Share with Computer 2

1

Share with Computer 2

1

Share with Computer 2

1

1

1

1

1

1

1

1

1

1

Optional

Optional

Optional

Optional

**Built-in**  
(Support Screen Mirroring)

1

1

1

1

1

405 / 323 w

425 / 323 w

425 / 323 w

322 / 244 w

353 / 265 w

16 w Mono

16 w Mono

16 w Mono

10 w Mono

10 w Mono

291 x 377 x 101 mm

291 x 377 x 110 mm

291 x 377 x 101 mm

304 x 440 x 120 mm

304 x 440 x 120 mm

4.3 kg

4.6 kg

4.4 kg

8.5 kg

8.5 kg

ELPAP10

ELPAP10

ELPAP10

ELPAP10

ELPAF41

ELPAF41

ELPAF41

ELPAF56

ELPAF56

ELPLP95

ELPLP95

ELPLP95

# BUSINESS PROJECTORS

## QUICK GUIDE

Model Number

### ULTRA PORTABLE SERIES

GESTURE PRESENTER

GESTURE PRESENTER

SCREEN MIRRORING

SCREEN MIRRORING



**EB-1785W**

**EB-1795F**

**EB-2265U**

**EB-2255U**

		EB-1785W	EB-1795F	EB-2265U	EB-2255U
MAIN SPECIFICATIONS	White Brightness	3,200 lm	3,200 lm	5,500 lm	5,000 lm
	Colour Brightness	3,200 lm	3,200 lm	5,500 lm	5,000 lm
	Resolution	WXGA	Full HD	WUXGA	WUXGA
	Contrast Ratio	10,000:1	10,000:1	15,000:1	15,000:1
	Keystone (V) / (H)	±45° (V) / ±30° (H)	±45° (V) / ±30° (H)	±30° (V) / ±30° (H)	±30° (V) / ±30° (H)
	Optical Zoom	1.2x	1.2x	1.6x	1.6x
	Auto Keystone	●	●	●	●
LAMP	Lamp Life (Normal/Eco)	4,000 / 7,000 Hrs	4,000 / 7,000 Hrs	5,000 / 10,000 Hrs	5,000 / 10,000 Hrs
LASER	Type				
	Laser Life (Normal/Quiet)				
INPUT TERMINAL	D-Sub15 (VGA)	1	1	2	2
	Composite Video (RCA)	1	1	1	1
	HDMI	1 (Support MHL)	1 (Support MHL)	2 (1 x support MHL)	2 (1 x support MHL)
	HD BaseT			1	
	USB	A x1 / B x1	A x1 / B x1	A x1 / B x1	A x1 / B x1
	Audio Input (RCA/Stereo Mini Jack)	0 / 1	0 / 1	1 / 2	1 / 2
OUTPUT TERMINAL	Monitor-Out			1 Share with Computer 2	1 Share with Computer 2
	Audio-Out			1	1
NETWORK	Network (LAN RJ45)			1	1
	Wireless	Built-in (Support Screen Mirroring)	Built-in (Support Screen Mirroring)	Optional	Optional
CONTROL	RS232C			1	1
OTHERS	Power (Normal/Eco) Consumption	295 / 208 w	295 / 208 w	425 / 323 w	405 / 323 w
	Speaker Wattage	1 w Mono	1 w Mono	16 w Mono	16 w Mono
	Dimension Excluding Feet (D x W x H)	213 x 292 x 53 mm	213 x 292 x 53 mm	291 x 377 x 110 mm	291 x 377 x 110 mm
	Weight (Kg) *Without Accessories	1.81 kg	1.83 kg	4.7 kg	4.7 kg
	Optional Wireless Dongle			ELPAP10	ELPAP10
	Air Filter	ELPAF53	ELPAF53	ELPAF41	ELPAF41
	Lamp Model	ELPLP94	ELPLP94	ELPLP95	ELPLP95

# LIGHTSCENE


**EB-W50**
**EB-U50**
**EV-110/115**
**EB-800F/805F**

		EB-W50	EB-U50	EV-110/115	EB-800F/805F
<b>MAIN SPECIFICATIONS</b>	White Brightness	3,800 lm	3,700 lm	2,200 lm	5,000 lm
	Colour Brightness	3,800 lm	3,700 lm	2,200 lm	5,000 lm
	Resolution	WXGA	WUXGA	WXGA	Full HD
	Contrast Ratio	20,000:1	16,000:1	>2,500,000:1	>2,500,000:1
	Keystone (V) / (H)	±30° (V) / ±30° (H)	±30° (V) / ±30° (H)	±45° (V) / ±40° (H)	±3° (V) / ±3° (H)
	Optical Zoom	1.2x	1.2x	1.58x	
	Auto Keystone	● (Vertical only)	● (Vertical only)		
<b>LAMP</b>	Lamp Life (Normal/Eco)	10,000 / 17,000 Hrs	10,000 / 17,000 Hrs		
<b>LASER</b>	Type				
	Laser Life (Normal/Quiet)			20,000 Hrs	20,000 Hrs
<b>INPUT TERMINAL</b>	D-Sub15 (VGA)	2	2		2
	HDMI	2	2	1	3
	SDI (BNC)				
	HD BaseT				1
	USB	A x1 / B x1	A x1 / B x1	A x1 / B x1	A x2 / B x1
	Audio Input (RCA/Stereo Mini Jack)	0 / 2	0 / 2		0 / 3
	SD Card Slot			●	
<b>OUTPUT TERMINAL</b>	Monitor-Out	1	1		1
	Audio-Out	1	1	1	1
<b>NETWORK</b>	Network (LAN RJ45)	1	1	1	1
	Wireless	Optional	Built-in	Built-in	Optional
<b>CONTROL</b>	RS232C	1	1		1
<b>OTHERS</b>	Power (Normal/Eco) Consumption	285 / 218 w	285 / 218 w	149 / 112 w	366 / 262 w
	Speaker Wattage	5 w Mono	5 w Mono		8 w x 8 w Stereo
	Dimension Excluding Feet (D x W x H)	248 x 364 x 87 mm	248 x 364 x 87 mm	Projection unit: 260 x 175 mm Power supply unit (without cable cover) 110 x 361 x 65 mm	375 x 458 x 209.5 mm
	Weight (Kg) *Without Accessories	3.0 kg	3.1 kg	5.0 kg (Excluding Direct Mount)	9.4 kg (Excluding Cable Cover)
	Optional Wireless Dongle	ELPAP10			ELPAP11
	Air Filter	ELPAF59	ELPAF59		ELPAF56
	Lamp Model	ELPLP97	ELPLP97		



# BUSINESS PROJECTORS

## QUICK GUIDE

Model Number

### SHORT THROW

PEN INTERACTIVE



	EB-L200SX	EB-L200SW	EB-536Wi	EB-530	EB-535W	
MAIN SPECIFICATIONS	White Brightness	3,600 lm	3,800 lm	3,400 lm	3,200 lm	3,400 lm
	Colour Brightness	3,600 lm	3,800 lm	3,400 lm	3,200 lm	3,400 lm
	Resolution	XGA	WXGA	WXGA	XGA	WXGA
	Contrast Ratio	☉ >2,500,000:1	☉ >2,500,000:1	☉ 16,000:1	☉ 16,000:1	☉ 16,000:1
	Keystone (V) / (H)	±15° (V) / ±15° (H)	±15° (V) / ±15° (H)	±7° (V) / ±5° (H)	±15° (V) / ±15° (H)	±15° (V) / ±15° (H)
	Auto Keystone	● (Vertical only)	● (Vertical only)	● (Vertical only)		
LAMP	Lamp Life (Normal/Eco/Eco2)		5,000 / 10,000 / – Hrs			
LASER	Type					
	Laser Life (Normal/Quiet)	20,000 Hrs	20,000 Hrs			
INPUT TERMINAL	D-Sub15 (VGA)	2	2	2	2	2
	Composite Video (RCA)	1	1	1	1	1
	S-Video			1	1	1
	HDMI	2	2	1	1	1
	HD BaseT					
	USB	A x1 / B x1	A x1 / B x1	A x1 / B x1	A x1 / B x1	A x1 / B x1
	Audio Input (RCA/Stereo Mini Jack)	1 / 2	1 / 2	1 / 2	1 / 2	1 / 2
	MIC-Input	1	1	1	1	1
OUTPUT TERMINAL	Monitor-Out	1	1	1	1	1
	Audio-Out	1	1	1	1	1
NETWORK	Network (LAN RJ45)	1	1	1	1	1
	Wireless	Built-in (Support Screen Mirroring)	Built-in (Support Screen Mirroring)	Optional	Optional	Optional
CONTROL	RS232C	1	1	1	1	1
OTHERS	Power (Normal/Eco) Consumption	254 / 193 w	254 / 193 w	298 / 221 w	298 / 221 w	298 / 221 w
	Speaker Wattage	16 w Mono	16 w Mono	16 w Mono	16 w Mono	16 w Mono
	Dimension Excluding Feet (D x W x H)	337 x 325 x 90 mm	337 x 325 x 90 mm	314.5 x 344 x 94 mm	314.5 x 344 x 94 mm	314.5 x 344 x 94 mm
	Weight (Kg) *Without Accessories	4.5 kg	4.5 kg	3.9 kg	3.7 kg	3.7 kg
	Optional Wireless Dongle	ELPAP11	ELPAP11	ELPAP10	ELPAP10	ELPAP10
	Air Filter	ELPAF60	ELPAF60	ELPAF47	ELPAF47	ELPAF47
Lamp Model			ELPLP87	ELPLP87	ELPLP87	

# ULTRA SHORT THROW INTERACTIVE

TOUCH INTERACTIVE



**EB-695Wi**

**3,500** lm

**3,500** lm

**WXGA**

**14,000:1**

$\pm 3^\circ$  (V) /  $\pm 3^\circ$  (H)

**5,000 / 10,000 / 9,000** Hrs

OPTIONAL TOUCH INTERACTIVE



**EB-725Wi**

**4,000** lm

**4,000** lm

**WXGA**

**>2,500,000:1**

$\pm 3^\circ$  (V) /  $\pm 3^\circ$  (H)



**20,000** Hrs

TOUCH INTERACTIVE



**EB-735Fi**

**3,600** lm

**3,600** lm

**Full HD**

**>2,500,000:1**

$\pm 3^\circ$  (V) /  $\pm 3^\circ$  (H)



**20,000** Hrs

TOUCH INTERACTIVE



**EB-1485Fi**

**5,000** lm

**5,000** lm

**Full HD**

**>2,500,000:1**

$\pm 3^\circ$  (V) /  $\pm 3^\circ$  (H)



**20,000** Hrs

2

1

3

**A x1 / B x1**

**0 / 3**

1

**1 Share with Computer 2**

1

1

**Optional**

1

**354 / 309** w

**16** w Mono

**400 x 367 x 149** mm

**5.8** kg

ELPAP10

ELPAF49

ELPAP91

**Yes**

2

1

3

**A x2 / B x2**

**0 / 3**

1

**1 Share with Computer 2**

1

1

**Built-in**  
(Support Screen Mirroring)

1

**255 / 197** w

**16** w Mono

**395 x 356 x 133** mm

**5.8** kg

ELPAP11

ELPAF60

**Optional / ELPMB62**

2

1

3

**A x2 / B x2**

**0 / 3**

1

**1 Share with Computer 2**

1

1

**Built-in**  
(Support Screen Mirroring)

1

**255 / 197** w

**16** w Mono

**395 x 356 x 133** mm

**5.8** kg

ELPAP11

ELPAF60

**Optional / ELPMB62**

2

1

3

1

**A x2 / B x2**

**0 / 3**

1

1

1

**Built-in**  
(Support Screen Mirroring)

1

**366 / 262** w

**8** w x **8** w Stereo

**375 x 458 x 209.5** mm

**9.5** kg

ELPAP11

ELPAF56

**Yes**



# BUSINESS PROJECTORS

## QUICK GUIDE

Model Number

### ULTRA SHORT THROW



#### EB-725W

4,000 lm

4,000 lm

WXGA

>2,500,000:1

±3° (V) / ±3° (H)



20,000 Hrs

2

1

3

A x2 / B x1

0 / 3

1

1 Share with Computer 2

1

1

Built-in  
(Support Screen Mirroring)

1

255 / 197 w

16 w Mono

395 x 356 x 133 mm

5.7 kg

ELPAP11

ELPAF60

Optional / ELPMB62



#### EB-735F

3,600 lm

3,600 lm

Full HD

>2,500,000:1

±3° (V) / ±3° (H)



20,000 Hrs

2

1

3

A x2 / B x1

0 / 3

1

1 Share with Computer 2

1

1

Built-in  
(Support Screen Mirroring)

1

255 / 197 w

16 w Mono

395 x 356 x 133 mm

5.7 kg

ELPAP11

ELPAF60

Optional / ELPMB62

#### MAIN SPECIFICATIONS

White Brightness

Colour Brightness

Resolution

Contrast Ratio

Keystone (V) / (H)

Auto Keystone

#### LAMP

Lamp Life (Normal/Eco/Eco2)

#### LASER

Type

Laser Life (Normal/Quiet)

#### INPUT TERMINAL

D-Sub15 (VGA)

Composite Video (RCA)

S-Video

HDMI

HD BaseT

USB

Audio Input (RCA/Stereo Mini Jack)

MIC-Input

#### OUTPUT TERMINAL

Monitor-Out

Audio-Out

#### NETWORK

Network (LAN RJ45)

Wireless

#### CONTROL

RS232C

#### OTHERS

Power (Normal/Eco) Consumption

Speaker Wattage

Dimension Excluding Feet (D x W x H)

Weight (Kg) \*Without Accessories

Optional Wireless Dongle

Air Filter

Lamp Model

Setting-Plate

# LARGE VENUES



## EB-L1060UNL

6,000 lm

6,000 lm

WUXGA

☾ >2,500,000:1

±45° (V) / ±30° (H)

1.6x  
\*Using ELPLM08 lens



20,000 Hrs

1

1 (With HDCP 2.2)

1

1

1

A x1 / B x1

0 / 3

1

1

1

Optional

1

1

345 / 252 w

436 x 545 x 164 mm

15.6 kg

ELPP10

ELPAF46



## EB-L1070UNL

7,000 lm

7,000 lm

WUXGA

☾ >2,500,000:1

±45° (V) / ±30° (H)

1.6x  
\*Using ELPLM08 lens



20,000 Hrs

1

1 (With HDCP 2.2)

1

1

1

A x1 / B x1

0 / 3

1

1

1

Optional

1

1

416 / 299 w

436 x 545 x 164 mm

15.6 kg

ELPP10

ELPAF46



## EB-L1495UNL

9,000 lm

9,000 lm

WUXGA

☾ >2,500,000:1

±45° (V) / ±30° (H)

1.6x  
\*Using ELPLM15 lens



20,000 Hrs

1

1

1

1

1

1

A x1 / B x1

0 / 3

1

1

1

Optional

1

1

626 / 512 w

492 x 586 x 185 mm

21.9 kg

ELPP10

ELPAF51



## EB-L1505UHNL

12,000 lm

12,000 lm

WUXGA

☾ >2,500,000:1

±45° (V) / ±30° (H)

1.6x  
\*Using ELPLM15 lens



20,000 Hrs

1

1

1

1

1

1

A x1 / B x1

0 / 3

1

1

1

Optional

1

1

908 / 597 w

492 x 586 x 185 mm

21.9 kg

ELPP10

ELPAF51

# BUSINESS PROJECTORS

## QUICK GUIDE

Model Number

### LARGE VENUES



#### EB-G7200WNL

#### EB-G7805NL

#### EB-G7905UNL

MAIN SPECIFICATIONS	White Brightness	7,500 lm	8,000 lm	7,000 lm	
	Colour Brightness	7,500 lm	8,000 lm	7,000 lm	
Resolution	WXGA	XGA	WUXGA		
Contrast Ratio	50,000:1	50,000:1	50,000:1		
Keystone (V) / (H)	±45° (V) / ±30° (H)	±45° (V) / ±30° (H)	±45° (V) / ±30° (H)		
Optical Zoom	1.6x *Using ELPLM08 lens	1.6x *Using ELPLM08 lens	1.6x *Using ELPLM08 lens		
4K Enhancement					
LAMP	Lamp Life (Normal/Eco)	3,000 / 4,000 Hrs Portrait 2,000 Hrs	3,000 / 4,000 Hrs Portrait 2,000 Hrs	3,000 / 4,000 Hrs Portrait 2,000 Hrs	
LASER	Type				
LAMP	Laser Life (Normal/Quiet)				
INPUT TERMINAL	D-Sub15 (VGA)	1	1	1	
	HDMI	1 (With HDCP 2.2)	1 (With HDCP 2.2)	1 (With HDCP 2.2)	
	DVI-D	1	1	1	
	5BNC	1	1	1	
	SDI (BNC)				
	HD BaseT	1	1	1	
	USB	A x1 / B x1	A x1 / B x1	A x1 / B x1	
	Audio Input (RCA/Stereo Mini Jack)	0 / 3	0 / 3	0 / 3	
	OUTPUT TERMINAL	Monitor-Out	1	1	1
	Audio-Out	1	1	1	
NETWORK	Network (LAN RJ45)	1	1	1	
	Wireless	Optional	Optional	Optional	
CONTROL	RS232C	1	1	1	
	Remote (Stereo Mini)	1	1	1	
OTHERS	Power (Normal/Eco) Consumption	572 / 477 w	572 / 477 w	572 / 477 w	
	Speaker Wattage	10 w	10 w	10 w	
	Dimension Excluding Feet (D x W x H)	425 x 525 x 164 mm	425 x 525 x 164 mm	425 x 525 x 164 mm	
	Weight (Kg) *Without Accessories	12.9 kg	12.9 kg	12.9 kg	
	Optional Wireless Dongle	ELPP10	ELPP10	ELPP10	
Air Filter	ELPAF30	ELPAF30	ELPAF30		
Lamp Model	ELPLP93	ELPLP93	ELPLP93		



# BUSINESS PROJECTORS

## QUICK GUIDE

LARGE VENUES

LARGE VENUES



EB-L1755UNL

EB-L30000UNL

EB-L20000UNL

Model Number

		EB-L1755UNL	EB-L30000UNL	EB-L20000UNL
MAIN SPECIFICATIONS	White Brightness	15,000 lm	30,000 lm	20,000 lm
	Colour Brightness	15,000 lm	30,000 lm	20,000 lm
	Resolution	WUXGA	WUXGA	WUXGA
	Contrast Ratio	>2,500,000:1	>2,500,000:1	>2,500,000:1
	Keystone (V) / (H)	±45° (V) / ±30° (H)	±45° (V) / ±30° (H)	±44° (V) / ±30° (H)
	Optical Zoom	1.6x *Using ELPLM15 lens	1.35x *Using ELPLM12 lens	1.6x *Using ELPLM15 lens
	4K Enhancement	●	●	●
LASER	Type	LASER	LASER	LASER
	Laser Life (Normal/Quiet)	20,000 Hrs	20,000 Hrs	20,000 Hrs
INPUT TERMINAL	D-Sub15 (VGA)	1	1	1
	HDMI	1	1	Optional (ELPIF 01)
	DVI-D	1	1	Optional (ELPIF 01)
	5BNC	1	1	1
	SDI (BNC)	1	1 (SD/HD & 3G-SDI)	1 (SD/HD & 3G-SDI)
	Display Port			Optional (ELPIF 03)
	HD BaseT	1	1	1
	USB	A x1 / B x1	A x1 / B x1	A x1 / B x1
	Audio Input (RCA/Stereo Mini Jack)	0 / 3		
	SD Card Slot			
	OUTPUT TERMINAL	Monitor-Out	1	1
Audio-Out		1		
SDI (BNC) Out			1	1
NETWORK	Network (LAN RJ45)	1	1 (Artnet)	1
	Wireless	Optional	Optional	Built-in
CONTROL	RS232C	1	1	1
	Remote (Stereo Mini)	1	1	1
OTHERS	Power (Normal/Eco) Consumption	1024 / 647 w	2325 / 1511 w	1860 / 1123 w
	Dimension Excluding Feet (D x W x H)	492 x 586 x 185 mm	860 x 936 x 378.5 mm	720 x 620 x 280 mm
	Weight (Kg) *Without Accessories	22.3 kg	69.9 kg	49.6 kg
	Optional Wireless Dongle	ELPAP10	ELPAP10	
	Air Filter	ELPAF51	ELPAF52	ELPAF58

# HOME ENTERTAINMENT



4K PRO-UHD



4K PRO-UHD



4K PRO-UHD

## EH-TW7000

3,000 lm

3,000 lm

4K PRO-UHD

40,000:1

±30° (V) / ±30° (H)

High / Medium / Eco

3,500 / 4,000 Hrs / 5,000 Hrs

2 (HDCP 2.2)

A x2 / B x1

1

Optional



±60°

±24°

368 / 280 W

310 x 410 x 157 mm

6.6 kg

ELPAF39

ELPLP85

## EH-TW7400

2,400 lm

2,400 lm

4K PRO-UHD

200,000:1

±30° (V)

High / Medium / Eco

3,500 / 4,000 Hrs / 5,000 Hrs

1

2 (HDMI 1 supports HDCP 2.2 / HDMI 2 supports HDCP 1.4)

A x2 / B x1

1

Optional

1

1



(HDMI)

±96.3°

±47.1°

355 / 271 W

450 x 520 x 170 mm

11.2 kg

ELPAF39

ELPLP89

## EH-TW9400

2,600 lm

2,600 lm

4K PRO-UHD

1,200,000:1

±30° (V)

High / Medium / Eco

3,500 / 4,000 Hrs / 5,000 Hrs

1

2 (HDCP 2.2)

A x2 / B x1

1

Optional

1

1



±96.3°

±47.1°

355 / 271 W

450 x 520 x 170 mm

11.2 kg

ELPAF39

ELPLP89

# HOME PROJECTORS

## QUICK GUIDE

Model Number

### HOME ENTERTAINMENT



#### EH-TW750

#### EH-TW5820

	EH-TW750	EH-TW5820	
MAIN SPECIFICATIONS	White Brightness	3,400 lm	2,700 lm
	Colour Brightness	3,400 lm	2,700 lm
	Resolution	Full HD	Full HD
	Contrast Ratio	16,000:1	70,000:1
	Keystone (V) / (H)	±30° (V) / ±30° (H)	±30° (V) / ±30° (H)
	Auto Keystone	● (Vertical only)	● (Vertical only)
LAMP	Normal / Eco 6,000 / 12,000 Hrs	Normal / Eco 4,500 / 7,500 Hrs	
INPUT / OUTPUT TERMINAL	D-Sub15 (VGA)	1	
	Composite Video (RCA)	1	
	HDMI	2	1
	USB	A x1 / B x1	A x0 / B x1
	Audio Input	1	
	Audio Output	1	1
NETWORK	Network (LAN RJ45)		
	Wireless (802.11 a/b/g/n)	Built-in	
CONTROL	RS232C		
	Trigger Out (12V)		
FEATURES	3D		●
	2D - 3D Conversion		
	3D Depth Adjustment		●
	Frame Interpolation		●
	Super Resolution		
	Cinema Filter		
	Split Screen	●	
	Picture-in-Picture		
LENS SHIFT	Vertical Range (V)		+45° - 60°
	Horizontal Range (H)		
OTHERS	Power (Normal/Eco) Consumption	327 / 225 w	297 / 227 w
	Speaker Wattage	2 w Mono	10 w Mono with Enclosure
	Dimension Excluding Feet (D x W x H)	249 x 302 x 87 mm	308 x 309 x 107 mm
	Weight (Kg) *Without Accessories	2.8 kg	3.8 kg
	Air Filter	ELPAF32	ELPAF55
	Lamp Model	ELPLP97	ELPLP97



# EPIQVISION

androidtv



androidtv



4K PRO-UHD



## EpiqVision Mini EF-100W/B

2,000 lm

2,000 lm

WXGA

>2,500,000:1

±45° (V) / ±40° (H)

(Vertical only)



20,000 Hrs

1

A x1 / B x1

1

Smart Media Player Function

172 / 115 w

5 w Mono with Enclosure

227 x 210 x 88 mm

2.7 kg

ELPAF57

## EpiqVision Ultra EH-LS300B

3,600 lm

3,600 lm

Full HD

>2,500,000:1



20,000 Hrs

2 (HDCP 2.3)

A x1 / B x1

1

Smart Media Player Function

278 / 179 w

Total: 20 w  
2.1ch Satellite x2, Woofer x1 (Sound by Yamaha)

400 x 467 x 133 mm

7.2 kg

ELPAF60

## EpiqVision Ultra EH-LS500B

4,000 lm

4,000 lm

4K PRO-UHD

>2,500,000:1

±3° (V) / ±3° (H)



20,000 Hrs

3 (HDCP 2.2)

A x1 / B x1 (Mini)

1

1

Smart Media Player Function

1

366 / 262 w

10 w x 10 w Stereo

375 x 458 x 209.5 mm

9.3 kg  
(Excluding Cable Cover)

ELPAF56

# HOME PROJECTORS

## QUICK GUIDE

Model Number

EPIQVISION



androidtv

### EpiqVision Mini EF-11

### EpiqVision Mini EF-12

	EpiqVision Mini EF-11	EpiqVision Mini EF-12	
MAIN SPECIFICATIONS	White Brightness	1,000 lm	1,000 lm
	Colour Brightness	1,000 lm	1,000 lm
	Resolution	Full HD	Full HD
	Contrast Ratio	>2,500,000:1	>2,500,000:1
	Keystone (V) / (H)	±34° (V) / ±40° (H)	±34° (V) / ±40° (H)
	Auto Keystone	(Vertical only)	(Vertical & Horizontal)
LASER	Type	LASER LIGHT SOURCE	LASER LIGHT SOURCE
	Laser Life (High/Medium/Eco)	20,000 Hrs	20,000 Hrs
INPUT / OUTPUT TERMINAL	HDMI	1 (HDCP 1.4)	2 (HDCP 2.3)
	USB	A x1 / B x1	A x1 / B x1
	Audio Input		
	Audio Output	1	1
NETWORK	Network (LAN RJ45)		
	Wireless (802.11 a/b/g/n)	Screen Mirroring only	Smart Media Player Function
CONTROL	RS232C		
FEATURES	3D		
	2D - 3D Conversion		
	3D Depth Adjustment		
	Frame Interpolation		
	Super Resolution		
OTHERS	Power (Normal/Eco) Consumption	102 / 73 w	102 / 73 w
	Speaker Wattage	1.5 w Mono (2 ways)	5 w Stereo (Sound by Yamaha)
	Dimension Excluding Feet (D x W x H)	175 x 175 x 58 mm	175 x 175 x 128 mm
	Weight (Kg) *Without Accessories	1.2 kg	2.1 kg
	Air Filter	ELPAF61	ELPAF61
	Lamp Model		

# ULTRA LONG-LIFE.



## Epson laser projectors. Enjoy up to 6.5 times the lifespan of a lamp.

When it comes to lasting performance and reliability, laser is lightyears ahead. With no lamp to replace, Epson laser projectors can operate for up to 20,000 hours with minimal maintenance. Combined with improved energy efficiency, this reduces the cost of ownership too, giving you dependable big-screen presentation without big budget demands.

See the range and make the change at [epson.com.sg/laser-projectors](http://epson.com.sg/laser-projectors)



Scan the QR code to find out more



IT'S IN THE DETAILS.

**EPSON**  
EXCEED YOUR VISION