# **EPSON**

### A3 COLOUR MULTIFUNCTION PRINTERS

WORKFORCE ENTERPRISE AM-C4000/C5000/C6000





#### For a more sustainable office with high efficiency and cost-saving solutions.

Designed for excellence, the Epson WorkForce Enterprise printers AM-C4000/C5000/C6000 are powered by Heat-Free Technology, delivering consistent and reliable high-speed printing with up to 85% less power consumption\* versus laser printers. Ideal for compact offices that require a print speed of 40-60ppm, these eco-conscious business inkjet printers help minimise running costs with fewer replacement parts and consumables. Along with high productivity and new finishing options and solutions, these multifunction business printers offer excellent scalability for your business.















minute, even in duplex mode.





Increase efficiency in the office with our multi-functional Inner Finisher that helps with stapling, shift sorting, and more.

New Mid-range Business Inkjet Line Up Offices can maximise productivity with high-speed printing of 40-60 pages per

Thanks to Epson Heat-Free Technology, it requires lesser power to operate and fewer frequent parts replacements are needed.

\*Testing was commissioned by Epson and conducted by Keypoint Intelligence. One specific model was selected from color laser multi-function printers in the 65-70ppm class. Epson WorkForce Enterprise WF-C21000 with 100ppm lequivalent model in Europe was used during the evaluation). This data is as of September, 2020. Devices were tested in default mode as per Keypoint Intelligence's proprietary standard energy consumption test methods. Calculations were based on a weekday workload of 2 x 4 hours printing + 16 hours in sleep/standby mode, and weekend energy use of 48 hours in sleep/standby mode. A total of 69 pages of workload test pattern using DOC, XLS, PPT, HTML, PDF files and Outlook email messages were printed six times in each 4-hour printing period.

F EpsonSingapore EpsonSingapore EpsonSoutheastAsia in Epson Singapore EpsonSingapore

# Level Up on Eco-Consciousness with Epson Business Inkjet Printers

Not all printers are the same. Laser and inkjet printers may look the same on the outside, but it is what's on the inside that counts.

The laser printing process is complicated and comprises many steps such as preheating, charging, exposure, development, transfer and fusing. Fine toner powder is transferred to a sheet of paper through contact and fused with a combination of heat and pressure.

In contrast, Epson's inkjet printers are simple, non-contact systems. They deposit ink droplets on the media, without the use of heat.

### **EPSON INKJET PRINTER**











# Switch to Epson Heat-Free Inkjet Printers to Enjoy Advanced Customer Benefits



## Save time with consistent high speed printing

No heat is required to warm-up, allowing the printer to print immediately. Consistent high speed printing up to 60 pages per minute is possible, even for high coverage documents.



## Less power consumption saves energy and money

With no fuser unit to heat, reduce energy consumption by up to 85%\* compared to laser printers, resulting in cost savings for electricity bills.



## Fewer replacement parts, lower environmental impact

Uses up to 59% fewer replacement parts\*\* than laser printers. No heat damage to the printhead.



# Less intervention increases productivity

With fewer parts to replace and printheads that last longer, the amount of intervention is decreased, providing improved reliability and reduced downtime.



## PrecisionCore Heat-Free Technology

PrecisionCore is the next-generation inkjet printhead technology driving Epson's inkjet resolution. It merges advanced key component technologies, state-of-the-art MEMS\* fabrication and high-precision assembly processes honed over decades.

Epson's proprietary Micro Piezo inkjet technology doesn't use heat in the ink ejection process, and it's this Heat-Free Technology that separates our printers from the competition. Epson's Heat-Free printers does not require heat in the ink ejection process. Instead pressure is applied to the Piezo element, which flexes backwards and forwards firing the ink from the printhead.

\*MEMS (Micro Electro Mechanical Systems): Devices possessing mechanically driven elements, manufactured through the application of semiconductor processing technology.

## **PrecisionCore MicroTFP Print Chip**

MicroTFP print chips are the core element of PrecisionCore Heat-Free Technology. By achieving higher precision and greater miniaturization in Epson's advanced thin film piezo (TFP) technology, the basic performance of this printhead module has been radically improved, and application to a wider range of uses made possible.

The thin film piezo element that drives ink ejection is approximately 1 micron thin (one-hundredth the thickness of a human hair). By closely controlling the voltage applied to such piezo elements, it is possible to fire up to 50,000 shots of ink per second from a single nozzle, to precise positions and in the necessary quantities.

## **PrecisionCore Linehead**

By optimally arraying 30 of these MicroTFP print chips in a diagonal configuration, Epson has developed a compact linehead that boasts about 28,000 active nozzles. This size-conscious core device contributes to reduced space requirements of the product itself, and successfully enables high-speed performance of printing up to 60 pages per minute, within a compact design.

Amendment of the below clause is updated as of 1st November 2021.

- \* Testing was commissioned by Epson and conducted by Keypoint Intelligence. One specific model was selected from color laser multi-function printers in the 65-70ppm class. Epson WorkForce Enterprise WF-C21000 with 100ppm (equivalent model in Europe was used during the evaluation). This data is as of September, 2020. Devices were tested in default mode as per Keypoint Intelligence's proprietary standard energy consumption test methods. Calculations were based on a weekday workload of 2 x 4 hours printing + 16 hours in sleep/standby mode, and weekend energy use of 48 hours in sleep/standby mode. A total of 69 pages of workload test pattern using DOC, XLS, PPT, HTML, PDF files and Outlook email messages were printed six times in each 4-hour printing period.
- \*\* Testing was commissioned by Epson and conducted by Keypoint Intelligence. One competitor model was selected from worldwide best-selling vendor<sup>\*</sup> in the 65ppm and 70ppm colour laser multi-function printer. Epson Work Force Enterprise WF-C20600 with 60ppm (equivalent model in Europe was used during the evaluation). Consumables and periodic placement parts required to print 1M pages. The weight includes all used consumables, periodical replacement parts and their packaging.

^Source: IDC's Worldwide Quarterly Hardcopy Peripherals Tracker 2020Q2, Units Share by Company

# Cutting-edge Innovation To Achieve Miniaturisation of Footprint

## New Paper Path Design for Consistent High-speed Printing in Compact Footprint

The new A3 colour Linehead Inkjet printer series realises a simpler C-shaped paper route path to deliver efficient and consistent high-speed printing. It can print up to 60 pages per minute in both simplex and duplex printing while keeping a compact printer design.

Previous model WF-C20600 with S-path paper route design



New models AM-C4000/ C5000/C6000 with C-path paper route design



Simpler C-Path route delivers quicker printing in a compact printer body.



# Superb Print Quality with Lower Cost, Save Time on Maintenance

Achieve vibrant, water- and smudge-resistant prints with pigment inks.

Save on printing costs and reduce downtime with high capacity ink cartridges. Print up to 50,000 pages in black or 30,000 pages in colour without interruption.

Periodic parts are available for user self maintenance to achieve maximum up time.




DU	RABrite 6	
	Pro	•
	INK	

		Order code for		
Consumables	Page Yield*	AM-C4000	AM-C5000/C6000	
Black	50,000 pages	C13T08F100	C13T08E100	
Cyan	30,000 pages	C13T08F200	C13T08E200	
Magenta	30,000 pages	C13T08F300	C13T08E300	
Yellow	30,000 pages	C13T08F400	C13T08E400	
Paper Feed Roller for Cassette	300,000 pages	C12C937321		
Paper Feed Roller for Paper Tray	100,000 pages	C12C937361		
Paper Feed Roller for ADF	200,000 pages	C12C937341		
Staple Cartridge for Stapler Finisher	3 x 5,000 staples	C12C935401		
Staple Cartridge for Inner Finisher / Saddle	2 x 5,000 staples	C12C937001		
Maintenance Box	-	C12C937181		

\*Replacement cartridge yields are base on ISO/IEC 24711 tests in Default Mode printing continuously. Cartridge yields vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. All i colours are used for printing and printe maintenance, and all colours have to be installed for printing. For print quality, part of the ink from the included cartridges is used for printer setup and variable amount of ink remains in the cartridges after the "replace cartridge" signal. For more information, visit www.epson.com.sg/inkinfo.

# Reduce Power Consumption By Switching to Epson Heat-Free Printers


Epson Heat-Free Technology uses less power than laser technology because it does not use heat during the printing process. As Epson inkjet printers have no fuser unit to heat, this results in significantly less energy consumption.



# Save Energy And Money With Low Power Consumption

In today's offices, only central air conditioning and lighting consume more energy than office automation equipment, In fact, printers and MFPs account for as much as 10% of electric consumption. Replacing laser printers with Epson WorkForce Enterprise can cut printing-related energy significantly. Lower energy consumption also reduces environmental impact because it reduces CO<sub>2</sub> emissions.

## How power is consumed at the office\*\*



Amendment of the below clause is updated as of 1st November 2021.

<sup>\*</sup>Testing was commissioned by Epson and conducted by Keypoint Intelligence. One specific model was selected from color laser multi-function printers in the 65-70ppm class. Epson WorkForce Enterprise WF-C21000 with 100ppm lequivalent model in Europe was used during the evaluation). This data is as of September, 2020. Devices were tested in default mode as per Keypoint Intelligence's proprietary standard energy consumption test methods. Calculations were based on a weekday workload of 2 x 4 hours printing + 16 hours in sleep/standby mode, and weekend energy use of 48 hours in sleep/standby mode. A total of 69 pages of workload test pattern using DOC, XLS, PPT, HTML, PDF files and Outlook email messages were printed six times in each 4-hour printing period.

<sup>\*\*</sup>Epson research based on data from a commissioned survey conducted in March 2018 by SOMPO Risk Management & Health Care Inc.

## Deliver an Efficient, User-friendly and Eco-conscious Operation

## Fewer Replacement Parts, **Lower Environmental Impact**

Thanks to Heat-Free Technology, Epson inkjet printers use fewer parts that need replacing than in a laser printer, and our printheads are not a consumable. This reduces the environmental burden of manufacturing and recycling the additional resources.

Inkiet **Printers** less replacement parts\*\*\* Up to **VS Laser Printers** 





Comparison of supplies and packaging waste after 1 million prints.

## **Certified Environmental Performance**







Epson is committed to developing environmentally conscious products, which means that sustainability is considered from conception to completion. Our Epson WorkForce Enterprise Printers comply with some of the world's most stringent environmental certification standards.

We offer sustainable innovations because we recognise that the choices we make as organisations, individuals or a society will be essential to our shared success.

\*Singapore Green Label and Blue Angel Mark application is on-going for AM-C4000/C5000/C6000.

\*\*Japan Eco Mark has been approved for AM-C4000/C5000/C6000.

## **Less Intervention Increases Productivity**

The Heat-Free structure of Epson inkjet printers means that there are fewer parts that can fail, which reduces the amount of intervention required. As a result, Epson inkjet printers offer improved reliability and significantly reduced downtime.









Epson WorkForce Enterprise printer

Note: Images represent periodic replacement parts of a standard laser printer. Actual type and numbe of parts vary by model.

Amendment of the below clause is updated as of 1st November 2021.

Comparison of periodic

Note: After printing out more than 1.2 million sheets, other replacement parts will be required in

replacement parts

addition to paper feed rollers.

## **Stress-Free Operability**

Epson WorkForce Enterprise printers are perfect for the office, reliably delivering prints at high speeds of up to 60ppm while occupying minimal space. The printers come with space and user-friendly configurations such as a hassle-free front-loading design, transparent ink window, and customisable layout.



Enjoy impressive scan speeds of up to 60ppm (Simplex) / 120ipm (Duplex). The dual CIS technology allows convenient duplex scanning in a single pass.



Easy front access door to the printer's ink cartridges makes replacement fast and hassle-free.



Fasy front access to maintenance box allows maximum printer uptime.



Easy refill of paper with these cassette trays that can be opened smoothly and effortlessly.



The intuitive 10.1" tiltable TFT colour touchscreen





wider opening from the right side of the printer for quick removal of jammed paper.

## **Robust Security Features**

#### Confidential Job

Prevent unattended prints by sending print jobs with a PIN for release in the panel.

#### **IP Address Filter**

Secure the printer by preventing unauthorised devices from connecting to it.

#### Panel Admin Mode

Prevent unauthorised users from changing the printer settings by setting a password for the administrator.

#### **Access Control**

Limit the use of the MFP features by account control. Up to 10 user accounts can be set.

#### LDAP Address Book

Reduce the risk of information leakage due to mistakes in the target recipient's email address.

## **Connectivity Features**

### **Standard Connectivity**

The device is equipped with USB 3.0 and Ethernet network connectivity as standard allowing users to share it.



#### Additional Ethernet Option

Reduce security risks by connecting external devices that need to use the MFP with a separate network.

#### Wi-Fi Option

Enables flexible placement of the MFP with Wi-Fi connectivity. It also allows up to 8 devices to connect directly to the printer by Wi-Fi direct.

#### Fax Option

Enable fax capability with the fax option. Up to 3 fax options can be installed to expand the line capability.

#### Storage Feature with HDD

Improve convenience by storing print data in the internal HDD for convenient reprinting and distribution. Stored data can be downloaded or forwarded to various destinations without the use of additional software.



For information on Epson Connect. please visit http://www.epson.com.sg/connect


<sup>\*\*\*</sup> Testing was commissioned by Epson and conducted by Keypoint Intelligence. One competitor model was selected from worldwide best-selling vendor^ in the 65ppm and 70ppm colour laser multi-function printer. Epson Work Force Enterprise WF-C20600 with 60ppm (equivalent model in Europe was used during the evaluation). Consumables and periodic replacement parts required to print 1M pages. The weight includes all used consumables, periodical replacement parts and their packaging. Test printed

<sup>^</sup>Source: IDC's Worldwide Quarterly Hardcopy Peripherals Tracker 2020Q2, Units Share by Company.

## **Enhanced Finishing Options and Solutions**

## **Enhanced Finishing Capability**

Increase productivity with advanced finishing such as stapling, hole punching, folding and booklet making.



**Options** 

Caster Table-P1

Saddle Unit-P1

Inner Finisher-P1

Staple Finisher-P1

Optional Dual Cassette-P1

Staple Finisher Bridge Unit A-P1

Staple Finisher Bridge Unit B-P1

Inner Finisher Bridge Unit-P1

High-Capacity Tray-P1

Super G3 Multi Faxboard

OCR Unit-P1

Stabiliser-P1

HDD-P1

Wireless LAN Interface-P1

Authentication Device Table-P1

Paper Cassette Lock-P1 (set of 2)

2/3 Hole Punch Unit-P2 for Inner Finisher

2/4 Hole Punch Unit-P2 for Inner Finisher

EpsonNet 10/100/1000Base TX Int.

2/3 Hole Punch Unit-P1 for Staple Finisher C12C936821

2/4 Hole Punch Unit-P1 for Staple Finisher C12C936811


## **Scalable For The Business Requirements**

The unit can be upgraded with various options to suit many types of office space and work requirement.





 Place the printer on a movable platform



#### Inner Tray-P1

- To sort incoming faxes with an upper tray
- Up to 100 sheets capacity




· Increases capacity of

paper handling with

#### **Authentication Device** Table-P1

 To place and secure an authentication card reader



#### Paper Cassette Lock-P1 • To lock the paper cassettes Inner Tray-P1

- Set of 2
- Padlock is not included



 Reduce downtime by mirroring the HDD • 320GB capacity



Stal	oiliser-P1
Prev	vents the printer from falling
by ir	nproving the stability

## **Printer Options**

Order Code

C12C936871

C12C936851

C12C936751

C12C937401

C12C937881

C12C936831

C12C936961

C12C937421

C12C936981

C12C936971

C12C936761

C12C936781

C12C934471

C12C934491

C12C937011

C12C936801

C12C936791

C12C937381

C12C936771

C12C937221

#### **Erase Red Colour**

Removes red coloured objects in the results of scanned image

applications and workflows based on the customer's needs.

Epson Open Platforms make the devices compatible with a wide variety of solutions in the market, making it possible to integrate Epson devices with enterprise



**Epson Open Platform** 

temperatures	°C	20	4
mmended Mold Temperatures	°C	50	
nical Characteristics			
ol Component	branched polyether		PP34
mponent	polymeric diphenylmethane disocyanate		PB 05
mponent	blowing agent hydrocarbon		BA 123
age and Preparation			
ethane components are moisture sen	sitive. Therefore they mus	it be stored at all time	es in sealed, closed
d information should be obtained from			for in-coming materi
e, material preparation and waste disp	oosal" and from the comp	onert data.	

Print or copy documents of various quantities for distribution to different groups and number of members.

#### OCR Option

Enable built-in OCR functionality directly on the device for Scan to Folder and Email without the need to install software. This option also requires the OCR Unit-P1 option.



Enables sending and receiving fax thru IP address. This option also requires at least 1 Super G3/G3 Multi Fax Board option installed.

Software Solutions Options	Order Code
Epson Print Admin	7110574
Epson Print Admin – Advanced Workflows	C12C938801
Epson Print Admin Serverless	7111310
Document Capture Pro – Enhanced OCR	C12C938761

## **Epson Solution Suite**

Take advantage of remote management, customise print options and enjoy seamless compatibility with the Epson WorkForce Enterprise. Integrate these into your existing IT infrastructure to improve productivity and increase efficiency. For more information, please visit www.epson.com.sg/software-solutions.

# Epson Solutions Suite

## Fleet Management

**Epson Device Admin** 

#### Monitor the status and simplify the task of configuration, maintenance and updating Epson devices in the network with a single tool. Receive alerts automatically when the devices indicated

#### Epson Remote Service (ERS)

warning or error messages.

Remotely access and monitor the device status and consumable levels, enabling IT managers and service partners to manage registered devices conveniently. Receive automatic alerts when devices encounter issues. providing accurate data to minimise downtime and generate usage reports for billing and expenditure tracking.

## Print Management **Epson Print Admin**

#### Secure the device with authetication function. Print & distribute documents securely ay a device near you. Set up cost & page quota and audit the usage to boost security, and cost savings.

#### Epson Print Admin – Advanced Workflows

Enable advanced document processing workflow features within Epson Print Admin. Convert documents into Searchable PDF with built-in OCR and automate processes by various job separation methods.

### **Epson Print Admin Serverless**

Secure the usage of the device by authentication without a server. Print and distribute documents securely, track each usage for accountability.

### **Document Management**

Scan, edit and process documents with automatic workflows. Convert documents into Searchable PDF or editable Office documents with built-in OCR and upload them to popular cloud storage. Automate processes by various job separation methods. Locate documents and improve security with index logs and securing network scanners with a password.

#### Document Capture Pro – Enhanced OCR

Expand the capability of OCR functions in Document Capture Pro with wider language support and improved accuracy. Capture data from forms with advanced indexing functions.

#### Ocument Capture Pro Server

Centralise scanning and document workflow supporting up to 1,000 scanning devices with a single server. Automate processes with OCR and Barcode detection capability. Improve security and document tracing with reports and indexing.

## **Cloud and Mobile Solutions**

### Mobile App



### **Epson Smart Panel**

Control the MFP to print and scan directly from your smart device with access to popular cloud storage services.

### **Epson Connect Services**



#### **Epson Email Print**

Send a print job to any Email Print-enabled Epson printer from any device that can send an email.

#### **Remote Print Driver**

Print to an Email Print-enabled printer anywhere in the world via the internet with advanced settings from a PC or the Epson iPrint app.



Send documents through the cloud service directly from the device panel to an email address or to popular cloud storage services without a PC or email server.

### Other solutions:

MFP Options	Order Code		
Print Sets	C12C938771		
Erase Red Colour	C12C938781		
OCR Option	C12C938791		
IP-Fax	C12C938841		

SPECIFICATIONS					
Model Number	AM-C4000 (C11CJ43502)	AM-C5000 (C11CJ42502)	AM-C6000 (C11CJ91502)		
Printing	Province Constitution Hand Indian Track				
Printing Technology Nozzle Configuration	PrecisionCore™ Line Head Inkjet Tech 7,230 nozzles each colour (Black, Cyar				
Maximum Resolution	600 x 2,400 dpi	ii, magana, ronony			
Minimum Ink Droplet Volume	3.8 pl				
Print Speed (Black and Colour) *1	A	10	14 60: / 60:		
ISO 24734, A4, Simplex / Duplex ISO 24734.2, A3, Simplex / Duplex	Approx. 40 ipm / 40 ipm Approx. 23 ipm / 11 ipm	Approx. 50 ipm / 50 ipm Approx. 30 ipm / 15 ipm	Approx. 60 ipm / 60 ipm Approx. 36 ipm / 20 ipm		
First Page Out Time	Approx. 7.6 sec / 7.6 sec	Approx. 6.7 sec / 6.7 sec	Approx. 6.1 sec / 6.1 sec		
Printer Language	ESC/P-R, ESC/Page				
Printer Control Language Emulations	PCL5 / PCL6 / PostScript3 / PDF 1.7				
Maximum Monthly Duty Cycle <sup>12</sup>	384,000 pages per month				
Recommended Monthly Duty Cycle Memory Capacity	60,000 pages per month 8,192MB (Total RAM size)				
HDD Capacity	320GB (Encrypted)				
Automatic 2-sided printing	Yes				
Copying					
Copy Speed (Black and Colour) *1	Approx 40 ipm	LAnney EO inco	LAnney 60 inm		
ISO 29183, A4, Simplex (Flatbed) ISO 24735, A4, Simplex (ADF 1:1)	Approx. 40 ipm Approx. 40 ipm	Approx. 50 ipm Approx. 50 ipm	Approx. 60 ipm Approx. 60 ipm		
ISO 24735, A4, Duplex (ADF 1:2 / 2:2)	Approx. 40 ipm	Approx. 50 ipm	Approx. 60 ipm		
Maximum Copies from Standalone	9,999 copies				
Max Copy Resolution	600 x 1,200 dpi				
Reduction/Enlargement	25 - 400%, Auto Fit Function  A3, B4, Legal, Indian-Legal, 8.5 x 13in, Letter, A4, B5, A5, B6, A6, 16K, 8K, 13 x 18cm, HV 16:9 Wide, 10 x 15cm, Envelopes: #10, DL, C4, C6				
Copy Paper Size (Flatbed) Maximum Copy Size	A3, B4, Legai, Indian-Legai, 8.5 X 13in, L	etter, A4, B5, A5, B6, A6, T6K, 8K, T3 X T8CM, HV	16:9 Wide, 10 x 15cm, Envelopes: #10, DL, C4, C6		
Scanning	7.0				
Scanner Type	Flatbed colour image scanner				
Sensor Type	Colour CIS x 2				
Optical Resolution Maximum Scan Area	600 x 600 dpi 297 x 431.8 mm (11.7 x 17")				
Scanner Bit Depth	297 X 431.8 MM (11.7 X 17 )				
Colour	30-bit input, 24-bit output				
Grayscale	10-bit input, 8-bit output				
Black & white	10-bit input, 1-bit output				
Scan Features		Email, Scan to Memory Device, Scan to Computer			
Scan Speed (Monochrome and Colour)	Document Capture Pro Server), Scarr t	to Computer (WSD), Scan to Computer (WSD), Sc	cari to Cloud (Epsori Confiect)		
200 dpi Flatbed	A4 Landscape: 3.0 sec, A3: 4.0 sec				
ADF (Simplex / Duplex)	A4: 60 ppm / 120 ipm				
(ISO17991, Scan to Folder)	A3: 30 ppm / –				
ADF Function Support Paper Thickness	52 - 128 g/m²				
Paper Capacity	150 pages (80 g/m²)				
Automatic 2-sided Scan / Copy / Fax	Yes (1-pass)				
Fax Function (Optional)					
Type of FAX	Walk-up black-and-white and colour fa				
Receive Memory / Page Memory Communication Standards	6 MB, Page memory Up to 550 pages CCITT/ITU G3, SuperG3 (V34)	(ITO-1 No.1 chart)			
Error Correction Mode	ITU-T T.30				
FAX speed (data transfer rate)	Up to 33.6kbps, Approx. 3sec/page				
FAX Resolution					
Black & White		Fine: 8pels/mm x 7.7lines/mm, Super Fine: 8pels/	/mm x 15.4lines/mm,		
Colour	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 dpi				
Transmission Paper Size					
Flatbed	A5 to A3 / Ledger				
ADF	A5 to A3 / Ledger				
Receiving Paper Size Speed Dial / Group Dial	HLT, A5, B5, A4, LT, LGL, B4, 11 x 17	, A3			
Speed Dial / Group Dial Fax Features	Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom	natic Redial, One Touch Dial, Address Book,			
		Mono only), Polling Reception, Fax Preview,			
	Fax to E-mail, Memory Reception, Fax	to Folder			
Paper Handling	Existing found				
Paper Feed Method Number of Paper Trays (Standard)	Friction feed 3 (Paper Cassettes: 2, MP Tray: 1)				
Paper Hold Capacity	o (raper Cassettes, 2, WF Tray, 1)				
Input Capacity	Up to 1,150 sheets (80 g/m²)				
	(Paper Cassettes 1 - 2: 500 x 2 + MP T	Tray: 150 sheets)			
Maximum Input Capacity	Up to 5,150 sheets (80 g/m²)				
Output Canacity	(Paper Cassettes 1 - 4: 500 x 4 + MP T Up to 500 sheets (80 g/m²)	Γray: 150 sheets + High Capacity Feeder Unit: 3,0	JUU sheets)		
Output Capacity Paper Size	op to 300 sneets (80 g/m²)				
Plain Paper	A6, A5, A4, A3, B6, B5, B4, Half Letter	, Executive, 16K, Indian-Legal, Letter, 8.5 x 13in,	Legal, 8K, US B 11 x 17in, 12 x 18in		
Envelop	#10, DL, C6, C5, C4	, , , , , , , , , , , , , , , , , , ,			
Maximum Paper Size	297 x 1,200mm				
Support Paper Weight	52 – 300 g/m²				
Printer Interface USB	USB 3.0				
Network	Ethernet				
Network Protocol	TCP/IPv4, TCP/IPv6				
Network Printing Protocol	LPD, IPP, PORT9100, WSD				
Network Management protocols		PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD	Confidential let		
Security Features USB Host Function	Access Control Function, LDAP Addre	ss Book, IP Address Filtering, Panel Admin Mode	e, Confidential Job		
Type of Devices	Memory Devices				
Function	USB Host (Scan to Memory Device / S	Storage function)			
Direct Print Paper Size	A3, A4, A5, A6, Legal, Indian-Legal, Le	etter, B4, B5, B6, 8K, 16K, 8x13in, Envelopes: #10	0, C4, C6, DL		
Cloud and Mobile Solutions	F C+B	Parasta Print Print Octuber 61			
Epson Connect Driverless Printing	Epson Smart Panel, Epson Email Print, Apple AirPrint, Mopria Print Service, M				
Differences Finding	Apple All Tills, Mopila Hills Service, M	IN THE STATE OF TH			

Model Number	AM-C4000 (C11CJ43502)	AM-C5000 (C11CJ42502)	AM-C6000 (C11CJ91502)	
Control Panel	10.1 in all /05.7			
LCD Screen Printer Software	10.1 inch / 25.7 cm TFT Colour L	OU		
Printer Software Supported Operating System				
Supported Operating System Windows	Windows 7 / 8 / 8 1 / 10 / 11 Win	idows Server 2008 / 2012 / 2016 / 20	19 / 2022	
Mac	Windows 7 / 8 / 8.1 / 10 / 11, Windows Server 2008 / 2012 / 2016 / 2019 / 2022  Mac OS X 10.9.5 or later, macOS 11.x or later			
Chrome OS	Chrome OS ver 89 or later (Printin			
Electrical Specifications	on one of the first the state of the state o			
Rated Voltage	100 - 240V Universal			
Rated Frequency	50 - 60 Hz			
Typical Electricity Consumption	0.22 kWh	0.23 kWh	0.25 kWh	
(TEC) Value				
Power Consumption				
Operating	110W	115W		
Standby	46W			
Sleep	1.0W			
Power off	0.1W			
Noise Level (Colour / Mono)				
Sound Power/ PC Printing/	6.8B(A) / 6.8B(A)	7.1B(A) / 7.0B(A)	7.2B(A) / 7.2B(A)	
Plain Paper Default "3" Sound Pressure/ PC Printing/			_	
Plain Paper Default "3	53dB(A) / 52dB(A)	55dB(A) / 54dB(A)	57dB(A) / 56dB(A)	
Inner Finisher-P1				
Output Capacity	Up to 500 sheets (A4, 80g/m²)			
Finisher Functions	Stacking, Shift Sorting, Staple, He	ole Punch (requires option)		
Staple Capability		) - 90 g/m²); Larger than A4: up to 30	sheets (60 - 90 g/m²)	
Staple Positions	Corner / Opposite Corner / 2 poir			
Supported Paper Size for Staple	A3, B4, A4, B5, Ledger, Letter			
Power Consumption	200W			
Dimensions & Weight (W x D x H)	466 × 512 × 210 mm, 13kg			
Staple Finisher-P1		44.00 / 6		
Output Capacity		(A4, 80g/m²), up to 3,000 sheets whe	n Saddle Unit-P1 is installed	
Sinishes Superlines	Tray 2 (for Fax output only): up to		diam)	
Finisher Functions		anual Staple, Hole Punch (requires of		
Staple Capability Staple Positions	Corner / Opposite Corner / 2 poir	) - 90 g/m²); Larger than A4: up to 30 :	sneets (60 - 90 g/m²)	
Supported Paper Size for Staple	A3, B4, A4, B5, Ledger, Letter	its off side		
Power Consumption	220W			
Dimensions & Weight (W x D x H)	681 × 669 × 1,062 mm, 42kg			
Saddle Unit-P1	, ooz min, rzkę			
Output Capacity	Stacker Tray: Up to 20 booklets (	based on 2 - 5 sheets each booklet)		
Finisher Functions	Half-fold, Tri-fold, Saddle stitch			
Folding / Tri-fold Capability	3 sheets (60 to 90 g/m²) / 1 sheet	s (91 to 105 g/m²)		
Saddle Stitch Capability	20 sheets (60 to 90 g/m²) / 10 she	eets (91 to 105 g/m²) / Cover sheet (10	06 to 250 g/m²)	
Booklet Paper Size	A4, A3, B4, Letter, Legal, 8K, 11×	17"		
Supported Paper Weight	60 - 105 g/m <sup>2</sup>			
Power Consumption	220W			
Dimensions & Weight (W x D x H)	517 x 407 x 374 mm, 22kg			
Inner Tray-P1	He to 100 shoots (00 / 2			
Output Capacity	Up to 100 sheets (80g/m²)	11017"		
Supported Paper Size Supported Paper Weight	A5, A4, A3, B5, B4, Letter, Legal, 60 - 90 g/m <sup>2</sup>	11317		
2/4 Hole Punch Unit-P1	00 - 90 g/III-			
Supported Paper Size	A3, B4, A4, B5, Ledger Letter			
		A3, B4, A4, B5, Ledger, Letter		
Support Paper Weight	60 – 250 g/m²			
Support Paper Weight Number of Holes	2 or 4 holes, 80mm intervals			
Number of Holes				
Number of Holes  2/3 Hole Punch Unit-P1  Supported Paper Size	2 or 4 holes, 80mm intervals			
Number of Holes 2/3 Hole Punch Unit-P1 Supported Paper Size Support Paper Weight Number of Holes	2 or 4 holes, 80mm intervals A3, B4, A4, B5, Ledger, Letter	Specifications)		
Number of Holes 2/3 Hole Punch Unit-P1 Supported Paper Size Support Paper Weight	2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m²	Specifications)		
Number of Holes 2/3 Hole Punch Unit-P1 Supported Paper Size Support Paper Weight Number of Holes 2/4 Hole Punch Unit-P2 Supported Paper Size	2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m <sup>2</sup> 2 or 3 holes, 70mm intervals (US  A3, B4, A4, B5, Ledger, Letter	Specifications)		
Number of Holes 2/3 Hole Punch Unit-P1 Supported Paper Size Support Paper Weight Number of Holes 2/4 Hole Punch Unit-P2 Supported Paper Size Support Paper Weight	2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m <sup>2</sup> 2 or 3 holes, 70mm intervals (US  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m <sup>2</sup>	Specifications)		
Number of Holes 2/3 Hole Punch Unit-P1 Supported Paper Size Support Paper Weight Number of Holes 2/4 Hole Punch Unit-P2 Supported Paper Size Support Paper Weight Number of Holes	2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m <sup>2</sup> 2 or 3 holes, 70mm intervals (US  A3, B4, A4, B5, Ledger, Letter	Specifications)		
Number of Holes 2/3 Hole Punch Unit-P1 Supported Paper Size Support Paper Weight Number of Holes 2/4 Hole Punch Unit-P2 Supported Paper Size Support Paper Weight Number of Holes 2/3 Hole Punch Unit-P2	2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m <sup>2</sup> 2 or 3 holes, 70mm intervals (US  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m <sup>2</sup> 2 or 4 holes, 80mm intervals	Specifications)		
Number of Holes 2/3 Hole Punch Unit-P1 Supported Paper Size Support Paper Weight Number of Holes 2/4 Hole Punch Unit-P2 Supported Paper Size Supported Paper Weight Number of Holes 2/3 Hole Punch Unit-P2 Supported Paper Size	2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 3 holes, 70mm intervals (US  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter	Specifications)		
Number of Holes 2/3 Hole Punch Unit-P1 Supported Paper Size Support Paper Weight Number of Holes 2/4 Hole Punch Unit-P2 Supported Paper Size Support Paper Weight Number of Holes 2/3 Hole Punch Unit-P2 Supported Paper Size Supported Paper Size Supported Paper Size Supported Paper Size	2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 3 holes, 70mm intervals (US)  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m²			
Number of Holes 2/3 Hole Punch Unit-P1 Supported Paper Size Support Paper Weight Number of Holes 2/4 Hole Punch Unit-P2 Supported Paper Size Support Paper Weight Number of Holes 2/3 Hole Punch Unit-P2 Supported Paper Size Supported Paper Size Supported Paper Size Supported Paper Weight Number of Holes	2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 3 holes, 70mm intervals (US  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter			
Number of Holes 2/3 Hole Punch Unit-P1 Supported Paper Size Support Paper Weight Number of Holes 2/4 Hole Punch Unit-P2 Supported Paper Size Support Paper Weight Number of Holes 2/3 Hole Punch Unit-P2 Supported Paper Size Supported Paper Size Supported Paper Size Supported Paper Size Supported Paper Weight Number of Holes High-Capacity Tray-P1	2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 3 holes, 70mm intervals (US  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 3 holes, 70mm intervals (US			
Number of Holes 2/3 Hole Punch Unit-P1 Supported Paper Size Support Paper Weight Number of Holes 2/4 Hole Punch Unit-P2 Supported Paper Size Support Paper Weight Number of Holes 2/3 Hole Punch Unit-P2 Supported Paper Size Support Paper Weight Number of Holes 2/3 Hole Punch Unit-P2 Supported Paper Size Support Paper Weight Number of Holes High-Capacity Tray-P1 Input Capacity	2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 3 holes, 70mm intervals (US)  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 3 holes, 70mm intervals (US)  Up to 3,000 sheets (80 g/m²)			
Number of Holes 2/3 Hole Punch Unit-P1 Supported Paper Size Support Paper Weight Number of Holes 2/4 Hole Punch Unit-P2 Supported Paper Size Support Paper Weight Number of Holes 2/3 Hole Punch Unit-P2 Supported Paper Size Support Paper Weight Number of Holes 2/3 Hole Punch Unit-P2 Supported Paper Size Support Paper Weight Number of Holes High-Capacity Tray-P1 Input Capacity Support Paper Weight	2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 3 holes, 70mm intervals (US)  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 3 holes, 70mm intervals (US)  Up to 3,000 sheets (80 g/m²) 60 – 160 g/m²			
Number of Holes 2/3 Hole Punch Unit-P1 Supported Paper Size Support Paper Weight Number of Holes 2/4 Hole Punch Unit-P2 Supported Paper Size Support Paper Weight Number of Holes 2/3 Hole Punch Unit-P2 Supported Paper Size Support Paper Weight Number of Holes 2/3 Hole Punch Unit-P2 Supported Paper Size Support Paper Weight Number of Holes High-Capacity Tray-P1 Input Capacity Support Paper Weight Support Paper Weight Support Paper Weight Support Paper Weight Support Paper Size	2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 3 holes, 70mm intervals (US)  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 3 holes, 70mm intervals (US)  Up to 3,000 sheets (80 g/m²) 60 – 160 g/m² A4, B5, Letter			
Number of Holes 2/3 Hole Punch Unit-P1 Supported Paper Size Support Paper Weight Number of Holes 2/4 Hole Punch Unit-P2 Supported Paper Size Support Paper Weight Number of Holes 2/3 Hole Punch Unit-P2 Supported Paper Size Support Paper Weight Number of Holes 2/3 Hole Punch Unit-P2 Supported Paper Size Support Paper Weight Number of Holes High-Capacity Tray-P1 Input Capacity Support Paper Weight Support Paper Weight Support Paper Weight Support Paper Size Power Consumption	2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 3 holes, 70mm intervals (US)  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 3 holes, 70mm intervals (US)  Up to 3,000 sheets (80 g/m²) 60 – 160 g/m² A4, B5, Letter 18W			
Number of Holes 2/3 Hole Punch Unit-P1 Supported Paper Size Support Paper Weight Number of Holes 2/4 Hole Punch Unit-P2 Supported Paper Size Support Paper Weight Number of Holes 2/3 Hole Punch Unit-P2 Supported Paper Size Supported Paper Size Supported Paper Size Support Paper Weight Number of Holes	2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 3 holes, 70mm intervals (US)  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 3 holes, 70mm intervals (US)  Up to 3,000 sheets (80 g/m²) 60 – 160 g/m² A4, B5, Letter			
Number of Holes 2/3 Hole Punch Unit-P1 Supported Paper Size Support Paper Weight Number of Holes 2/4 Hole Punch Unit-P2 Supported Paper Size Support Paper Weight Number of Holes 2/3 Hole Punch Unit-P2 Supported Paper Size Supported Paper Weight Number of Holes High-Capacity Tray-P1 Input Capacity Support Paper Weight Support Paper Weight Support Paper Size Power Consumption Dimensions & Weight (W x D x H)	2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 3 holes, 70mm intervals (US)  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 3 holes, 70mm intervals (US)  Up to 3,000 sheets (80 g/m²) 60 – 160 g/m² A4, B5, Letter 18W			
Number of Holes 2/3 Hole Punch Unit-P1 Supported Paper Size Support Paper Weight Number of Holes 2/4 Hole Punch Unit-P2 Supported Paper Size Support Paper Weight Number of Holes 2/3 Hole Punch Unit-P2 Supported Paper Size Support Paper Weight Number of Holes 2/3 Hole Punch Unit-P2 Supported Paper Size Supported Paper Weight Number of Holes High-Capacity Tray-P1 Input Capacity Support Paper Weight Support Paper Weight Support Paper Size Power Consumption Dimensions & Weight (W x D x H) HDD-P1	2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 3 holes, 70mm intervals (US)  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 3 holes, 70mm intervals (US)  Up to 3,000 sheets (80 g/m²) 60 – 160 g/m² A4, B5, Letter 18W 351 x 585 x 465 mm, 25kg			
Number of Holes 2/3 Hole Punch Unit-P1 Supported Paper Size Support Paper Weight Number of Holes 2/4 Hole Punch Unit-P2 Supported Paper Size Support Paper Weight Number of Holes 2/3 Hole Punch Unit-P2 Supported Paper Size Support Paper Weight Number of Holes 2/3 Hole Punch Unit-P2 Supported Paper Size Support Paper Weight Number of Holes High-Capacity Tray-P1 Input Capacity Support Paper Weight Support Paper Weight Support Paper Size Power Consumption Dimensions & Weight (W x D x H) HDD-P1 Storage Capacity	2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 3 holes, 70mm intervals (US)  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 4 holes, 80mm intervals  A3, B4, A4, B5, Ledger, Letter 60 – 250 g/m² 2 or 3 holes, 70mm intervals (US)  Up to 3,000 sheets (80 g/m²) 60 – 160 g/m² A4, B5, Letter 18W 351 x 585 x 465 mm, 25kg	Specifications)		

- Black and colour print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on system configuration, software, and page complexity.
   For more information, visit www.epson.com.sg/printspeed.

   The maximum number of printed pages per month is based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.
   Default mode in accordance with ISO7779.

### Dimension & Weight WorkForce Enterprise (Main Unit only) Weight: 102.1kg (225.1lb)



## WorkForce Enterprise (With Optional Dual Cassette-P1, Inner Finisher-P1 and Hole Punch Unit-P2)



# WorkForce Enterprise (With Optional Staple Finisher-P1, Saddle Unit-P1 and High-Capacity Tray-P1)



©2024 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON is a registered trademark of Seiko Epson

All other product and company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Dealer's Stamp

Information correct at time of printing Printed May 2024