A4 COLOUR INKJET PRINTER

WORKFORCE PRO WF-C579R





Enjoy low-cost, durable and reliable printing in high volume with the Epson WorkForce WF-C579R business printer. Deliver fast print speeds at 24ipm with a first colour page-out time in just 5.3secs. Reduce the need for replacing consumables with high capacity ink packs that help to lower running costs. With a range of printing and connectivity features, this printer is the ideal solution for workgroups that require hassle-free, low-maintenance and high volume printing.











Epson Connect



Р



Open Platform Enabled



With option of standard ink packs or large ink packs.



WorkForce Pro WF-C579R Print/Scan/Copy/Fax

IT'S IN THE DETAILS.

With PrecisionCore™ printhead technology, Epson WorkForce Pro WF-C579R excels with speed, quality and reliability.



PrecisionCore Printhead Technology

Experience reliability, durability and quality prints that meet the standards of business printing with PrecisionCore technology.

Innovative Replaceable Ink Pack System

Lower maintenance with high capacity ink packs from Epson's Replaceable Ink Pack System (RIPS) that yield up to 50,000 pages in black or up to 20,000 pages in colour at low running costs.

Built For The Environment

Extremely low power consumption and less replacement parts compared to laser printers mean a greater positive impact on the environment.





Fast, reliable and cost efficient, Epson WorkForce Pro business printers deliver outstanding print performance to edge out laser competitors. With an innovative print system and a wide range of connectivity features that allow you to print in high volume, WF-C579R is the printer of superior productivity, meeting your evolving business needs.

PrecisionCore Printhead Technology



PrecisionCore builds on Epson's longstanding reputation for output quality, at the speeds and reliability required for commercial and industrial printing.

This revolutionary technology enables the WF-C579R to print at blazing print speeds of up to 24ipm and a first page-out time of just 5.3 seconds in colour. What's more, each print chip is capable of generating up to 40 million precise dots per second to deliver fast printing speeds and excellent output quality.

With advanced built-in Nozzle Verification Technology, the monitoring of nozzle health and print quality adjustments are done automatically without interruption, even during printing. Productivity is further enhanced with a reliable maximum monthly duty cycle of 50,000 pages.





Simple, cool, contactless technology



Complex technology using heat and pressure

Innovative Replaceable Ink Pack System

Convenience is a top priority. That's why Epson's Replaceable Ink Pack System (RIPS) is designed for easy, hassle-free ink replacements. With the standard ink packs giving you up to 10,000 pages in black and 5,000 pages in colour, users have the option to purchase high capacity ink packs that print up to 50,000 pages in black and 20,000 pages in colour. This minimises the downtime needed to replace the inks and enable greater cost savings.

In addition, Epson's DURABrite™ Ultra ink delivers laser-like quality prints that are water-, fade- and smudge-resistant.



Enjoy greater cost-savings with these high-volume ink packs

Designed for easy replacement of ink packs

Built for the Environment

No Heating, Less Power Consumption & Simple to Use

Unlike laser printers, which require heat to fix toner on paper, inkjet printers do not need heat to operate. They are also fast and simple to use, which substantially reduces power consumption from minimal maintenance and fewer consumables.

Superior Productivity



Automatic Duplex Printing and Scanning

The printer supports automatic duplex printing of up to 15ipm for A4, reducing paper wastage. The one pass duplex ADF unit allows for quick, convenient scanning and copying of double-sided documents.



Versatile Paper Handling

Input paper capacity can be upgraded with an additional paper cassette to support up to 1,330 sheets input capacity. Paper of different sizes can be placed in the different cassettes for automatic selection. The rear tray enables the use of special media such as photo media.



USB Host Function

The WF-C579R comes with a USB port for direct printing, scanning and saving faxes using USB flash memory devices.



LCD Screen

Experience easy set-up and PC-less operation with the 4.3" colour touch screen.

Versatile Connectivity

Network Connectivity and Standalone Capability

Equipped with Ethernet, Wi-Fi, RJ-11 fax, Wi-Fi Direct and USB 2.0, the printer is perfect for office environments. What's more, Wi-Fi Direct acts as an access point, allowing up to four devices to connect directly to the printer at a time.



Epson Connect Enabled

Wirelessly print your documents from anywhere in the world with Epson Connect's wide range of features:

- Epson iPrint Print from and scan directly to your smart device or online cloud storage services.
- Epson Email Print Print to any Email Print-enabled Epson printer from any device or PC with email access.
- Remote Print Driver Print to a compatible Epson printer anywhere in the world via the Internet using a PC with Remote Print driver or from mobile devices via the Epson iPrint app.
- Scan to Cloud Share your scans through email or store them online in cloud storage services.

Other mobile solutions:

- Apple[®] AirPrint[™]
- Google Cloud Print™
- Mopria™ Print Service

Advanced Workflow Solutions

Get the most out of your printers with an extensive range of software solutions.

Fleet Management



Epson Device Admin

A free software that allows you to control, analyse and manage your printer fleet centrally from one intuitive interface, designed to increase productivity and reduce costs.

Print Management



Epson Print Admin

A server-based solution that creates a secured centralised printing, scanning and copying environment through user-authentication. Advanced reporting functions can help organisations reduce printing costs and run Managed Print Programmes.

Document Management



Document Capture Pro*

Easily scan, view, edit, save and transfer scanned documents. The software optically recognises

barcodes, characters and blank pages in scanned documents to separate them into different folders. It allows you to create up to 30 customised job settings, making multiple scan jobs a breeze.

*Document Capture Pro (Windows), Document Capture (Mac OS X)



Document Capture Pro Server

The WF-C579R is compatible with Document Capture Pro Server, making it easy to seamlessly and locally manage documents. Document Capture

Pro integrates into document management and cloud storage systems, enabling you to capture, enhance, edit and distribute scanned documents effectively throughout your business.

Integration with Third-party Solutions

Epson Open Platform

Gain complete control of your printing operations via a range of third-party solutions that enable you to adapt the WorkForce Pro printers to meet specific and changing business requirements with solutions for print and document management.

Robust Security Features

Secured Printing with PIN Release

Print confidential documents by setting a PIN to a print job for release on the printer panel.

IP Address Filter

Secure your documents by preventing unauthorised devices from connecting to the printer.

Panel Admin Mode

Set a password to access and change administrator settings for the printer. This prevents unauthorised users from changing the printer settings.

Limited Access Function

Reduce risk of information leaks by limiting the access to functions for up to 10 user accounts.

LDAP Address Book

Prevent information leaks by using the address book registered in the LDAP server to accurately select recipient E-mail addresses.

WORKFORCE PRO WF-C579R



Model Number	WF-C579R		
Printer Type	Print, Scan, Copy, Fax with ADF		
Printing	Ting oddi, oopy, rax marrasi		
Printing Technology	PrecisionCore Printhead		
Nozzle Configuration Print Direction	400 x 2 nozzles each colour (Black, Cyan, Magenta, Yellow) Bi-directional printing, Uni-directional printing		
Maximum Resolution	4800 x 1200 dpi (with Variable-Sized Droplet Te	chnology)	
Minimum Ink Droplet Volume	3.8 pl		
Print Speed*1	Lie to Oderow (Oderow		
Draft Text - Memo, A4 (Black*1 / Colour*2) ISO 24734, A4 Simplex (Black / Colour)	Up to 34ppm / 34ppm Up to 24ipm / 24ipm		
ISO 24734, A4 Simplex (Black / Colour)	Up to 15ipm / 15ipm		
Printer Language	ESC/P-R		
Emulation	PCL5c, PCL6, Compatible with PostScript Leve	el 3, PDF (ver1.7)	
Maximum Monthly Duty Cycle ⁻² Automatic 2-sided Printing	Up to 50,000 pages Yes (up to A4)		
Copying	100 (45 10 11)		
Copy Speed			
ISO 29183, A4 (Black / Colour, Simplex) ISO 24735, A4 (Black / Colour, 1:1)	Up to 22ipm / 22ipm Up to 22ipm / 22ipm		
ISO 24735, A4 (Black / Colour, 1:2, 2:2)	Up to 14ipm / 14ipm		
Copy Quality	Text, Text & Image, Text & Image (Best), Photo		
Maximum Copies from Standalone	999 copies		
Reduction / Enlargement Maximum Copy Resolution	25 - 400%, Auto Fit Function 600 x 1200 dpi		
Maximum Copy Size	A4, Letter		
Copy Paper Size (Flatbed)	Letter, A4, B5, A5, B6, A6, 16K, 13 x 18 cm, 16	3:9, 10 x 15 cm, #10, DL, C4, C6	
Scanning			
Scanner Type Sensor Type	Flatbed colour image scanner CIS	Flatbed colour image scanner CIS	
Optical Resolution	1200 x 2400 dpi		
Maximum Scan Area	216 x 297 mm (8.5" x 11.7")		
Scanner Bit Depth	48-bit input 24-bit output		
Colour Greyscale	48-bit input, 24-bit output 16-bit input, 8-bit output		
Black & white	16-bit input, 1-bit output		
Scan Speed [Flatbed / ADF (Simplex) / ADF (Duplex)]			
Monochrome 200dpi Colour 200dpi	5.0 sec / 30 ppm / 60 ipm 5.0 sec / 30 ppm / 60 ipm		
Fax Function	5.0 sec / 30 ppm / 60 lpm		
Type of Fax	Walk-up Black-and-white and Colour Fax Capa	Walk-up Black-and-white and Colour Fax Capability	
Receive Memory / Page Memory	6MB, Up to 550 pages (ITU-T No.1 chart)		
Error Correction Mode Fax Speed (Data Transfer Rate)	ITU Group3 Fax with Error Correction Mode Up to 33.6kbps, Approx. 3sec/page		
Fax Resolution	Up to 200 x 200 dpi		
Transmission Paper Size			
Flatbed	A5, B5(JIS), Letter, A4		
ADF Receiving Paper Size	Letter, A4, Legal, A5, B5, 8.5" x 13" A5, B5(JIS), Letter, A4, Legal, 8.5" x 13"		
Speed Dial / Group Dial	Up to 200 numbers, 199 groups		
Fax Features	PC Fax (Transmission / Receive), Address Book, Delay Send, Transmit Reservation (50 case), Broadcast Fax		
ADF Function	(Mono Only)		
Support Paper Thickness	64 - 95 g/m ²		
Paper Capacity	50 pages (80g/m²)		
Card Slot/ USB Host Function USB Host	LICE Llast (Coop to mamon device / Ctorone for	USB Host (Scan to memory device / Storage function)	
Type of Direct Printing	USB Memory	nction)	
Paper Handling	oce morrory		
Paper Feed Method			
Number of Paper Trays Paper Hold Capacity	3 (Front 2, Rear 1) Cassette 1: 250 sheets (80g/m²), 50 sheets Premium Glossy Photo Paper		
гарег пои Сараску			
	Cassette 1: 250 sheets (80g/m²), 50 sheets Pre	mium Glossy Photo Paper	
Input Capacity	Cassette 1: 250 sheets (80g/m²), 50 sheets Pre Cassette 2: 500 sheets (80g/m²)	mium Glossy Photo Paper	
Input Capacity	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²)		
Input Capacity Output Capacity	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium Gloss	y Photo Paper	
Input Capacity Output Capacity Paper Size	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium Gloss 8.5 x 13", Legal, Letter, A4, Executive, B5, A5,		
Input Capacity Output Capacity	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium Gloss	y Photo Paper	
Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²) co sheets Premium Gloss 8.5 x 13", Legal, Letter, A4, Executive, B5, A5, x 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom	y Photo Paper	
Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium Gloss 8.5 x 13", Legal, Letter, A4, Executive, B5, A5, J 215,9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0	y Photo Paper	
Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²) cs sheets Premium Gloss 8.5 x 13", Legal, Letter, A4, Executive, B5, A5, x 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WS	y Photo Paper A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4	
Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium Gloss 8.5 x 13", Legal, Letter, A4, Executive, B5, A5, A 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WS SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DD	y Photo Paper A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4	
Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium Gloss 8.5 x 13", Legal, Letter, A4, Executive, B5, A5, A 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WS SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DD	y Photo Paper A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4	
Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) Slot sheets (80g/m²) Slot sheets Premium Gloss 8.5 x 13", Legal, Letter, A4, Executive, B5, A5, x 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WS SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DD Limit Access Function, PIN No. Certification, LD	y Photo Paper A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4	
Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium Gloss 8.5 x 13", Legal, Letter, A4, Executive, B5, A5, A 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WS SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DD	y Photo Paper A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4	
Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium Gloss 8.5 x 13", Legal, Letter, A4, Executive, B5, A5, J 215,9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethemet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WS SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DD Limit Access Function, PIN No. Certification, LD Epson iPrint, Epson Email Print, Remote Print D Apple AirPrint, Google Cloud Print, Mopria Print	y Photo Paper A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4	
Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium Gloss 8.5 x 13", Legal, Letter, A4, Executive, B5, A5, a 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, W SNMP, HTTP, DHCP, B00TP, APIPA, PING, DD Limit Access Function, PIN No. Certification, LD Epson iPrint, Epson Email Print, Remote Print D	y Photo Paper A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4	
Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²) co sheets Premium Gloss 8.5 x 13". Legal, Letter, A4, Executive, B5, A5, 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WS SNMP, HTTP, DHCP, BOOTP, APIPA, PINA, CONSINA, TOP-IPV6, LPD, IPP, PORT9100, WS SNMP, HTTP, DHCP, BOOTP, APIPA, PINA, CONSINA, CONSINA, TCP/IPV6, LPD, IPP, PORT9100, WS SNMP, HTTP, DHCP, BOOTP, APIPA, PINA, CONSINA, TCP/IPV6, LPD, IPP, PORT9100, WS SNMP, HTTP, DHCP, BOOTP, APIPA, PINA, DAPIPA, PINA, CONSINA,	y Photo Paper A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 5D NS, mDNS, SNTP, SLP, WSD, LLTD AP Address Book, IP Address Filtering, Panel Admin Mode triver, Scan to Cloud Service	
Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium Gloss 8.5 x 13", Leqal, Letter, A4, Executive, B5, A5, x 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WS SNMP, HTR, DHCP, B00TP, APIPA, PING, DD Limit Access Function, PIN No. Certification, LD Epson iPrint, Epson Email Print, Remote Print D Apple AirPrint, Google Cloud Print, Mopria Print 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows	y Photo Paper A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4	
Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium Gloss 8.5 x 13", Legal, Letter, A4, Executive, B5, A5, J 215,9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WS SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DD Limit Access Function, PIN No. Certification, LD Epson iPrint, Epson Email Print, Remote Print D Apple AirPrint, Google Cloud Print, Mopria Print 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows AC 220 - 240V	y Photo Paper A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 5D NS, mDNS, SNTP, SLP, WSD, LLTD AP Address Book, IP Address Filtering, Panel Admin Mode triver, Scan to Cloud Service	
Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Voltage Rated Frequency	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium Gloss 8.5 x 13", Leqal, Letter, A4, Executive, B5, A5, x 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WS SNMP, HTR, DHCP, B00TP, APIPA, PING, DD Limit Access Function, PIN No. Certification, LD Epson iPrint, Epson Email Print, Remote Print D Apple AirPrint, Google Cloud Print, Mopria Print 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows	y Photo Paper A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 5D NS, mDNS, SNTP, SLP, WSD, LLTD AP Address Book, IP Address Filtering, Panel Admin Mode triver, Scan to Cloud Service	
Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium Gloss 8.5 x 13", Legal, Letter, A4, Executive, B5, A5, J 215,9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WS SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DD Limit Access Function, PIN No. Certification, LD Epson iPrint, Epson Email Print, Remote Print D Apple AirPrint, Google Cloud Print, Mopria Print 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows AC 220 - 240V	y Photo Paper A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 5D NS, mDNS, SNTP, SLP, WSD, LLTD AP Address Book, IP Address Filtering, Panel Admin Mode triver, Scan to Cloud Service	
Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium Gloss 8.5 x 13", Legal, Letter, A4, Executive, B5, A5, x 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WS SNMP, HTTP, DHCP, B00TP, APIPA, PING, DD Limit Access Function, PIN No. Certification, LD Epson iPrint, Epson Email Print, Remote Print D Apple AirPrint, Google Cloud Print, Mopria Print 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows AC 220 - 240V 50 - 60 Hz	y Photo Paper A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 5D NS, mDNS, SNTP, SLP, WSD, LLTD AP Address Book, IP Address Filtering, Panel Admin Mode triver, Scan to Cloud Service	
Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Stanciby Sleep	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium Gloss 8.5 x 13", Legal, Letter, A4, Executive, B5, A5, z 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WS SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DD Limit Access Function, PiN No. Certification, LD Epson iPrint, Epson Email Print, Remote Print D Apple AirPrint, Google Cloud Print, Mopria Print 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows AC 220 - 240V 50 - 60 Hz 29W 1.3W	y Photo Paper A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 5D NS, mDNS, SNTP, SLP, WSD, LLTD AP Address Book, IP Address Filtering, Panel Admin Mode triver, Scan to Cloud Service	
Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power Off	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium Gloss 8.5 x 13", Legal, Letter, A4, Executive, B5, A5, x 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WS SNMP, HTTP, DHCP, B00TP, APIPA, PING, DD Limit Access Function, PIN No. Certification, LD Epson iPrint, Epson Email Print, Remote Print D Apple AirPrint, Google Cloud Print, Mopria Print 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows AC 220 - 240V 50 - 60 Hz	y Photo Paper A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 5D NS, mDNS, SNTP, SLP, WSD, LLTD AP Address Book, IP Address Filtering, Panel Admin Mode triver, Scan to Cloud Service	
Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Protocol Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Prower Off Noise Level	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium Gloss 8.5 x 13", Leqal, Letter, A4, Executive, B5, A5, x 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WS SNMP, HTTP, DHCP, B00TP, APIPA, PING, DD Limit Access Function, PIN No. Certification, LD Epson iPrint, Epson Email Print, Remote Print D Apple AirPrint, Google Cloud Print, Mopria Print 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows AC 220 - 240V 50 - 60 Hz 29W 14W 1.3W 0.2W	y Photo Paper A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 5D NS, mDNS, SNTP, SLP, WSD, LLTD AP Address Book, IP Address Filtering, Panel Admin Mode triver, Scan to Cloud Service	
Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power Off Noise Level PC Printing/ Plain Paper Default ¹³ Consumables	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²). 20 sheets Premium Gloss 8.5 x 13", Legal, Letter, A4, Executive, B5, A5, x 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WS SNMP HTTP, DHCP, BOOTP, APIPA, PING, DD Limit Access Function, PIN No. Certification, LD Epson iPrint, Epson Email Print, Remote Print D Apple AirPrint, Google Cloud Print, Mopria Print 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows AC 220 - 240V 50 - 60 Hz 29W 14W 1.3W 0.2W 6.6B(A), 54dB(A) Page Yield*	y Photo Paper A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 BD NS, mDNS, SNTP, SLP, WSD, LLTD NAP Address Book, IP Address Filtering, Panel Admin Mode viriver, Scan to Cloud Service Server 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later Order Code	
Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Protocol Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power Off Noise Level PC Printing/ Plain Paper Default ¹³ Consumables Standard Black	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium Gloss 8.5 x 13", Legal, Letter, A4, Executive, B5, A5, J 215,9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WS SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DD Limit Access Function, PIN No. Certification, LD Epson iPrint, Epson Email Print, Remote Print D Apple AirPrint, Google Cloud Print, Mopria Print 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows AC 220 - 240V 50 - 60 Hz 29W 14W 1.3W 0.2W 6.6B(A), 54dB(A)	y Photo Paper A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 SD NS, mDNS, SNTP, SLP, WSD, LLTD NAP Address Book, IP Address Filtering, Panel Admin Mode viriver, Scan to Cloud Service Server 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later Order Code C13T01C100	
Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Protocol Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sieep Power Off Noise Level PC Printing/ Plain Paper Default*3 Consumables Standard Slack	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium Gloss 8.5 x 13", Legal, Letter, A4, Executive, B5, A5, 2 15.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethemet, Wi-Fri IEEE 802.11b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WS SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DD Limit Access Function, PIN No. Certification, LC Epson iPrint, Epson Email Print, Remote Print D Apple AirPrint, Google Cloud Print, Mopria Print 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows AC 220 - 240V 50 - 60 Hz 29W 14W 1.3W 0.2W 6.6B(A), 54dB(A) Page Yield* 10,000 pages	y Photo Paper A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 SD NS, mDNS, SNTP, SLP, WSD, LLTD NAP Address Book, IP Address Filtering, Panel Admin Mode viriver, Scan to Cloud Service Order Code C13T01C100 C13T01C200	
Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power Off Noise Level PC Printing/ Plain Paper Default ¹³ Consumables Standard Black	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²). 20 sheets Premium Gloss 8.5 x 13", Legal, Letter, A4, Executive, B5, A5, x 215.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WS SNMP HTTP, DHCP, BOOTP, APIPA, PING, DD Limit Access Function, PIN No. Certification, LD Epson iPrint, Epson Email Print, Remote Print D Apple AirPrint, Google Cloud Print, Mopria Print 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows AC 220 - 240V 50 - 60 Hz 29W 14W 1.3W 0.2W 6.6B(A), 54dB(A) Page Yield*	y Photo Paper A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 SD NS, mDNS, SNTP, SLP, WSD, LLTD NAP Address Book, IP Address Filtering, Panel Admin Mode viriver, Scan to Cloud Service Server 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later Order Code C13T01C100	
Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Protocol Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power Off Noise Level PC Printing/ Plain Paper Default*3 Consumables Standard Magenta Standard Allow High Capacity Black	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium Gloss 8.5 x 13", Legal, Letter, A4, Executive, B5, A5, 2 15.9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethemet, Wi-Fri IEEE 802.11b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WS SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DD Limit Access Function, PIN No. Certification, LC Epson iPrint, Epson Email Print, Remote Print D Apple AirPrint, Google Cloud Print, Mopria Print 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows AC 220 - 240V 50 - 60 Hz 29W 14W 1.3W 0.2W 6.6B(A), 54dB(A) Page Yield* 10,000 pages	y Photo Paper A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 BD NS, mDNS, SNTP, SLP, WSD, LLTD NAP Address Book, IP Address Filtering, Panel Admin Mode viriver, Scan to Cloud Service Server 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later Order Code C13T01C300 C13T01C300 C13T01C300 C13T01C300 C13T01C300 C13T01C400 C13T01D100	
Input Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Protocol Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standorly Sleep Power Off Noise Level PC Printing/ Plain Paper Default ¹³ Consumables Standard Black Standard Magenta Standard Magenta Standard Magenta Standard Magenta Standard Yellow High Capacity Black High Capacity Cyan	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium Gloss 8.5 x 13", Legal, Letter, A4, Executive, B5, A5, x 215.9 x 6,000 mm (8.5 x 236.2") 3mm lop, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, SNMP, HTTP, DHCP, B00TP, APIPA, PING, DD Limit Access Function, PIN No. Certification, LC Epson iPrint, Epson Email Print, Remote Print D Apple AirPrint, Google Cloud Print, Mopria Print 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows AC 220 - 240V 50 - 60 Hz 29W 14W 1.3W 0.2W 6.6B(A), 54dB(A) Page Yield* 10,000 pages 5,000 pages (Composite Yield)	y Photo Paper A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 BD NS, mDNS, SNTP, SLP, WSD, LLTD NAP Address Book, IP Address Filtering, Panel Admin Mode viriver, Scan to Cloud Service Server 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later Order Code C13T01C100 C13T01C200 C13T01C300 C13T01C300 C13T01D100 C13T01D200 C13T01D200	
Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power Consumption Consumption Operating Standby Sleep Power Consumption Operating Standby Sleep Power Consumption Operating Standard Magenta Standard Magenta Standard Magenta Standard Hellow High Capacity Magenta	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium Gloss 8.5 x 13", Legal, Letter, A4, Executive, B5, A5, J 215,9 x 6,000 mm (8.5 x 236.2") 3mm top, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WS SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DD Limit Access Function, PIN No. Certification, LD Epson iPrint, Epson Email Print, Remote Print D Apple AirPrint, Google Cloud Print, Mopria Print 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows AC 220 - 240V 50 - 60 Hz 29W 14W 1.3W 0.2W 6.6B(A), 54dB(A) Page Yield* 10,000 pages (Composite Yield)	y Photo Paper A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 SD NS, mDNS, SNTP, SLP, WSD, LLTD NAP Address Book, IP Address Filtering, Panel Admin Mode rivier, Scan to Cloud Service Order Code C13T01C100 C13T01200 C13T01200 C13T01200 C13T01C400 C13T01D200 C13T01D200 C13T01D200 C13T01D200 C13T01D200 C13T01D200 C13T01D200 C13T01D300 C13T01D300 C13T01D300 C13T01D300 C13T01D300 C13T01D300	
Input Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Protocol Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standorly Sleep Power Off Noise Level PC Printing/ Plain Paper Default ¹³ Consumables Standard Black Standard Magenta Standard Magenta Standard Magenta Standard Magenta Standard Yellow High Capacity Black High Capacity Cyan	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium Gloss 8.5 x 13", Legal, Letter, A4, Executive, B5, A5, x 215.9 x 6,000 mm (8.5 x 236.2") 3mm lop, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, SNMP, HTTP, DHCP, B00TP, APIPA, PING, DD Limit Access Function, PIN No. Certification, LC Epson iPrint, Epson Email Print, Remote Print D Apple AirPrint, Google Cloud Print, Mopria Print 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows AC 220 - 240V 50 - 60 Hz 29W 14W 1.3W 0.2W 6.6B(A), 54dB(A) Page Yield* 10,000 pages 5,000 pages (Composite Yield)	y Photo Paper A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 BD NS, mDNS, SNTP, SLP, WSD, LLTD NAP Address Book, IP Address Filtering, Panel Admin Mode viriver, Scan to Cloud Service Server 2003 / 2008 / 2012 / 2016, Mac OS X 10.6.8 or later Order Code C13T01C100 C13T01C200 C13T01C300 C13T01C300 C13T01D100 C13T01D200 C13T01D200	
Input Capacity Output Capacity Paper Size Maximum Paper Size (Rear Tray) Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power Off Noise Level PC Printing/ Plain Paper Default ¹³ Consumables Standard Black Standard Magenta Standard Yellow High Capacity Walent High Capacity Vellow	Cassette 2: 500 sheets (80g/m²) Rear Slot: 80 sheets (80g/m²) 150 sheets (80g/m²), 20 sheets Premium Gloss 8.5 x 13", Legal, Letter, A4, Executive, B5, A5, x 215.9 x 6,000 mm (8.5 x 236.2") 3mm lop, left, right, bottom USB 2.0 Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, SNMP, HTTP, DHCP, B00TP, APIPA, PING, DD Limit Access Function, PIN No. Certification, LC Epson iPrint, Epson Email Print, Remote Print D Apple AirPrint, Google Cloud Print, Mopria Print 4.3" TFT Colour Touch LCD Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows AC 220 - 240V 50 - 60 Hz 29W 14W 1.3W 0.2W 6.6B(A), 54dB(A) Page Yield* 10,000 pages 5,000 pages (Composite Yield)	y Photo Paper A6, B6, 5 x 7", 16:9 wide, 4 x 6", Envelopes: #10, DL, C6, C4 BD NS, mDNS, SNTP, SLP, WSD, LLTD NAP Address Book, IP Address Filtering, Panel Admin Mode viriver, Scan to Cloud Service Order Code C13T01C300 C13T01C300 C13T01C300 C13T01C300 C13T01D100 C13T01D300	

Dimensions & Weight WF-C579R Weight: 25.8kg (56.9lb)



*1 Print speed (Pages Per Minute) is calculated when printed on A4 plain paper in the fastest mode. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.



- *2 The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.
- *3 Default mode in accordance with ISO7779 for MFPs.
- *4 In accordance with ISO 24711/24712. Actual yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. A variable amount of ink remains in the cartridges after the "replace cartridge" signal. Part of the ink from the first cartridges is used for priming the printer. Ink is used for both printing and print head maintenance. All inks are used for both black and colour printing.

© 2019 Epson Singapore Pte Ltd. All Rights Reserved.
Reproduction in part or in whole, without the written
permission from Epson, is strictly prohibited.
EPSON and EXCEED YOUR VISION are registered
trademarks of Seiko Epson Corporation. All other products
names and other company names used herein are for
identification purposes only and are the trademarks or
registered trademarks of their respective owners. Epson
disclaims any and all rights in those marks. Print samples
shown are simulations only. Specifications and product
availability are subject to change without notice and may
vary between countries. Please check with local Epson vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct at time of printing Printed February 2019

Sales Enquiries 800 120 5564













EpsonSEA OEpsonSEA EpsonSEA You the EpsonSoutheast Asia in Epson Southeast Asia

For latest specifications, visit www.epson.com.sg/businessinkjet or call 800 120 5564.