




MOVE FAST
BUILT TO LAST



Why Epson POS

Unmatched Speed. Built for Reliability.

Epson POS printers are engineered for high performance, delivering blazing-fast print speeds of up to 500 mm/second¹ and exceptional durability with a printer mechanism life of up to 20 million lines². With a 2-year warranty that covers even the printhead, you can count on fewer interruptions and seamless business operations.



Seamless Integration Across Platforms

Epson provides SDKs for iOS, Android, and JavaScript, making it easy for developers to build and customise applications. With comprehensive documentation, sample code, and full support for OPOS and JavaPOS, integrating Epson POS printers into your existing systems is fast and straightforward.



Peace of Mind with Every Transaction

Epson POS printers are equipped with robust SSL/TLS encryption to protect customer data and ensure secure communication. From payment processing to data transmission, you can count on built-in security that keeps your business and customers safe.

Reduce Costs and Waste with Smarter Printing

Epson's advanced paper-saving technology reduces paper usage by up to 49%³ compared to conventional models, resulting lower long-term operation cost and reduced environment footprint for your business




Tailored solutions for every industry

Epson POS printers are designed to meet the unique needs of various industries, providing reliable, high-speed printing with easy integration and minimal downtime. Whether it's handling peak service hours in Food & Beverage, streamlining operations in Retail/ Wholesale, supporting smooth transactions in Service/Institutions, enhancing customer experiences in Entertainment, or optimising workflows in Logistics, our printers are the perfect match for your business.

Food & Beverage	Retail / Wholesale	Services / Institutions	Entertainment	Transportation
Durable and fast receipt printing that keeps transactions flowing in a busy F&B environment.	Dependable receipt printers that support a wide range of POS systems suitable for retail environment.	Reliable choice for Service and Institutional applications, offering seamless integration for various use cases ensure efficient and dependable operations in demanding environments.	Improve customer experience at F&B or merchandise counters with Epson POS printers.	Fast and reliable on-site printing with Epson portable printers
Top application: - QR code/online ordering - Cloud kitchens - Multiple storefront management - Self ordering kiosk - Linerless order label	Top application: - Point-of-sales - Kiosk self-checkout - Queue busting - Direct selling - Package and delivery label	Top application: - Kiosk parking ticket - Utility meter reading receipt - e-Citation ticketing - Self-registration kiosk - Service receipt	Top application: - Point-of-sales - Kiosk self-service payment	Top application: - Transportation ticketing - Proof of delivery receipt

¹ Print speed figures are based on internal testing and may vary depending on paper type, print settings, and environmental conditions. For more details, visit Epson POS Product Pages.
² For selected models only.
³ Paper savings of up to 49% are based on internal testing with Epson's paper-saving technology. Results may vary depending on the usage patterns and receipt format.

How to choose the right printer model for your needs



Note: Please be advised that certain models may not be available in all countries. We kindly ask that you check with local support for availability.

POS PRINTER QUICK GUIDE

Note: Please be advised that certain models may not be available in all countries. We kindly ask that you check with local support for availability.

MODEL NUMBER

Description

Printing Font

Printing Speed (Max)

Paper Width

Printhead Life

Auto-Cutter Life

Interfaces

Paper Reduction

Built-in Intelligent Features

Supported OS for Driver

Supported Software

Product Dimension (W x D x H)

Product Weight

Desktop POS (T-Series)



TM-T81III

TM-T82X-II

TM-T82IV

TM-T70II

TM-T88VII

Entry level printers that offer the same easy operability and reliability. The TM-T81III/T82X-II is best considered for the budget-conscious.		A fully featured thermal printer backed by the industries best-in-class reliability in high volume environments.	Designed to fit in kiosks. This small printer features fast printing of up to 250mm/second.	Reliable, fastest printing speed model from Epson POS product range, suitable for heavy duty printing.
ANK, Thai/Viet, Simplified Chinese	ANK, Thai/Viet, Simplified Chinese	ANK, Thai/Viet, Simplified Chinese	ANK, Thai/Viet, Simplified Chinese	ANK, Thai/Viet, Simplified Chinese, Traditional Chinese, Korean, Japanese (Unicode support), UTF-8
200mm/s	250mm/s	250mm/s	250mm/s	450mm/s
79.5 ± 0.5mm	79.5 ± 0.5mm 57.5 ± 0.5mm	79.5 ± 0.5mm 57.5 ± 0.5mm	79.5 ± 0.5mm 57.5 ± 0.5mm* (*Only for Traditional Chinese Model)	72.2 ± 0.2mm 50.8 ± 0.2mm
Up to 100km	Up to 100km	Up to 150km	Up to 120km	Up to 200km
Up to 1,500,000	Up to 1,500,000	Up to 2,000,000	Up to 1,700,000	Up to 3,000,000
USB + 9 pin Serial/Ethernet	USB + 9 pin Serial/Ethernet	Option 1: USB + UIB (25-pin Serial) Option 2: USB + 9-pin Serial + Ethernet + Option Wi-Fi Dongle	USB + UIB (Serial/Ethernet or Parallel)	Built-in USB + Ethernet + UIB (Serial or Parallel)
Up to 30%	Up to 30%	Up to 30%	Up to 26%	Up to 49%
Printer Status Notification	Printer Status Notification	Printer Status Notification	Printer Status Notification	- Server Direct Print - Printer Status Notification - NFC Pairing
Windows Driver (APD), ePOS SDK (iOS, Android, JavaScript), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows, Linux), TM Virtual Port Driver, TMUSB Device Driver, CUPS Driver (Linux), Mac Driver	Windows Driver (APD), ePOS SDK (iOS, Android), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows, Linux), TM Virtual Port Driver, TMUSB Device Driver	Windows Driver (APD), ePOS SDK (iOS, Android, JavaScript), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows, Linux), TM Virtual Port Driver, CUPS Driver (Linux), Mac Driver	Windows Driver (APD), ePOS SDK (iOS, Android, JavaScript), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows, Linux), WS-POS ADK, TM Virtual Port Driver, TMUSB Device Driver, CUPS Driver (Linux), Mac Driver	Windows Driver (APD), ePOS SDK (iOS, Android, JavaScript), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows, Linux), TM Virtual Port Driver, TMUSB Device Driver, CUPS Driver (Linux), Mac Driver
Epson Deployment Tool, Epson Monitoring Tool, EpsonNet Config (Windows, Mac), TM-T81III Utility (Windows)	Epson Deployment Tool, Epson Monitoring Tool, TM-T82X-II Utility (Windows)	Epson Deployment Tool, Epson Monitoring Tool, TM-T82IV Utility (Windows), Epson TM Utility (iOS, Android)	Epson Deployment Tool, Epson Monitoring Tool, BmpToRaster, EpsonNet Config (Windows, Mac), TM-T70II Utility (Windows), Epson TM Bluetooth Connector, TM FontRunner, Epson TM Utility (iOS, Android)	Epson Deployment Tool, Epson Monitoring Tool, BmpToRaster, TM FontRunner, TM Print Assistant (iOS, Android), TM-T88VII Utility (Windows), Epson TM Utility (iOS, Android)
140 x 192 x 140mm	149 x 192 x 140mm	146 x 199 x 146mm	125 x 194 x 114mm	145 x 195 x 148mm
1.5 kg	1.5 kg	1.7 kg	1.7 kg	1.7 kg

POS PRINTER QUICK GUIDE

Note: Please be advised that certain models may not be available in all countries. We kindly ask that you check with local support for availability.

MODEL NUMBER

Description

Printing Font

Printing Speed (Max)

Paper Width

Printhead Life

Auto-Cutter Life

Interfaces

Paper Reduction

Built-in Intelligent Features

Supported OS for Driver

Supported Software

Product Dimension (W x D x H)

Product Weight

mPOS (m Series)



Kiosk Printer



Portable Printer



TM-m30III

Stylish and versatile, print receipts from anywhere, thanks to multiple connectivity with any mobile device.

ANK, Thai/Viet, Simplified Chinese, Traditional Chinese, Korean, Japanese (Unicode support), UTF-8

300mm/s

79.5 ± 0.5mm
57.5 ± 0.5mm

Up to 150km

Up to 2,200,000

TM-m30III Standard: USB-PD, USB-B, Ethernet
TM-m30III: USB-PD, USB-B, Ethernet, Bluetooth, Wi-Fi

Up to 49%

- Server Direct Print
- Printer Status Notification
- 180° rotation printing
- Paper Decurl
- NFC Pairing
- USB Network Tethering

Windows Driver (APD), ePOS SDK (iOS, Android, JavaScript), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows, Linux), TM Virtual Port Driver, TMUSB Device Driver, CUPS Driver (Linux), Mac Driver

Epson Deployment Tool, Epson Monitoring Tool, BmpToRaster, TM-m30III Utility (Windows), Epson TM Bluetooth Connector, Epson TM Print Assistant (iOS, Android), Epson TM Utility (iOS, Android)

127 x 127 x 130mm

2.2 kg

TM-m30II-SL

Stylish and seamless Tablet POS setup with built-in tablet holder and multiple connectivity.

ANK, Thai/Viet, Simplified Chinese, Traditional Chinese, Korean, Japanese (Unicode support), UTF-8

250mm/s

79.5 ± 0.5mm
57.5 ± 0.5mm

Up to 150km

Up to 2,200,000

USB-B, USB-A, Ethernet, Bluetooth

Up to 49%

- Server Direct Print
- Printer Status Notification
- 180° rotation printing
- USB Network Tethering

Windows Driver (APD), ePOS SDK (iOS, Android, JavaScript), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows, Linux), TM Virtual Port Driver, TMUSB Device Driver, CUPS Driver (Linux), Mac Driver

Epson Deployment Tool, Epson Monitoring Tool, BmpToRaster, EpsonNet Config (Windows, Mac), TM-m30III Utility (Windows), Epson TM Bluetooth Connector, Epson TM Print Assistant (iOS, Android), Epson TM Utility (iOS, Android)

Standard Tablet Size: 289 x 166 x 322mm
Large Tablet Size: 311 x 166 x 357mm

3.5 kg

EU-m30

Dedicated design for kiosk environment with secured installation and bezel option which help to reduce paper jams and misalignments.

ANK, Thai/Viet, Simplified Chinese, Traditional Chinese, Korean, Japanese (Unicode support), UTF-8

250mm/s

79.5 ± 0.5mm
57.5 ± 0.5mm

Up to 150km

Up to 1,500,000

USB + Serial

Up to 49%

- Printer Status Notification
- 180° rotation printing

Windows Driver (APD), ePOS SDK (Android, JavaScript), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows), TM Virtual Port Driver, TMUSB Device Driver

Epson Deployment Tool, Epson Monitoring Tool, BmpToRaster, EU-m30 Utility (Windows), Epson TM Utility (iOS, Android)

127 x 127 x 131.2mm

1.3 kg

TM-P20II

2-inch portable printer, lightweight and reliable with battery life of up to 32 hours.

ANK, Thai/Viet, Hindi, Simplified Chinese, Traditional Chinese, Korean, Japanese (Unicode support), UTF-8

100mm/s

57.5 ± 0.5mm

Up to 50km

–

Built-in USB-C + Bluetooth/Wi-Fi

Up to 23%

- Printer Status Notification
- 180° rotation printing
- NFC Pairing

Windows Driver (APD), ePOS SDK (iOS, Android, JavaScript), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows, Linux), TM Virtual Port Driver, TMUSB Device Driver

Epson Deployment Tool, Epson Monitoring Tool, Epson TM Bluetooth Connector, Epson TM-P20II Utility (Windows), Epson TM Print Assistant (iOS, Android), Epson TM Utility (iOS, Android)

79 x 120 x 46mm

216 g (BT), 223 g (Wi-Fi)

TM-P80II

Sturdily designed with a long lasting battery life of up to 48 hours. Easy pairing with NFC, Bluetooth or Wi-Fi.

ANK, Thai/Viet, Hindi, Simplified Chinese, Traditional Chinese, Korean, Japanese (Unicode support), UTF-8

100mm/s

79.5 ± 0.5mm

Up to 50km

–

Built-in USB-C + Bluetooth/Wi-Fi

Up to 23%

- Printer Status Notification
- 180° rotation printing
- NFC Pairing

Windows Driver (APD), ePOS SDK (iOS, Android, JavaScript), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows, Linux), TM Virtual Port Driver, TMUSB Device Driver

Epson Deployment Tool, Epson Monitoring Tool, Epson TM Bluetooth Connector, Epson TM-P80II Utility (Windows), Epson TM Print Assistant (iOS, Android), Epson TM Utility (iOS, Android)

105 x 138 x 57.6mm

379 g (BT), 386 g (Wi-Fi)

POS PRINTER QUICK GUIDE

Note: Please be advised that certain models may not be available in all countries. We kindly ask that you check with local support for availability.

MODEL NUMBER

Description

Printing Font

Printing Speed (Max)

Paper Width

Printhead Life

Auto-Cutter Life

Interfaces

Paper Reduction

Built-in Intelligent Features

Supported OS for Driver

Supported Software

Product Dimension (W x D x H)

Product Weight

Dot Matrix Printer



TM-U220II

Ideal for use in kitchen and cashier requirements which require a rugged and sturdy multi-ply receipt printer that offers a low total cost of ownership.

ANK, Thai/Viet, Simplified & Traditional Chinese

4.7 lps (40 columns, 16 cpi)
6.0 lps (30 columns, 16 cpi)

76.0 ± 0.5mm
69.5 ± 0.5mm
57.5 ± 0.5mm

Up to 150,000,000 characters

Up to 800,000

UIB (Serial, Parallel, USB or Ethernet)

Up to 11%

Printer Status Notification

Windows Driver (APD), ePOS SDK (iOS, Android, JavaScript), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows/Linux), TM Virtual Port Driver, CUPS Driver (Linux)

Epson Monitoring Tool, EpsonNet Config (Windows), TM FontRunner, TM-U220II Utility (Windows), Epson TM Utility (iOS, Android)

Type A: 160 x 286 x 157.5mm
Type B/D: 160 x 248 x 138.5mm

Type A: 2.7 kg
Type B: 2.5 kg
Type D: 2.3 kg

Slip Printer



TM-U295

Ideal for cheque and credit card authorisation. With four print sizes, four print directions and a "page mode" that lets you print practically anywhere on the document.

ANK, Thai

1.9 - 2.3 lps

80 x 69 mm - 182 x 257 mm

Up to 150,000,000 characters

–

Serial / Parallel

–

Printer Status Notification

Windows Driver (APD), TMUSB Device Driver

TM FontRunner

180 x 190.5 x 101.5mm

1.6 kg

Hybrid Printer



TM-H6000VI

Multifunction POS printer excels in both receipt printing and check processing.

ANK, Thai/Viet, Simplified Chinese, Traditional Chinese, UTF-8

Receipt: 500mm/s
Slip: 5.70 lps
Endorsement: 4.0 lps

Receipt: 79.5 ± 0.5mm

Up to 200km

Receipt: Up to 3,000,000

USB + Ethernet + UIB (Serial)

Up to 53%

- Server Direct Print
- Printer Status Notification
- NFC Pairing

Windows Driver (APD), ePOS SDK (iOS, Android, JavaScript), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows/Linux), TMUSB Device Driver, TM Virtual Port Driver, CUPS Driver (Linux)

Epson Deployment Tool, Epson Monitoring Tool, BmpToRaster, TMUSB Device Driver, Epson TM-H6000VI Slip Paper Sensor Adjustment Tool, TM-H6000VI Utility (Windows)

186 x 278 x 181mm

4.4 kg

Label Printer



TM-L90

Highly reliable compact thermal label printer. Ideal for business that require high speed, high performance label printing.

ANK

Receipt: 150mm/s
Label: 150mm/s

Width: 80 / 70 / 65 / 60 / 58 / 50 / 45 / 38mm
Roll Outer Diameter: 90mm

Up to 75km

Receipt: Up to 2,000,000
Label: Up to 1,000,000

USB + UIB (Serial, Parallel or Ethernet)

Up to 54%

- Printer Status Notification
- Black Mark Sensor

Windows Driver (APD), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows, Linux), WS-POS ADK, ePOS SDK (iOS, Android, JavaScript), TM Virtual Port Driver, TMUSB Device Driver

Epson Deployment Tool, Epson Monitoring Tool, EpsonNet Config (Windows), TM FontRunner, Memory Switch Setting Utility (Windows), Epson TM Utility (iOS, Android)

140 x 148 x 203mm

1.9 kg

TM-L90-LFC

It enables businesses to print on liner-free label, providing a reliable method for labelling customers' food and drink orders to ensure they are correct.

ANK

Receipt: 170mm/s
Liner-free Label: 90mm/s

Width: 40 / 58 / 80mm
Roll Outer Diameter: 102mm

Up to 75km

Receipt: Up to 2,000,000
Label: Up to 1,000,000

USB + UIB (Serial, Parallel or Ethernet)

Up to 54%

- Printer Status Notification
- Taken Sensor
- Black Mark Sensor

Windows Driver (APD), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows, Linux), WS-POS ADK, ePOS SDK (iOS, Android, JavaScript), TM Virtual Port Driver, TMUSB Device Driver

Epson Deployment Tool, Epson Monitoring Tool, EpsonNet Config (Windows), TM FontRunner, Memory Switch Setting Utility (Windows), Epson TM Utility (iOS, Android)

140 x 148 x 203mm

1.9 kg

TM-L100

Compact and stylish, TM-L100 is the ideal liner-free label printer for F&B usage.

ANK, Thai/Viet, Simplified Chinese, Traditional Chinese, Korean, Japanese (Unicode support), UTF-8

Receipt and Liner-free Label: 170mm/s

Width: 40 / 58 / 80mm
Roll Outer Diameter: 102mm

Up to 150km

Receipt: Up to 2,000,000
Label: Up to 1,000,000

Serial, Ethernet, USB-B

Up to 54%

- Server Direct Print
- Printer Status Notification
- 180° rotation printing
- Taken Sensor
- Black Mark Sensor
- NFC Pairing

Windows Driver (APD), OPOS ADK, OPOS ADK for .NET, JavaPOS ADK (Windows, Linux), ePOS SDK (iOS, Android, JavaScript), TM Virtual Port Driver, TMUSB Device Driver

Epson Deployment Tool, Epson Monitoring Tool, Epson TM-L100 Utility (Windows), Epson TM Print Assistant (iOS, Android), Epson TM Utility (iOS, Android)

140 x 148.5 x 207mm

1.9 kg



Discover the benefits of Epson POS printers
and how partnering with us can boost your business.

Scan the QR code to learn more!

POS printer information



[www.epson.com.sg/
pos-main](http://www.epson.com.sg/pos-main)

Becoming an Epson
POS Partner



[www.epson.com.sg/
pos-partners-resources](http://www.epson.com.sg/pos-partners-resources)

Find out more at www.epson.com.sg/pos-main

 [epsonsg](#)  [EpsonSingapore](#)  [EpsonSoutheastAsia](#)  [Epson Singapore](#)  [epsonsingapore](#)

Epson Singapore Pte Ltd
Epson Customer Care Center

438B Alexandra Road, Block B Alexandra Technopark, #04-01/04, Singapore 119968. Tel: (65) 6586-5500
6 Harper Road, #04-01 Leong Huat Building, Singapore 369674. Epson Helpdesk: 800-120-5564

Please refer to www.epson.com.sg/contact for opening hours

©2025 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON is a registered trademark of Seiko Epson Corporation. All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.