

SETTING NEW STANDARDS IN PHOTOGRAPHIC PRINT EXCELLENCE.




SC-P7330
24" Photo Printer



SC-P9330
44" Photo Printer

Exceptional Clarity, Colour, and Control for Every Professional Print.


Unlock a new standard of photographic excellence with the Epson SureColor P7330 and P9330. Engineered for photographers and artists who demand precision, these printers feature Epson's PrecisionCore™ MicroTFP printhead and a 10 colour UltraChrome PRO 10 ink set with added Violet for an expanded colour gamut and Black Enhanced Overcoat (BEO) for deeper, richer blacks. From fine art to proofing solutions, achieve vibrant, true to life prints with outstanding accuracy and consistency.




2.64" Printhead



Black Enhanced Overcoat



4.3" Optical Touch Colour LCD



Up To 1.5mm Media Thickness



Stable Media Feeding Mechanism

ENGINEERED FOR good



Blue Brilliance

The 10 colour UltraChrome PRO10 ink set, featuring Violet, delivers an expanded colour gamut with enhanced blue reproduction and exceptional accuracy.

Enhanced Productivity

The advanced 2.64" PrecisionCore Micro TFP printhead ensures faster print speeds and improved efficiency, while nozzle verification technology maintains stable performance and consistent quality.

Effortless Operation

The intuitive 4.3" touchscreen interface simplifies navigation, and the self-maintenance feature with easy head cleaning ensures hassle-free operation and reduced downtime.

Whether you are producing gallery ready fine art, colour critical proofs, or high impact photographic prints, the **Epson SureColor P7330 and P9330** are designed to meet the demands of professionals. With the addition of Violet ink, they deliver exceptional colour accuracy, smooth gradation, and expanded blue tones, setting a new benchmark for quality in every application.

Elevated Print Standards

PrecisionCore MicroTFP Printhead

The 2.64-inch PrecisionCore MicroTFP printhead features 8,000 nozzles for ultra-precise ink droplet placement, delivering exceptional detail and smooth gradations. Its high-resolution capability enhances image clarity, sharpens fine lines and text, and reduces visible graininess.



Wider Gamut for Richer Colours

Featuring the UltraChrome PRO 10 ink set with an added Violet ink, the system delivers an expanded colour gamut with more accurate and vibrant reproduction – especially in blue and purple tones.


Unparalleled 97%¹ PANTONE Coverage

The addition of Violet ink enhances the ink set's specialisation for photographic applications, allowing for more accurate reproduction of True Blue tones and improved overall colour fidelity. With up to 97%¹ certified PANTONE coverage*, it is ideally suited for proofing tasks and meeting client-specific colour requirements with exceptional precision.



Superior Black Enhancement

Black Enhanced Overcoat (BEO) mode applies a light grey overcoat to deepen black density and improve contrast and tonality. By flattening the print surface and reducing diffused reflection, it enhances the perceived depth of blacks while maintaining rich detail and contrast from any viewing angle.



Enhanced Productivity and Seamless Usability


Dedicated Black Ink Channels

Separate channels for Photo Black and Matte Black eliminate switching delays, improving efficiency and reducing ink waste for consistent black density and contrast.




Enhanced Media Feeding Stability

The Media Inductive Roller provides consistent media handling by minimising paper skew and maintaining precise alignment.




Versatile Media Support

Easily handle a variety of media, from fine art paper and canvas to poster board up to 1.5 mm thick, with support for prints up to 44 inches wide. New pass modes reduce banding on textured media, ensuring consistent quality.



Reliable Print Consistency

Nozzle Verification Technology detects and compensates for clogged nozzles, ensuring consistent quality while reducing ink and media waste for smooth, uninterrupted production.



Seamless and Reliable Operation




User Friendly Design

The 4.3-inch optical touch colour LCD and enlarged status lamp offer intuitive control and clear visibility for effortless operation.

Effortless Media Change

No spindles needed for quick roll media swaps, designed to fit in compact spaces.



Dustproof Protection

A dustproof structure prevents dust buildup, ensuring consistent print quality.



¹ 97% coverage of PANTONE® Solid Coated colour palette based on Epson Proofing Paper White Semimatte printed with Epson Edge Print PRO at 2400 x 1200 dpi. PANTONE coverage may vary when printed under other conditions.

*PANTONE® and other Pantone trademarks are trademarks or registered trademarks of Pantone LLC in the United States and/or other countries. PANTONE Trademarks used under License Agreement between Pantone LLC and Seiko Epson Corporation. All rights reserved.

SPECIFICATIONS

MODEL NUMBER	SC-P7330	SC-P9330
SKU Number	C11CL82402	C11CL83402
Printing Technology	PrecisionCore Inkjet Technology	
Technology 1	Variable-Sized Droplet Technology ¹	
Technology 2	PrecisionCore MicroTFP Printhead	
Printhead	8,000 nozzles (800 nozzles x 10 colours) ²	
Nozzle Configuration	Black: 3,200 (PK: 800, MK: 800, GY: 800, LGY: 800) Colour: 4,800 (Y: 800, VM: 800, C: 800, VLM: 800, LC: 800, V: 800)	
Maximum Resolution	2,400 x 1,200 dpi	
Maximum Ink Droplet Volume	3.5pl	
Printing Specifications	Level 1 (600 x 600 dpi): Approx. 3.6 min Level 2 (600 x 600 dpi): Approx. 4.8 min (Default) Level 4 (1,200 x 1,200 dpi): Approx. 9.3 min Printed on B0 size Premium Glossy Photo Paper 170gsm	
Maximum Print Speed	±0.1% or ±0.26 mm (whichever greater) ³	
Line Accuracy	With Border: 3 mm (Top, Bottom, Left, Right)	
Margin (Roll Paper)	Borderless: 0 mm (Top, Bottom, Left, Right)	
Margin (Cut Sheet)	With Border: 3 mm (Top), 14 mm (Bottom), 3 mm (Left, Right) Borderless: 3 mm (Top), 14 mm (Bottom), 0 mm (Left, Right)	
Ink System	Pigment Ink	
Ink Types	UltraChrome PRO 10 Ink	
Ink Brand Name	Photo Black, Matte Black, Grey, Light Grey, Cyan, Vivid Magenta, Yellow, Light Cyan, Vivid Light Magenta, Violet	
Colours	350 ml, 700 ml	
Ink Capacity	Ink Cartridge	
Ink Housing		
Media Handling	Roll (Single Roll), Cut Sheet (Manual Feed), Poster Board (Manual Feed)	
Paper Path	Friction Feed	
Paper Feed Method	2" Roll Core Media: Max. 103 mm	
Maximum Roll Diameter	3" Roll Core Media: Max. 150 mm	
Maximum Roll Weight	Max. 6.0 Kg	Max. 10.0 Kg
Paper Width (Roll)	254 mm to 620 mm ⁴	254 mm to 1,120 mm ⁴
Paper Width (Cut Sheet)	210 mm to 620 mm ⁴	210 mm to 1,120 mm ⁴
Paper Thickness (Roll)	Roll: 0.08 to 0.5 mm	
Paper Thickness (Manual)	Cutsheet: 0.08 to 1.5 mm	
Maximum Printable Length	18 m ⁴	
Borderless Sizes	610, 594, 515, 508, 432, 406, 356, 330, 300, 254	1118, 1030, 914, 841, 728, 610, 594, 515, 508, 432, 406, 356, 330, 300, 254
Control Panel	4.3" Optical Touch Colour LCD	
Connectivity	USB 2.0, 1000BASE-T/100BASE-TX/10BASE-T	
Interfaces	ESC/P raster	
Printer Language	2 GB	
Memory	320 GB	
HDD (Option)		
Electrical Specifications	AC 100 – 240V, 50/60 Hz	
Voltage	3.4 – 1.6A	
Rated Current	Operating: Approx. 70W	
Power Consumption	Operating: Approx. 75W	
	Ready: Approx. 32W, Sleep: Approx. 3.2W, Standby: Approx. 0.3W	
Environmental Conditions	Operating: 10°C to 35°C / Storage: -20°C to 40°C	
Temperature	Operating: 20% to 80% (no condensation), Storage: 5% to 85% (no condensation)	
Humidity	Operating: Approx. 49.5db(A), Sleep: Approx. 31.5db(A)	
Sound Pressure	Operating: Approx. 7.5B(A)	
Sound Power		
Supported Operating System	Windows 11/10/8.1/8/7, CPU: Core 2 Duo 3.05 GHz	
PC	Memory: 4GB or more, HDD (Free space during installation): 64GB or more	
Mac	Mac OS X (10.9.5 or later), CPU: Core 2 Duo 3.05 GHz, Memory: 2GB or more, HDD (Free space during installation): 32GB or more	
Utility Software	Windows: ESC/P Printer Driver, Communication Driver, Installer Package, Web Installer, Software Updater, Firmware Updater, EpsonNet Print, EpsonNet Setup, EpsonNet Config SE, Manual Package, Epson Manual Launcher, Epson Print Layout, Epson Edge Print PRO, Epson Edge Dashboard, Adobe ICC Profile, Epson Media Installer, Epson Device Admin Mac: ESC/P Printer Driver, Installer Package, Web Installer, Software Updater, Firmware Updater, EpsonNet Config SE, Uninstaller, Epson Manual Launcher, Epson Print layout, Epson Edge Dashboard, Epson Media Installer iOS / Android: Epson Cloud Solution PORT	
Certifications	Singapore (PSB), Cambodia (ISC)	
Safety	WEEE, RoHS, REACH, Erp Lot26, Mexico Catalog, Belarus	
Environmental	Printer, Printer Stand, Initial Ink Cartridge (150ml), AC Power Cable, Setup Guide, Maintenance Box	
What's In The Box		

¹ Variable-Sized Droplet Technology can produce up to three different sizes per pixel.

² 8,000 nozzles (400 nozzles x 20 channels x 1 head)


³ It differs depend on applications/media.

⁴ Printable length is limited depending on restrictions of OSs or applications.

Dimensions & Weight


SC-P7330

Weight: 119 kg



SC-P9330

Weight: 151 kg



Inks (350ml)

Photo Black	C13T56W190
Cyan	C13T56W290
Vivid Magenta	C13T56W390
Yellow	C13T56W490
Light Cyan	C13T56W590
Vivid Light Magenta	C13T56W690
Grey	C13T56W790
Matte Black	C13T56W890
Light Grey	C13T56W990
Violet	C13T56WD90

Inks (700ml)

Photo Black	C13T56R190
Cyan	C13T56R290
Vivid Magenta	C13T56R390
Yellow	C13T56R490
Light Cyan	C13T56R590
Vivid Light Magenta	C13T56R690
Grey	C13T56R790
Matte Black	C13T56R890
Light Grey	C13T56R990
Violet	C13T56RD90

Options and Consumables

320GB Optional HDD	C12C934551
Auto Cutter Spare Blade	C12C815331
Auto Take Up Reel	C12C815321
Roll Media Adaptor	C12C935931
SpectroProofer Mounter 44"	C12C890521
SpectroProofer Mounter 24"	C12C890531
Spectrophotometer ILS30EP	C12C932021
Maintenance Box	C13T699700
Cleaning Stick	C13S090013
Borderless Replacement Pad Kit	C13S210102

©2025 Epson Singapore Pte Ltd. All Rights Reserved.
Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited.

EPSON is a registered trademark of Seiko Epson Corporation.

All other product and company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Dealer's Stamp

Information correct at time of printing.
Printed June 2025

Find out more at www.epson.com.sg/gobig-photo

EpsonSingapore EpsonSingapore EpsonSoutheastAsia Epson Singapore EpsonSingapore

Epson Singapore Pte Ltd
Epson Customer Care Center

438B Alexandra Road, Block B Alexandra Technopark, #04-01/04, Singapore 119968. Tel: (65) 6586-5500
6 Harper Road, #04-01 Leong Huat Building, Singapore 369674. Epson Helpdesk: 800-120-5564. Please refer to www.epson.com.sg/contact for opening hours.