



SEE ULTRA

EXPERIENCE ULTRA.
GO BEYOND THE TV.



Big screen entertainment with vibrant 3LCD colour technology.

Go beyond the TV experience with bigger movie nights, gaming, streaming, and screen sharing. Choose from home cinema projectors to ultra short throw laser projectors or pick a flexible and portable projector and turn any space into a visual party.

ENGINEERED FOR good



*For selected models only.

EPSON HOME PROJECTORS




For EH-QL3000W:

6000 white and colour lumens	4K resolution	up to 1000" screen size*
---	-------------------------	--

EH-QL3000W with optional ELPVB05 Vanity Board in Champagne Gold. Vanity board sold separately. *Screen size of 60" to 1,000" achieved with Standard Zoom Lens (ELPLM15).




Your Gateway to Exceptional Viewing




Flexible Screen Size



High Contrast Ratio*




Laser Light Source*



Lens Shift*



High Dynamic Range (HDR)*



Inbuilt Smart Streaming Function*



Built-in Speaker*



Horizontal Keystone Adjuster*



Fuss-Free Set-Up*




Smart Wireless Connectivity*

*Applies to selected models only.

High definition Stunning image quality


It is no longer impossible to recreate that cinematic adventure in your own home with Epson's range of home projectors. Enjoy a truly captivating, detail-packed experience right from the comfort of your couch.



*For selected models only.


Plug-and-play Fuss-free set up

All you need is to plug in the power and your entertainment begins. Home entertainment is made more accessible and fuss-free with Epson's home projectors, which come ready with smart streaming functions*.



Truly flexible Project anywhere

Epson's sleek and compact projectors fit seamlessly into your room's decor. With adjustable screen sizes and keystone correction, you can place them anywhere for a crisp, vivid projection.



LIFESTUDIO CREATE THE MOMENT

Designed to fit your life and style, Lifestudio Pop and Lifestudio Flex projectors combine portability, vibrant colours, and minimalist design — so every room and moment feels uniquely yours.



Experience the Life You Imagine

Lifestudio projectors by Epson combine sleek design with smart performance. Powered by the Epson Triple Core Engine with 3LCD technology, they deliver vibrant, true-to-life visuals. With built-in Bose speakers, auto focus, and Google TV™, they make immersive entertainment effortless — wherever life takes you.

LIFESTUDIO POP



EF-61G
Ice Green

LIFESTUDIO POP Plus



EF-62N
Metallic Navy

LIFESTUDIO FLEX



EF-71
Warm White

LIFESTUDIO FLEX Plus



EF-72
Oak

Full Immersion that Moves You

Enjoy bright, vivid images with Epson's 3LCD laser technology and up to 1,000 lumens* of equal white and colour light output – delivering natural, distraction-free visuals that bring every moment to life, along with a suite of smart features designed for convenience, versatility, and seamless performance.



Image up to 150"



Portable



high quality image with HDR10



Automatic image adjustments



105° tilting
180° rotation*




Epson Projection Studio App

*For selected models only. Note: Features varies with models.

Our Next Generation of Projection Technology

Epson 3LCD Triple Core Engine technology uses dedicated Red, Green, and Blue LEDs to directly power our advanced 3LCD projector engine – delivering vibrant colour and exceptional brightness in a sleek, energy-efficient design.



Sound that moves you Built-in Bose speaker

Lifestudio projectors feature Sound by Bose speakers, delivering rich, immersive audio that brings every scene to life.



Vibrant, Dynamic and High-Performing.

CREATE YOUR ANYWHERE MOMENT

EF-61G



SOUND BY BOSE

LIFESTUDIO POP

RESOLUTION **Full HD 1080p** | SUPPORT BLUETOOTH AUDIO | COMPACT SIZE **1.6kg**

UP TO **150"** SCREEN SIZE | **700 LUMENS** | **AUTO IMAGE ADJUSTMENT** | **5W+5W** 2-WAY WITH DUAL PASSIVE RADIATOR



EF-62N



SOUND BY BOSE

LIFESTUDIO POP Plus

RESOLUTION **4K PRO-UHD** | SUPPORT BLUETOOTH AUDIO | COMPACT SIZE **1.6kg**

UP TO **150"** SCREEN SIZE | **700 LUMENS** | **AUTO IMAGE ADJUSTMENT** | **5W+5W** 2-WAY WITH DUAL PASSIVE RADIATOR



Exclusive Features for EF-72



Portable Power via USB-C

Powered via USB-C with support for 100W or 140W USB PD batteries.



Ambient Lighting

Built-in ambient lighting lets you create the perfect atmosphere – even when you're not watching.

Instant Setup Plug & Play

Just plug it in and start watching. With smart Auto Image Adjustment correction handling the setup, you get perfect picture alignment without any hassle – no manual adjustments needed. Effortless entertainment, right out of the box.



Real-Time Auto Keystone Correction
Automatically adjusts the screen in just one second for perfect alignment – instantly.



Auto Obstacle Avoidance
Detects and avoids objects in the projection path, ensuring an uninterrupted view.



Smart Eye Protection
Automatically pauses the video to prevent glare from reaching your eyes.



Screen Fit
Automatically resizes the image to perfectly fit the screen frame.



Wall Colour Adjustment
Detects wall colour and fine-tunes the projection to preserve true-to-life colours.

CREATE YOUR FANTASY MOMENT

EF-71



SOUND BY BOSE

LIFESTUDIO FLEX

RESOLUTION **Full HD 1080p** | SUPPORT BLUETOOTH AUDIO | **Over 5,000,000:1** Contrast Ratio

UP TO **150"** SCREEN SIZE | **700 LUMENS** | **AUTO IMAGE ADJUSTMENT** | **5W+5W** 2-WAY WITH DUAL PASSIVE RADIATOR



EF-72



SOUND BY BOSE

LIFESTUDIO FLEX Plus

RESOLUTION **4K PRO-UHD** | SUPPORT BLUETOOTH AUDIO | **Over 5,000,000:1** Contrast Ratio

UP TO **150"** SCREEN SIZE | **1000 LUMENS** | **AUTO IMAGE ADJUSTMENT** | **5W+5W** 2-WAY WITH DUAL PASSIVE RADIATOR



ULTRA LIFESTYLE PROJECTORS

SEE ULTRA EXPERIENCE ULTRA-COMPACT

Watch, play, and do everything you love anytime, anywhere. Fuss-free, portable home projectors – perfect for bringing your entertainment anywhere!



Your Lifestyle Companion

Embrace versatility and portability with our all-in-one lifestyle projectors, fit for any form of entertainment you choose. Enjoy seamless streaming with Android TV™*, high-contrast visuals, impactful audio, and enhance your lifestyle with vivid entertainment anywhere you go.



CO-FH01



CO-FH02

*For CO-FH02.

ULTRA LIFESTYLE PROJECTORS

CO-FH02/01 FEATURES

Superior Image Quality High Clarity Display

Offering a brightness of 3,000 lumens and Full HD 1080p resolution, the CO-FH02/01 allows for clear and vivid presentations even in well-lit environments.



Normal daylight setting



Projector below 3,000lm

Compact and Lightweight High Portability

The projector's portability with its lightweight and compact design enables users to conveniently carry and install in different environments to project visuals that are integral in facilitating discussions and small conferences outside of the office.



Project Anywhere

The CO-FH02/01 not only benefit businesses, but also home users thanks to its cross-over usability, creating an enjoyable experience in entertainment, learning, and large-screen infotainment.



THE PERFECT COMPANION FOR WORK & PLAY

CO-FH02



RESOLUTION **Full HD 1080p** | SUPPORT BLUETOOTH AUDIO | COMPACT SIZE **2.6kg**

UP TO **391"** SCREEN SIZE | **3000 LUMENS** | **AUTO VERTICAL KEystone ADJUSTMENT** | **5W MONO SPEAKERS**



THE VERSATILE HOME ENTERTAINMENT PROJECTOR

CO-FH01



Chromecast built-in™, Bluetooth audio support, and streaming of Android TV™ content requires purchase of ELPAP12 Android TV™ Dongle. Dongle is sold separately.

RESOLUTION **Full HD 1080p** | COMPACT SIZE **2.4kg**

UP TO **391"** SCREEN SIZE | **3000 LUMENS** | **5W MONO SPEAKERS**



ULTRA ENTERTAINMENT PROJECTORS

SEE ULTRA EXPERIENCE ULTRA-FUN

Go beyond the TV. With Epson home projectors, you can truly immerse yourself in the action.



Aesthetically pleasing no matter where you place it

Elevate your home entertainment with a full lineup of streaming options. With Google TV™ or Android TV™, enjoy endless movies, shows, and more – all from the comfort of your living room.

LIFESTUDIO GRAND

LIFESTUDIO GRAND Plus



EH-TW6250



EH-LS670B



EH-LS970B

Immersive and Frameless Large Sized Display

Maximise your on-screen entertainment with these feature-packed projectors, providing a frameless capability by breaking image size constraints. Your best alternative for home entertainment, projecting up to a 500-inch* screen size – much larger than what a conventional TV screen can provide.



Elevate your Big Screen Experience with

ELPSC35 and **ELPSC36**
100-inch and 120-inch

ALR Screen

For EH-LS670B & EH-LS970B

Be immersed in a cinematic experience right at home with 4K content on the ELPSC35 and ELPSC36 Ambient Light Rejecting (ALR) screens. Be prepared to get blown away by the vibrant and realistic images with better contrasts and deeper blacks.

*For EH-TW6250.

Flexible Placement Optimal Placement

These sleek and compact projectors blend in seamlessly anywhere in your living space. Choose a projector that fits your requirement from a wide range of choices.




* Distance from the screen to the projector lens.
^ Distance from the screen to the projector.

Plug-and-Play Quick Start-Up

For EH-LS670B and EH-LS970B

Enjoy your favorite shows instantly with Epson projectors' quick start-up in less than 8 seconds!



Fine-tune your sound experience with Bose speaker

For EH-LS670B & EH-LS970B

Enjoy impactful audio that fills the room with the world's first smart streaming projectors featuring Sound by Bose technology. The custom-designed stereo system creates audio you can feel, delivering rich, balanced sound with deep bass, pulling you – and everyone around you – right into the action. We can't wait for you to hear it.



Bluetooth built-in

Effortless smartphone connection. Also works great as a speaker.



Flexible, Immersive Projection.

SMART 4K PRO-UHD HOME THEATRE PROJECTOR

EH-TW6250



35,000:1 Contrast Ratio | RESOLUTION 4K PRO-UHD
UP TO 500" SCREEN SIZE | **2800** LUMENS | **LENS SHIFT** ADJUSTMENT | **10W** MONO SPEAKERS



SMART 4K PRO-UHD LASER PROJECTION TV

EH-LS970B



SOUND BY BOSE LIFESTUDIO GRAND Plus
Over 2,500,000:1 Contrast Ratio | RESOLUTION 4K PRO-UHD
UP TO 150" SCREEN SIZE @ JUST 0.28m | **4000** LUMENS | **MOTION SENSOR** LASER LIGHT SAFETY | **20W** SOUND OUTPUT INCL. 1x WOOFER



ULTRA SHORT THROW PROJECTOR SERIES

SMART 4K PRO-UHD LASER PROJECTION TV

EH-LS670B



SOUND BY BOSE LIFESTUDIO GRAND

Over 5,000,000:1 Contrast Ratio | RESOLUTION 4K PRO-UHD
UP TO 120" SCREEN SIZE @ JUST 0.40m | **3600** LUMENS | **MOTION SENSOR** LASER LIGHT SAFETY | **20W** SOUND OUTPUT INCL. 1x WOOFER



Advanced 3LCD and Laser Light Source

Epson's original 3LCD technology combined with an advanced laser light source delivers extremely bright images, even in well-lit environments, while achieving high image quality that is true to life. It provides an immersive viewing experience, making you feel as if you were there at the movie.

SEE ULTRA EXPERIENCE ULTRA-BRIGHT

Experience stunning 4K visuals with Epson's ultra-bright projection.



Immersive 4K Experience

With ease of installation, wider lens shift, 4K resolution, and less light leakage, you can now enjoy your favourite movies in a perfect viewing environment. Experience breathtaking and vivid projection quality with Epson's Bright Cinema mode, and customise each show according to your preferences, thanks to the picture quality processing functions*.



EH-LS9000B




EH-LS12000B



EH-QL3000W
(with optional champagne gold vanity board and lens)

Exceptional Realism Real 4K Experience*

Transform your home into the center of action with advanced pixel-shifting technology and three high-definition LCD chips for an exceptionally sharp 4K picture.



Enhanced Detail and Colour Dynamic Tone Mapping

For EH-QL3000W

Optimises HDR scene-by-scene for precise brightness and contrast, enhancing detail and colour accuracy for a more immersive viewing experience.




*Achieved by shift-technology.

Ultimate State-Of-The-Art Big Screen Experience

Smooth Fast-Moving 4K Video Frame Interpolation

With the improved frame interpolation technology, never miss out on any detail when watching fast-moving sports or gaming. Get clear image contours and smooth motion for a more holistic 4K viewing experience.



Gaming Optimised Performance 4K and 120 FPS

For EH-QL3000W

The EH-QL3000W supports 4K resolution at 120fps and ALLM, optimising your gaming experience with PS5 and Xbox for smooth, high-quality visuals in your living room.



Precise HDR Detail and Vibrant Color Modes Enhanced Visual Clarity

HDR10+* and Hybrid Log-Gamma deliver precise detail in light and dark scenes, ensuring vibrant images and improved contrast for optimal brightness in any environment

*EH-QL3000W supports HDR10.




Mode: Cinema

Mode: Vivid


Unparalleled Colour Realism 3LCD Laser Technology

Equipped with unique cutting-edge 3LCD optical engine, the projectors deliver incredible contrast and equals white and colour brightness from jet black to rich, vibrant colours.



Vivid and Precise Visuals Powerful 4K Image Processor

Experience vibrant colours and exceptional clarity with our powerful 4K image processor, enhancing detail and supporting HDR10+/HLG* for superior image quality.



*EH-QL3000W supports HDR10.

Phenomenal Brilliance.

HIGH DYNAMIC 4K PRO-UHD HOME THEATRE PROJECTOR

EH-LS9000B



Over **2,500,000:1** Contrast Ratio | RESOLUTION **4K**
 UP TO **300"** SCREEN SIZE | **2200** LUMENS | **POWERED LENS SHIFT**



PREMIUM 4K ULTRA HD HOME THEATRE PROJECTOR

EH-LS12000B



Over **2,500,000:1** Contrast Ratio | RESOLUTION **4K**
 UP TO **300"** SCREEN SIZE | **2700** LUMENS | **POWERED LENS SHIFT**



PREMIUM 4K ULTRA HD HOME THEATRE PROJECTOR

EH-QL3000W



EH-QL3000W with optional champagne gold vanity board and lens.

Over **5,000,000:1** Contrast Ratio | RESOLUTION **4K**
 UP TO **1,000"** SCREEN SIZE | **6000** LUMENS | **Interchangeable Lens and Vanity Board OPTION**



Customisable Look

Enhance interiors with customisable champagne gold vanity boards and lens housing for a sophisticated, unobtrusive finish.



Precision and Flexibility with 4K Lenses

Japan-made 4K lenses offer precise focus and superior colour reproduction with 11 interchangeable options for flexible installation.



HDR10+™ logo is a trademark of HDR10+ Technologies, LLC.

OTHER FEATURES

Wide Range of Connectivity

Home entertainment is more accessible than ever! Epson's projectors offer integrated support for multiple connection methods, including HDMI, to suit a variety of devices.




Smart Device
(For selected models only)



Computer



Game



Blu-ray Player



Screen Mirroring
(For selected models only)



Camera




Bluetooth Speaker
(For selected models only)

Built-in Wireless Projection*

Epson's projectors enable high-contrast, vivid high-definition images with built-in wireless transmission. Conveniently project your favorite shows and movies from Android, iOS devices, and PCs via Wi-Fi or Miracast.

*Selected models. Check the model specification for more information.



Fuss-free Setup with Epson Setting Assistant

Compatible with EH-LS670B and EH-LS970B

Save on set-up time with the Epson Setting Assistant app. Correct the shape of projected image automatically just by taking photo with your smart device's camera, the app detects and corrects distortion in the projected image and adjusts its shape to match the screen*.



*Epson Setting Assistant App can be used when projecting onto a screen or to a wall. When projecting on to a wall, the app detects the unevenness or wavy edges of the projected image.

SPECIFICATIONS

MODEL NUMBER	Lifestudio Pop EF-61G	Lifestudio Pop Plus EF-62N
Model Number	V11HB72352	V11HB73452
Projection Technology	RGB liquid crystal shutter projection system	
Specification of Main Parts		
LCD	Size: 0.62"	
	Native Resolution: Full HD (1080p)	
Resolution On-Screen (Maximum)		
	Resolution: Full HD	4K PRO-UHD ¹
	Pixel Number: 2.1M pixels (1,920 x 1,080)	4.1M pixels (1,920 x 1,080 x 2)
Projection Lens	Type: No Optical Zoom / Focus (Powered)	
	F-Number: 1.6	
	Focal Length: 16.6 mm	
	Zoom Ratio: 1.0 - 3.33 (Digital Zoom)	
	Throw Ratio (Wide - Tele): 1.2	
Lightsource	Type: LED	
	Life (Normal / Low ²): Over 20,000 hours / Over 20,000 hours	
Screen Size (Projected Distance)		
Zoom: Wide	30" to 150" [0.78 to 4.02 m]	
Standard Size	60" screen 1.59 m	
Brightness³		
Colour Light Output	700 lm	
White Light Output (Normal / Eco)	700 lm / 350 lm	
Contrast Ratio	Over 5,000,000:1	
Internal Speaker(s)		
Sound Output	5W + 5W 2-way with dual passive radiator (Sound by Bose)	
Geometric Correction		
Auto Keystone Correction	Yes	
Connectivity		
Digital Input	HDMI	1 (eARC/ARC, HDMI 1.4) 1 (eARC/ARC, HDMI 2.3)
Audio Out	1 (Headphone)	
USB Interface	USB Type A / Mini-B	
Network	Wireless	
Wireless Specifications		
(Smart Media Player Functions)		
Wi-Fi Generation Name	Wi-Fi 6	
Supported Standards and Frequency	IEEE 802.11a (5GHz), IEEE 802.11b (2.4GHz), IEEE 802.11g (2.4GHz), IEEE 802.11n (2.4GHz and 5GHz), IEEE 802.11ac (5GHz), IEEE 802.11ax (2.4GHz and 5GHz)	
Supported Security Type	WPA2 / WPA3 PSK (AES), WPA2 PSK (AES)	
Adjustment Functions		
Colour Mode	Yes (Dynamic, Cinema, Vivid, Natural)	
Scene Adaptive Gamma	Yes (Off, Low, Medium, Strong)	
Operating Temperature		
	5 - 35 °C <41 - 95 °F> (0m / 0ft - 2,286m / 7,500ft)	
	5 - 30 °C <41 - 86 °F> (over 2,286m / 7,500ft)	
	[20% - 80% Humidity, No Condensation]	
Operating Altitude		
	0 m to 3,048 m <0 ft to 10,000 ft>	
	Over 1,500 m / 4,921ft: with high altitude mode	
Air Filter		
	5,000 hours	
Direct Power On/Off		
	N/A / N/A	
Start-Up Period		
	Less than 7.5 sec (until EPSON logo display)	
Suspend Mode		
	Less than 6 sec (until source image display)	
Cool Down Period		
	Instant Off	
Power Supply Voltage		
	100 - 240 V AC ±10%, 50/60 Hz	
Power Consumption (220-240V)		
Lamp On (Normal / Low ²)	95W / 56W	
Standby (Network On / Off)	2W / 0.5W	
Dimension Excluding Feet (W X D X H)		
	199 x 190 x 68 mm	
Weight		
	Approx. 1.6kg	
Fan Noise (Normal / Eco)		
	24dB / 20dB	

¹ Using Pixel shifting technology.

² Where Low = Eco/Extended/Quiet, whichever lower.

³ Colour brightness (colour light output) and white brightness (white light output) will vary depending on usage conditions. Colour light output measured in accordance with IDMS 15:4; white light output measured in accordance with ISO 21118.

EF-61G/62N

Supplied Accessories
Power Cable: 1m x 1
AC Adapter for Power Cable
Bluetooth Remote Control with 2 x AAA Battery
Quick Start Guide

Optional Accessories
Safety Wire: ELPWR01
Wireless Karaoke Microphone: ELPKM01

EF-61G



EF-62N



©2026 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited.

EPSON is a registered trademark of Seiko Epson Corporation.

All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct at time of printing.
Printed June 2026

Find out more at www.epson.com.sg/projectors

[EpsonSingapore](#) [EpsonSingapore](#) [EpsonSoutheastAsia](#) [EpsonSingapore](#) [EpsonSingapore](#)

Epson Singapore Pte Ltd
Epson Authorised Service Centre

438B Alexandra Road, Block B Alexandra Technopark, #04-01/04, Singapore 119968. Tel: (65) 6586-5500
6 Harper Road, #04-01 Leong Huat Building, Singapore 369674. Epson Helpdesk: 800-120-5564. Please refer to www.epson.com.sg/contact for opening hours.

SPECIFICATIONS

MODEL NUMBER	Lifestudio Flex EF-71	Lifestudio Flex Plus EF-72
Model Number	V11HB73452	V11HB76652
Projection Technology	RGB liquid crystal shutter projection system	
Specification of Main Parts		
LCD	Size: 0.62" Native Resolution: Full HD (1080p)	
Resolution On-Screen (Maximum)	Resolution: Full HD Pixel Number: 2.1M pixels (1,920 x 1,080) Type: No Optical Zoom / Focus (Powered) F-Number: 1.6 Focal Length: 16.6 mm Zoom Ratio: 1.0 - 3.33 (Digital Zoom) Throw Ratio (Wide - Tele): 1.2	
Projection Lens	Type: No Optical Zoom / Focus (Powered) F-Number: 1.6 Focal Length: 16.6 mm Zoom Ratio: 1.0 - 3.33 (Digital Zoom) Throw Ratio (Wide - Tele): 1.2	
Lightsource	Type: LED Life (Normal / Low ²): Over 20,000 hours / Over 20,000 hours	
Screen Size (Projected Distance)		
Zoom: Wide	30" to 150" [0.78 to 4.02 m]	
Standard Size	60" screen 1.59 m	
Brightness³		
Colour Light Output	700 lm	
White Light Output (Normal / Eco)	700 lm / 350 lm	
Contrast Ratio	Over 5,000,000:1	
Internal Speaker(s)		
Sound Output	5W + 5W 2-way with dual passive radiator (Sound by Bose)	
Geometric Correction		
Auto Keystone Correction	Yes	
Connectivity		
Digital Input	HDMI 1 (eARC/ARC, HDCP1.4)	(eARC/ARC, HDCP2.3)
Audio Out	1 (Headphone)	
USB Interface	USB Type A / Mini-B For Firmware Update / Service USB Type C N/A	
Network	Wireless Built-in (Smart Media Player)	
Wireless Specifications (Smart Media Player Functions)		
Wi-Fi Generation Name	Wi-Fi 6	
Supported Standards and Frequency	IEEE 802.11a (5GHz), IEEE 802.11b (2.4GHz), IEEE 802.11g (2.4GHz), IEEE 802.11n (2.4GHz and 5GHz), IEEE 802.11ac (5GHz), IEEE 802.11ax (2.4GHz and 5GHz)	
Supported Security Type	WPA2/WPA3-PSK (AES), WPA2 PSK (AES)	
Adjustment Functions		
Colour Mode	Yes (Dynamic, Cinema, Vivid, Natural)	
Scene Adaptive Gamma	Yes (Off, Low, Medium, Strong)	
Operating Temperature		
	5 - 35 °C <41 - 95 °F> (0m / 0ft - 2,286m / 7,500ft) 5 - 30 °C <41 - 86 °F> (over 2,286m / 7,500ft) [20%-80% Humidity, No Condensation]	
Operating Altitude		
	0 m to 3,048 m <0 ft to 10,000 ft> Over 1,500 m / 4,921ft: with high altitude mode	
Air Filter		
Direct Power On/Off	N/A / N/A	
Start-Up Period	Less than 7.5 sec (until EPSON logo display)	
Suspend Mode	Less than 6 sec (until source image display)	
Cool Down Period	Instant Off	
Power Supply Voltage	100 - 240 V AC ±10%, 50/60 Hz	
Power Consumption (220-240V)		
Lamp On (Normal / Low ²)	135W / 82W	
Standby (Network On / Off)	2W / 0.5W	
Dimension Excluding Feet (W X D X H)	190 x 190 x 248 mm	
Weight	Approx. 4.0kg	
Fan Noise (Normal / Eco)	23dB / 20dB	

¹ Using Pixel shifting technology.

² Where Low = Eco/Extended/Quiet, whichever lower.

³ Colour brightness (colour light output) and white brightness (white light output) will vary depending on usage conditions. Colour light output measured in accordance with IDMS 15:4; white light output measured in accordance with ISO 21118.

EF-71/72

Supplied Accessories

Power Cable: 1m x 1
AC Adapter for Power Cable
Bluetooth Remote Control with 2 x AAA Battery
Quick Start Guide

Optional Accessories

Floor Stand: ELPFS01
Safety Wire: ELPWR01
Wireless Karaoke Microphone: ELPKM01

EF-71



EF-72



©2026 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited.

EPSON is a registered trademark of Seiko Epson Corporation.

All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct at time of printing.
Printed June 2026

SPECIFICATIONS

MODEL NUMBER	CO-FH01	CO-FH02
Model Number	V11HA84052	V11HA85052
Projection Technology	RGB liquid crystal shutter projection system	
Specification of Main Parts		
LCD	Size: 0.62" (C ² Fine) Native Resolution: Full HD (1080p) Type: No Optical Zoom / Focus (Manual)	
Projection Lens	F-Number: 1.44 Focal Length: 16.4 mm Zoom Ratio: 1 - 1.35 (Digital Zoom) Throw Ratio: 1.19 - 1.61	
Lightsource	Type: Lamp: 188W UHE Life ¹ (Normal / Eco): 6,000 / 12,000 hours	
Screen Size (Projected Distance)		
Zoom: Wide	34" to 391" [0.89 to 10.40 m]	
Zoom: Tele	26" to 290" [0.91 to 10.41 m]	
Standard Size	60" screen 1.58 m	
Brightness²		
Colour Light Output	3,000 lm	
White Light Output (Normal / Eco)	3,000 lm / 2,000 lm	
Internal Speaker(s)		
Sound Output	5W Monocaural	5W Monocaural with enclosure
Geometric Correction		
Keystone	Vertical: ±30° Horizontal: ±30°	
Auto Keystone Correction	N/A	Yes (Vertical)
Quick Corner	Yes	
Connectivity		
Analog Input	D-Sub 15pin: N/A Composite: N/A	
Digital Input	HDMI 1	
Audio In	N/A	
Audio Out	N/A	
USB Interface	USB Type A: 1 (for Wireless LAN, Firmware Update, Copy OSD Settings)	1 (for Power Supply, Firmware Update, Copy OSD Settings)
	USB Type B: 1 (for Firmware Update, Copy OSD Settings)	
Network	Wired LAN: N/A Wireless: Optional	N/A

Wireless Specifications

(Smart Media Player Functions)

Wireless LAN

Wi-Fi Generation Name: Wi-Fi 5
Supported Standards and Frequency: IEEE 802.11a (5GHz)³, IEEE 802.11b (2.4GHz)³, IEEE 802.11g (2.4GHz)³, IEEE 802.11n (2.4GHz and 5GHz)³, IEEE 802.11ac (5GHz)³

Supported Security Type

Wireless Specifications (Optional Wireless LAN)

Wireless LAN

Wi-Fi Generation Name: Wi-Fi 4
Supported Standards and Frequency: IEEE 802.11b (2.4GHz): 11 Mbps³, IEEE 802.11g (2.4GHz): 54 Mbps³, IEEE 802.11n (2.4GHz)³: 72.2 Mbps³, IEEE 802.11a (5GHz)³: 54 Mbps³, IEEE 802.11n (5GHz)³: 150 Mbps³

Supported Mode

Supported Security Type

Adjustment Functions

Light Output: Yes [High, Low (Eco)]
Colour Mode: Dynamic, Vivid, Cinema, Presentation, Blackboard, sRGB
Scene Adaptive Gamma: Yes
Aspect Mode: Yes

Operating Temperature

5 - 40 °C <41 - 104 °F> (0m / 0ft - 2,286m / 7,500ft)
5 - 35 °C <41 - 95 °F> (over 2,286m / 7,500ft)
[20%-80% Humidity, No Condensation]

Operating Altitude

0 m to 3,048 m <0 ft to 10,000 ft>

Direct Power On/Off

Yes / Yes

Start-Up Period

About 6 seconds / Warm-up period: 30 seconds

Cool Down Period

Instant Off

Power Supply Voltage

100 - 240 V AC ±10%, 50/60 Hz

Power Consumption (220-240V)

Lamp On (Normal / Eco): 270W / 214W

Standby (Network On / Off): N/A / 0.5W

Dimension Excluding Feet (W X D X H)

295 x 211 x 82 mm

Weight

Approx. 2.4kg

Fan Noise (Normal / Eco)

38dB / 29dB

¹ Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time.

² Colour brightness (colour light output) and white brightness (white light output) will vary depending on usage conditions. Colour light output measured in accordance with IDMS 15:4; white light output measured in accordance with ISO 21118.

³ These modes and actual data throughputs depend on supported wireless mode of source devices and/or environmental conditions.

CO-FH01

Supplied Accessories

Power Cable: 1.8m x 1
Remote Control with 2 x AAA Battery
Quick Start Guide

Optional Accessories

Document Camera: ELPDC21
Ceiling Mount: ELPMB23
Soft Carrying Bag: ELPKS69
Safety Wire: ELPWR01
Wireless Presentation System: ELPWP20
Smart Media Player: ELPAP12



CO-FH02

Supplied Accessories

Power Cable: 1.8m x 1
ELPAP12 Android TV Dongle with USB and HDMI Cable
Remote Control with 2 x AAA Battery
Netflix BT Remote Control with 2 x AAA Battery
Quick Start Guide

Optional Accessories

Wireless Presentation System: ELPWP20



©2026 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited.

EPSON is a registered trademark of Seiko Epson Corporation.

All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct at time of printing.
Printed June 2026

Find out more at www.epson.com.sg/projectors

EpsonSingapore EpsonSingapore EpsonSoutheastAsia EpsonSingapore EpsonSingapore

Epson Singapore Pte Ltd 438B Alexandra Road, Block B Alexandra Technopark, #04-01/04, Singapore 119968. Tel: (65) 6586-5500

Epson Authorised Service Centre 6 Harper Road, #04-01 Leong Huat Building, Singapore 369674. Epson Helpdesk: 800-120-5564. Please refer to www.epson.com.sg/contact for opening hours.

Find out more at www.epson.com.sg/projectors

EpsonSingapore EpsonSingapore EpsonSoutheastAsia EpsonSingapore EpsonSingapore

Epson Singapore Pte Ltd 438B Alexandra Road, Block B Alexandra Technopark, #04-01/04, Singapore 119968. Tel: (65) 6586-5500

Epson Authorised Service Centre 6 Harper Road, #04-01 Leong Huat Building, Singapore 369674. Epson Helpdesk: 800-120-5564. Please refer to www.epson.com.sg/contact for opening hours.

SPECIFICATIONS

MODEL NUMBER	EH-TW6250
SKU Number	V11HA73052
Projection Technology	RGB liquid crystal shutter projection system (3LCD)
Specifications of Main Parts	
LCD	Size 0.61" wide panel (C² Fine, 10 Bit) Native Resolution Full HD (1080p)
Resolution On-Screen (Maximum)	Resolution 4K PRO-UHD** Pixel Number 4.2M pixels (1920 x 1080 x 2)
Projection Lens	Type Optical Zoom (Manual) / Focus (Manual) F-Number 1.49 – 1.77 Focal Length 18.2 – 29.2 mm Zoom Ratio 1 – 1.62 Throw Ratio (Wide – Tele) 1.32 – 2.15
Lightsource	Type Lamp: 200W UHE Lamp Life*2 (Normal / Medium / Eco) 4,500 / 4,500 / 7,500 hours
Screen Size (Projected Distance)	
Zoom: Wide	40" to 500" [1.15 to 14.83 m]
Zoom: Tele	40" to 500" [1.89 to 24 m]
Standard Size	80" screen 2.34 to 3.81 m
Brightness ³	
Colour Light Output	2,800 lm
White Light Output (Normal / Eco)	2,800 lm / 1,900 lm
Contrast Ratio	
	35,000:1
Geometric Correction	
Vertical / Horizontal Keystone	±30° / ±30°
Auto Keystone Correction	Yes (Vertical ±30°, Zoom: Tele)
Horizontal Slide Keystone Correction	Yes
Quick Corner	Yes
Lens Shift Range	
Lens Shift	Vertical: ±60% (H center)
Image Enhancement	
4K Enhancement	Yes
Aspect Mode	Yes (Auto / Normal / Full / Zoom)
Frame Interpolation	Yes
Image Preset Mode	Yes
MPEG Noise Reduction	Yes
Detail Enhancement	Yes
Connectivity	
Digital Input	HDMI 1 (HDCP 2.3)
Audio Output	Stereo Mini Jack 1
Others	USB Type Mini-B 1 (for Firmware Update, Copy OSD Settings)
Wireless	Yes (for Smart Media Player)
Wireless Specifications (Smart Media Player Function)	
Wi-Fi Generation	Wi-Fi 5
Supported Speed For Each Mode	IEEE 802.11a (5GHz) ³ , IEEE 802.11b (2.4GHz) ³ , IEEE 802.11g (2.4GHz) ³ , IEEE 802.11n (2.4GHz and 5GHz) ³ , IEEE 802.11ac (5GHz) ³
Operating Temperature	
	5 - 35 °C <41 - 95 °F> (0m / 0ft - 2,286m / 7,500ft) 5 - 30 °C <41 - 86 °F> (Over 2,286m / 7,500ft) (20% - 80% Humidity, No Condensation)
Operating Altitude	
	0 m to 3,048 m <0 ft to 10,000 ft> Over 1,500m / 4,921 ft with High Altitude Mode
Direct Power On / Off	
	Yes / N/A
Start-Up Period	
	Less than 15 seconds, Warm-up Period: 30 seconds
Cool Down Period	
	Less than 5 seconds
Power Supply Voltage	
	100 - 240 V AC ±10%, 50/60 Hz
Power Consumption (220 - 240V)	
Lamp (Normal / Eco)	301W / 231W
Energy Saving	0.3 W
Dimension Excluding Feet (W X D X H)	
	333 x 275 x 123 mm
Weight (Including Standard Lens)	
	Approx. 4.1 kg
Fan Noise (Normal / Eco)	
	36dB / 28dB

¹ Using Pixel shift technology.

² Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time.

³ Colour brightness (colour light output) and white brightness (white light output) will vary depending on usage conditions. Colour light output measured in accordance with IDMS 15:4; white light output measured in accordance with ISO 21118.

⁴ These modes and actual data throughputs depend on supported wireless mode of source devices and/or environmental conditions.

Supplied Accessories

Power Cable: 3m x 1 (Black)
Remote Control with 2 x AAA Battery
Interface Cover
Bluetooth Remote Control for SMP with 2 x AAA Battery
User Guide
ELPAP12 Android TV Dongle with USB and HDMI Cable

Optional Accessories

Spare Lamp: ELPLP97
Air Filter: ELPAF54
Ceiling Mount (White Colour): ELPMB23
Safety Wire: ELPWR01



©2026 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited.

EPSON is a registered trademark of Seiko Epson Corporation.

All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct at time of printing.
Printed June 2026

SPECIFICATIONS

MODEL NUMBER	Lifestudio Grand EH-LS670B
Model Number	V11HB82152
Projection Technology	RGB liquid crystal shutter projection system (3LCD)
Specifications of Main Parts	
LCD	Size 0.62" Native Resolution 1080p (Full HD)
Resolution On-Screen (Maximum)	Resolution 4K PRO-UHD** Pixel Number 4.2M Dots (1920 x 1080 x 2)
Projection Lens	Type No Optical Zoom / Focus (Manual) F-Number 1.6 Focal Length 3.7 mm Zoom Ratio 1 – 2.5 (Digital Zoom) Throw Ratio (Wide – Tele) 0.25 – 0.62 (Digital Zoom)
Lightsource	Type Laser Diode Life (Normal / Low*) 20,000 / 20,000 hours
Screen Size (Projected Distance)	
Zoom: Wide	60" to 120" [32.5 cm to 70.3cm]
Zoom: Tele	N/A
Standard Size	77" screen 43.3cm
Brightness ³	
Colour Light Output	3,600 lm
White Light Output (Normal / Eco)	3,600 lm / 1,800 lm
Contrast Ratio	
	Over 5,000,000:1
Internal Speakers	
Sound Output	2.1ch Satellite x 2, Woofer x 1 (Sound by Bose)
Geometry Correction	
Point Correction	Yes
Quick Corner	Yes
Connectivity	
Digital Input	HDMI 3 (SMF, HDMI2=eARC, HDCP2.3)
Audio Output	1 (Headphone), 1 (S/PDIF)
USB Interface	USB Type A 2 USB Type B 1
Network	Wireless Built-in (Smart Media Player)
Wireless Specification (Smart Media Player Function)	
Wi-Fi Generation	Wi-Fi 6
Supported Speed For Each Mode	IEEE 802.11a (5GHz), IEEE 802.11b (2.4GHz), IEEE 802.11g (2.4GHz), IEEE 802.11n (2.4GHz and 5GHz), IEEE 802.11ac (5GHz), IEEE 802.11ax (2.4GHz, 5GHz and 6GHz) WFA WPA/WPA2/WPA3 personal, WPS2.0, WAPI
Supported Security Type	
Adjustment Functions	
Colour Mode	Dynamic, Standard, Cinema, Natural
Scene Adaptive Gamma	Yes (Off, Low, Medium, Strong)
Aspect Mode	Super Zoom, 4:3, Movie expand 14:9, Movie expand 16:9, Full, Unscaled
Operating Temperature	
	5 - 35 °C <41 - 95 °F> (0m / 0ft - 2,286m / 7,500ft) 5 - 30 °C <41 - 86 °F> (Over 2,286m / 7,500ft) (20% - 80% Humidity, No Condensation)
Operating Altitude	
	0 m to 3,048 m <0 ft to 10,000 ft> (over 1,500 m / 4,921 ft : with High altitude mode)
Start-Up Period	
	Less than 7.1 seconds (until EPSON logo display) Warm-up period: 30 seconds
Suspend Mode	
	Less than 7.1 seconds (until source image display)
Cool Down Period	
	Instant Off
Power Supply Voltage	
	100 - 240 V AC ±10%, 50/60 Hz
Power Consumption (220 - 240V)	
Lamp On (Normal / Low*)	254W / 162W
Standby (Network On / Off)	2.0W / 0.5 W
Dimension Excluding Feet (W X D X H)	
	467 x 400 x 133 mm
Weight (Including Standard Lens)	
	Approx. 7.4 kg
Fan Noise (Normal / Eco)	
	29dB / 20dB

¹ Using Pixel shifting technology.

² Where Low = Eco/Extended/Quiet, whichever lower.

³ Colour brightness (colour light output) and white brightness (white light output) will vary depending on usage conditions. Colour light output measured in accordance with IDMS 15:4; white light output measured in accordance with ISO 21118.

Supplied Accessories

Power Cable: 1.8m x 1
Remote Control with 2 x AAA Battery
Quick Start Guide

Optional Accessories

Air Filter: ELPAF60
100" ALR Screen: ELPSC35
120" ALR Screen: ELPS36
Wireless Karaoke Microphone: ELPKM01



©2026 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited.

EPSON is a registered trademark of Seiko Epson Corporation.

All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct at time of printing.
Printed June 2026


Find out more at www.epson.com.sg/projectors



Epson Singapore Pte Ltd
Epson Authorised Service Centre

438B Alexandra Road, Block B Alexandra Technopark, #04-01/04, Singapore 119968. Tel: (65) 6586-5500
6 Harper Road, #04-01 Leong Huat Building, Singapore 369674. Epson Helpdesk: 800-120-5564. Please refer to www.epson.com.sg/contact for opening hours.

Find out more at www.epson.com.sg/projectors



Epson Singapore Pte Ltd
Epson Authorised Service Centre

438B Alexandra Road, Block B Alexandra Technopark, #04-01/04, Singapore 119968. Tel: (65) 6586-5500
6 Harper Road, #04-01 Leong Huat Building, Singapore 369674. Epson Helpdesk: 800-120-5564. Please refer to www.epson.com.sg/contact for opening hours.

SPECIFICATIONS

MODEL NUMBER	Lifestudio Grand Plus EH-LS970B
Model Number	V11HB83152
Projection Technology	RGB liquid crystal shutter projection system (3LCD)
Specifications of Main Parts	
LCD	Size 0.62" (C ² Fine)
	Native Resolution 1080p (4KE)
	Aspect Ratio 16:9
Resolution On-Screen (Maximum)	Resolution 4K PRO-UHD ¹
	Pixel Number 8.3M Dots (1920 x 1080 x 4)
Projection Lens	Type No Optical Zoom / Focus (Manual)
	F-Number 1.8
	Focal Length 2.3 mm
	Zoom Ratio 1 – 2.5 (Digital Zoom)
	Throw Ratio (Wide – Tele) 0.16 – 0.40
Lightsource	Type Laser Diode
	Life (Normal / Eco) 20,000 hours
Screen Size (Projected Distance)	
Zoom: Wide	80" to 150" [0.28 to 0.54 m]
Zoom: Tele	N/A
Standard Size	90" screen 0.32m
Brightness²	
Colour Light Output	4,000 lm
White Light Output (Normal / Eco)	4,000 lm / 1,200 lm
Contrast Ratio	Over 5,000,000:1
Internal Speakers	
Sound Output	20W 2.1ch Satellite x 2, Woofer x 1 (Sound by Bose)
Geometric Correction	
Quick Corner	Yes
Point Correction	Yes
Image Enhancement	
Frame Interpolation	Yes
Auto Contrast Enhancement	Yes
Connectivity	
Digital Input	HDMI 3 (SMF, HDMI2=eARC, HDCP 2.3)
Audio Output	1 (Stereo Mini), 1 (S/PDIF)
Others	USB Type A 2
	USB Type B 1 (for Firmware Update)
Network	Wireless Built-in (for Smart Media Player)
Adjustment Functions	
Colour Mode	Dynamic, Standard, Cinema, Natural
Scene Adaptive Gamma	Yes
Karaoke Mode	Yes
Operating Temperature	
	5 - 35 °C <41 - 95 °F> (0m / 0ft - 2,286m / 7,500ft)
	5 - 30 °C <41 - 86 °F> (Over 2,286m / 7,500ft)
	(20% - 80% Humidity, No Condensation)
Operating Altitude	0 m to 3,048 m <0 ft to 10,000 ft>
	Over 1,500m / 4,921 ft, with High Altitude mode
	(20% - 80% Humidity, No Condensation)
Air Filter³	20,000 hours
Start-Up Period	Less than 7.5 seconds,
	Warm-up period: 30 seconds
Cool Down Period	Instant Off
Power Supply Voltage	100 - 240 V AC ±10%, 50/60 Hz
Power Consumption (220 - 240V)	
LD On (Normal / Low ⁴)	335W / 210W
Standby (Network On / Off)	2.0W / 0.5 W
Dimension Excluding Feet (W X D X H)	695 x 341 x 145 mm
Weight (Including Standard Lens)	Approx. 12.5 kg
Fan Noise (Normal / Eco)	30dB / 20dB

¹ Using Pixel shift technology.

² Colour brightness (colour light output) and white brightness (white light output) will vary depending on usage conditions. Colour light output measured in accordance with IDMS 15:4; white light output measured in accordance with ISO 21118.

³ When used in the general office environment (the amount of floating dust: 0.04 - 0.2 mg/m³). Based on the Epson's in-house test results.

⁴ where Low=Eco/Extended/Quiet, whichever lower

Supplied Accessories

Power Cable: 1.8m x 1
Remote Control with 2 x AA Battery
User Guide Kit

Optional Accessories

Air Filter Set: ELPAF64
Ceiling Mount: ELPMB22, ELPMB30
100" ALR Screen: ELPSC35
120" ALR Screen: ELPSC36



©2026 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited.

EPSON is a registered trademark of Seiko Epson Corporation.

All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct at time of printing.
Printed June 2026

SPECIFICATIONS

MODEL NUMBER	EH-LS9000B
Model Number	V11HC13152
Projection Technology	RGB liquid crystal shutter projection system
Specifications of Main Parts	
LCD	Size 0.74"
	Native Resolution 1080p (Full-HD)
Resolution On-Screen (Maximum)	Resolution 4K ¹
	Pixel Number 8.3M Dots (1920 x 1080 x 4)
Projection Lens	Type Power Zoom, Power Focus
	F-Number 2.0 – 3.0
	Focal Length 22.5 – 46.7 mm
	Zoom Ratio 1 – 2.1
	Throw Ratio 1.35 – 2.84
Lightsource	Type Laser Diode
	Life (Normal / Low ²) 20,000 / 20,000 hours
Screen Size (Projected Distance)	
Zoom: Wide	50" to 300" [1.48 to 9.08 m]
Zoom: Tele	50" to 300" [3.13 to 18.99 m]
Standard Size	100" screen 3.00 to 6.30 m
Brightness³	
Colour Light Output	2,200 lm
White Light Output (Normal / Eco)	2,200 lm / 1,000 lm
Contrast Ratio	Over 2,500,000:1
Geometric Correction	
Vertical / Horizontal Keystone	±30 degrees
Quick Corner	Yes
Point Correction	Yes
Lens Shift Range	
Vertical Lens Shift	±96.3 % (H Center, Powered)
Horizontal Lens Shift	±24 % (V Center, Powered)
Image Enhancement	
Frame Interpolation	Yes
Image Preset Mode	Yes
Noise Reduction	Yes
MPEG Noise Reduction	Yes
Super Resolution	Yes
Auto Contrast Enhancement	Yes
Connectivity	
Digital Input	HDMI 2 (HDMI2=eARC/ARC, HDCP 2.3)
USB Interface	USB Type A 2
	(1: 480Mbps for Firmware Update, Copy OSD Settings, Save Log or 5V/2A Power Supply)
	(2: for 5V/300mA Power Supply)
	[This port has no USB function, for Opt.HDMI]
	1 (for Firmware Update, Copy OSD Settings)
Control I/O	USB Type B 1
	RS232C 1 (Stereo mini)
	Trigger Out 1
Network	Wired LAN RJ45 x 1
Adjustment Functions	
Colour Mode	Dynamic, Vivid, Bright Cinema, Cinema, Natural
Scene Adaptive Gamma	Yes
Aspect Mode	Yes (Auto, Full, Zoom, Anamorphic Wide, Horizontal Squeeze)
Operating Temperature	
	5 - 35 °C <41 - 95 °F> (0m / 0ft - 2,286m / 7,500ft)
	5 - 30 °C <41 - 86 °F> (Over 2,286m / 7,500ft)
	20% - 80% Humidity, No Condensation
Operating Altitude	0 m to 3,048 m <0 ft to 10,000 ft> (over 1,500 m / 4,921 ft : with High altitude mode)
Air Filter⁴	5,000 hours
Direct Power On / Off	Yes / NA
Start-Up Period	Less than 8 seconds
	Warm-up period: 30 seconds
Cool Down Period	Instant Off
Power Supply Voltage	100 - 240 V AC +/- 10%, 50/60 Hz
Power Consumption (220 - 240V)	
Lamp/LD On (Normal / Low ²)	302W / 198W
Standby (Network On / Off)	2W / 0.4W
Dimension Excluding Feet (W X D X H)	520 x 447 x 169 mm
Weight	Approx. 12.7 kg
Fan Noise (Normal / Eco)	30 dB / 22dB

¹ Using Pixel shifting technology.

² Where Low = Eco/Extended/Quiet, whichever lower.

³ Colour brightness (colour light output) and white brightness (white light output) will vary depending on usage conditions. Colour light output measured in accordance with IDMS 15:4; white light output measured in accordance with ISO 21118.

⁴ When used in general office environments (the amount of floating dust: 0.04 – 0.2 mg/m³). Based on the Epson's in-house test results.

Supplied Accessories

Power Cable: 3m x 1
Remote Control with 2 x AA Battery
Quick Start Guide

Optional Accessories

Air Filter: ELPAF62
Ceiling Mount: ELPMB22
Safety Wire: ELPWR01
Android TV Dongle: ELPAP12



©2026 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited.

EPSON is a registered trademark of Seiko Epson Corporation.

All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct at time of printing.
Printed June 2026

Find out more at www.epson.com.sg/projectors

EpsonSingapore EpsonSingapore EpsonSoutheastAsia EpsonSingapore EpsonSingapore

Epson Singapore Pte Ltd
Epson Authorised Service Centre
438B Alexandra Road, Block B Alexandra Technopark, #04-01/04, Singapore 119968. Tel: (65) 6586-5500
6 Harper Road, #04-01 Leong Huat Building, Singapore 369674. Epson Helpdesk: 800-120-5564. Please refer to www.epson.com.sg/contact for opening hours.

Find out more at www.epson.com.sg/projectors

EpsonSingapore EpsonSingapore EpsonSoutheastAsia EpsonSingapore EpsonSingapore

Epson Singapore Pte Ltd
Epson Authorised Service Centre
438B Alexandra Road, Block B Alexandra Technopark, #04-01/04, Singapore 119968. Tel: (65) 6586-5500
6 Harper Road, #04-01 Leong Huat Building, Singapore 369674. Epson Helpdesk: 800-120-5564. Please refer to www.epson.com.sg/contact for opening hours.

SPECIFICATIONS

MODEL NUMBER	EH-LS12000B
Model Number	V11HA47052
Projection Technology	RGB liquid crystal shutter projection system
Specifications of Main Parts	
LCD	Size 0.74" wide panel with SMLA (C2Fine, 12bit, OD) Native Resolution 1080p
Resolution On-Screen (Maximum)	Resolution 4K ¹ Pixel Number 8.3M Dots (1920 x 1080 x 4)
Projection Lens	Type Power Zoom, Power Focus F-Number 2.0 - 3.0 Focal Length 22.5 - 46.7 mm Zoom Ratio 1 - 2.1 Throw Ratio 1.35 - 2.84
Lightsource	Type Laser Diode: 198W Life Laser Life: 20,000 hours (Normal / ECO)
Screen Size (Projected Distance)	
Zoom: Wide	50" to 300" [1.48 to 9.08 m]
Zoom: Tele	50" to 300" [3.13 to 18.99 m]
Standard Size	100" screen 3.00 to 6.30 m
Brightness³	
Colour Light Output	2,700 lm
White Light Output (Normal / Eco)	2,700 lm / 1,000 lm
Contrast Ratio	
Over 2,500,000:1	
Geometric Correction	
Vertical Keystone	±30 degrees
Lens Shift Range	
Vertical Lens Shift	±96.3 % (H Center, Powered)
Horizontal Lens Shift	±47.1 % (V Center, Powered)
Connectivity	
Digital Input	HDMI 2 (HDCP2.3; HDMI2: eARC/ARC)
USB Interface	USB Type A 2 (1: Firmware Update, Copy OSD Settings, Save Log or 5V/2A Power Supply; 2: For Opt HDMI and 5V/300mA Power Supply)
Control I/O	USB Type Mini-B 1 (for Firmware Update, Copy OSD Settings) RS-232C D-Sub 9pin x 1 Trigger Out (12V) 3.5mm Mini Jack x 1
Network	Wired LAN RJ45 x 1
Adjustment Functions	
High Dynamic Range	Yes (HDR10, HDR10+) ⁵
Aspect Mode	Yes (Auto / Full / Zoom / Anamorphic Wide / Horiz. Squeeze)
Frame Interpolation	Yes
Auto Contrast Enhancement	Yes
Scene Adaptive Gamma	Yes
Image Enhancement	
Image Preset Mode	Yes (Off / Preset1 / Preset2 / Preset3 / Preset4 / Preset5)
MPEG Noise Reduction	Yes
Super Resolution	Yes (Fine line adjust / Soft focus detail)
Operating Temperature	
5 - 35 °C <41 - 95 °F> (0m / 0ft - 2,286m / 7,500ft) 5 - 30 °C <41 - 86 °F> (Over 2,286m / 7,500ft) 20% - 80% Humidity, No Condensation	
Operating Altitude	
0 m to 3,048 m <0 ft to 10,000 ft> (over 1,500 m / 4,921 ft : with High altitude mode)	
Direct Power On / Off	
Yes / NA	
Start-Up Period	
Less than 8 seconds Warm-up period: 30 seconds	
Cool Down Period	
Instant Off	
Power Supply Voltage	
100 - 240 V AC +/- 10%, 50/60 Hz	
Power Consumption (220 - 240V)	
Lamp/LD On (Normal / Eco)	302W / 198W
Standby (Network On / Off)	2W / 0.4W
Dimension Excluding Feet (W X D X H)	
520 x 447 x 169 mm	
Weight	
Approx. 12.7 kg	
Fan Noise (Normal / Eco)	
30 dB / 22dB	

¹ Using Pixel shift technology.

² Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time.

³ Colour brightness (colour light output) and white brightness (white light output) will vary depending on usage conditions. Colour light output measured in accordance with IDMS 15:4; white light output measured in accordance with ISO 21118.

⁴ These modes and actual data throughputs depend on supported wireless mode of source devices and/or environmental conditions.

⁵ Certified Conditions (HDR10+): Projection Size: 80 inch, Color Mode: Natural, HDR10/HDR10+ Setting: 3.

EH-LS12000B

Supplied Accessories

Power Cable: 3m x 1
Remote Control with 2 x AA Battery
Cable Cover
User Guide Kit

Optional Accessories

Air Filter: ELPAF62
Ceiling Mount: ELPMB22
AndroidTV dongle: ELPAP12



©2026 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited.

EPSON is a registered trademark of Seiko Epson Corporation.

All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct at time of printing.
Printed June 2026

SPECIFICATIONS

MODEL NUMBER	EH-QL3000W (LENS NOT INCLUDED)	EH-QL3000B (LENS NOT INCLUDED)
Model Number	V11HB34952	V11HB34852
Projection Technology	RGB liquid crystal shutter projection system (3LCD)	
Specifications of Main Parts		
LCD	Size 1.04" wide panel with DMLA (C2 Fine, 12 bit, OD) Driving Method Poly-silicon TFT active matrix	
Resolution On-Screen (Maximum)	Resolution 4K ¹ Pixel Number 8.3M pixels (1920 x 1080 x 4) Aspect Ratio 16:9	
Projection Lens	Pixel Arrangement Cross stripe Type Power Zoom, Power Focus F-Number 1.8 - 2.3 Focal Length 36.0 - 57.3 mm Zoom Ratio 1.0 - 1.61 Throw Ratio 1.52 - 2.47 (Digital) Lens Shift Vertical: ±64% (H center, Powered) Horizontal: ±16% (V Center, Powered)	
Lightsource	Type Laser Diode Life (Normal) 20,000 hours	
Screen Size (Projected Distance)		
Zoom: Wide	60" - 1,000" [1.98 - 34.19 m]	
Zoom: Tele	60" - 1,000" [3.24 - 55.28 m]	
Standard Size	100" screen 3.35 m	
Brightness²		
White/Colour Light Output	6,000 lm / 6,000 lm	
Light Output (Center) ³	6,300 lm	
Light Output Uniformity	85%	
Colour Reproduction	Up to 1.07 Billion Colours	
Contrast Ratio		
Over 5,000,000:1		
Geometric Correction		
Vertical / Horizontal Keystone	±45° / ±30° with Standard Zoom Lens	
Quick Corner	Yes	
Curved Surface Correction	Yes	
Point Correction	Yes	
Corner Wall	Yes	
Geometry Correction Memory	Yes	
Connectivity		
Digital Input	HDMI Type A	2 (HDCP 2.3)
USB Input	USB Type A	2 (For SMF1, Firmware Update, Copy OSD Settings or 5V/2A, 5V0.9A Power Supply, Content Playback) 1 (For Firmware Update, Copy OSD Settings)
Control I/O	USB Type B	1 (D-Sub 9pin)
Audio Output	Stereo Mini	1
Network	Wired LAN	RJ45 x 1 (100Mbps)
Operating Temperature		
Low Altitude (0 - 2,286m/7,500ft): 5 - 35 °C <41 - 95 °F> High Altitude (Over 2,286m/7,500ft): 5 - 30 °C <41 - 86 °F> 20% - 80% Humidity, No Condensation		
Operating Altitude		
Over 1,500m/4,921ft with High Altitude Mode: 0 - 3,048m (0 - 10,000ft)		
Air Filter⁴		
20,000 hours		
Direct Power On / Off		
Yes / N/A		
Start-Up Period		
Less than 9 seconds (Epson Logo); Warm-up Period: 20 seconds		
Cool Down Period		
Instant Off		
Power Supply Voltage		
100 - 240 V AC ±10%, 50/60 Hz		
Laser Diode On	Normal	437 W
	Extended	346 W
Standby (Normal / Eco)	2.0 W / 0.5 W	
Dimension Excluding Feet (W X D X H)		
568 x 568 x 181 mm		
Weight		
Approx. 21.1kg		
Fan Noise (Normal / Eco)		
28dB / 26dB		

¹ Using Pixel shift technology.

² Colour brightness (colour light output) and white brightness (white light output) will vary depending on usage conditions. Colour light output measured in accordance with IDMS 15:4; white light output measured in accordance with ISO 21118.

³ This light output value is measured at the center of the screen as a reference value. There is no official standard for light output (Center) measurements and this measurement is made based on the method set by Epson.

⁴ When used in the general office environment (the amount of floating dust: 0.04 - 0.2 mg/m³). Based on the Epson's in-house test results.

Supplied Accessories

Power Cable: 3m, 3 wire
Remote Control: Yes, with Alkaline AA Battery
Vanity Board (White)
Cable cover
User Guide

Optional Accessories

Suspension Adapter: ELPFP15
Air Filter: ELPAF46
Ceiling Mount: ELPMB67/47/48
AndroidTV dongle: ELPAP12
Vanity board (Champagne Gold): ELPVB05
Lens Housing (White): ELPVB02W
Lens Housing (Black): ELPVB03B
Lens Housing (Champagne Gold): ELPVB04C

Optional Lenses

Ultra Short Throw Lens: ELPXL02S
Zoom Lens: EPLPU03S, EPLPU04, EPLPU05, EPLPW06, EPLPW08, EPLPM08, EPLPM10, EPLPM11, EPLPM15, EPLLL08

EH-QL3000W



EH-QL3000B



©2026 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited.

EPSON is a registered trademark of Seiko Epson Corporation.

All other product and company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct at time of printing.
Printed June 2026

Find out more at www.epson.com.sg/projectors



EpsonSingapore



EpsonSingapore



EpsonSoutheastAsia



EpsonSingapore



EpsonSingapore

Find out more at www.epson.com.sg/projectors



EpsonSingapore



EpsonSingapore



EpsonSoutheastAsia



EpsonSingapore



EpsonSingapore

Epson Singapore Pte Ltd
Epson Authorised Service Centre

438B Alexandra Road, Block B Alexandra Technopark, #04-01/04, Singapore 119968. Tel: (65) 6586-5500
6 Harper Road, #04-01 Leong Huat Building, Singapore 369674. Epson Helpdesk: 800-120-5564. Please refer to www.epson.com.sg/contact for opening hours.

Epson Singapore Pte Ltd
Epson Authorised Service Centre

438B Alexandra Road, Block B Alexandra Technopark, #04-01/04, Singapore 119968. Tel: (65) 6586-5500
6 Harper Road, #04-01 Leong Huat Building, Singapore 369674. Epson Helpdesk: 800-120-5564. Please refer to www.epson.com.sg/contact for opening hours.



Efforts to mitigate environmental impacts in manufacturing



Toyoshina plant in Japan


Production Using **100%** Renewable Electricity

In December 2023, Epson transitioned to 100% renewable electricity at virtually all its global sites¹, marking a first for both the Japanese manufacturing sector² and the global projector industry³. This shift covers approximately 876 GWh⁴ of annual electricity, reducing CO2 emissions by around 400,000 tonnes per year.

By selecting optimal renewable sources like hydropower and geothermal, and investing in self-generation, Epson achieved its renewable energy goal within 2 years and 10 months of committing to do so in 2021. This includes the entire production process of Epson projectors, from design and development to manufacturing and assembly.

Over **80%** Recycled Cardboard Packaging

All carton box packaging of Epson's projectors is made with over 80% recycled cardboard. Additionally, we are further committed to sustainability by using 100% pulp as cushion material, replacing expanded Polystyrene (EPS), and reducing environmental impact.



Closed Resource Loop

We strive to use resources more effectively by reducing the size and weight of products and utilising more recycled materials. In our EB-L890E series, we use 65% post consumer resin (PCR) material for the projector main body and 100% recycled pulp mold for the packaging.

1 Among Japanese companies that have joined the RE100. Current as of January 9, 2024, per Epson research.
2 Excludes some sales sites and leased properties where the amount of electricity consumed cannot be determined
3 GHG (Greenhouse Gas), GHG scope 1, 2, 3 emission