EPSON



The WorkForce DS-730N simplifies and enhances business workflow with higher scan speed performance and easier access to scan settings through the 1.44" LCD display. Users can scan to Network folder, email or send scan data to target destination without the use of a PC. In addition, the image sensor glass dirt detection reduces re-scanning due to bad image quality, improving workflow.







Scan

40ppm / 80ipm

Colour LCD



Built-in Ethernet



It-in Compatible ernet with USB 2.0



ENGINEERED FOR GOOD

Built for Business

Enjoy scan speed of up to 40ppm/80ipm, daily duty cycle of 6,500 sheets and ADF capacity of 100 sheets to enhance business productivity.

Efficient Scanning

Work becomes seamless with easy access to scan settings on the 1.44" LCD display. Scan to Network folder, email or SharePoint with the Quick Send Button easily.

Exceptional Reliability

Expect quality scans with the image sensor glass dirt detection and prevent damage to your important documents with the paper protection feature.

^{*} Using carrier sheet by folding in half



Equipped with the Scan-to function, users can send scan data to target destination without the use of a PC. With the one-push Quick send button, users can scan-save-send easily to ease workflow. In addition, the image sensor glass dirt detection helps detect, notify and reduce the hassle of re-scanning.



Scanner Features

Durable, High-speed Scanning

Expect fast, high-volume scanning speeds of up to 40 ppm/80 ipm on the DS-730N. With a 100-sheet Automatic Document Feeder for A4 media and high daily output cycle of up to 6,500 pages, this business scanner suits your need.


Compact Size

For better mobility and reduced footprint, the DS-730N can be kept in storage position after use.



1.44" Colour LCD

Enjoy a clear display of job contents with the 1.44" LCD display. Access the scanner using push scan functions and change scan settings directly on the panel without having to use a PC.



High Quality Image

Equipped with built-in function to improve colour production, the scanner can remove crease marks, reduce bleed through and even select background colour based on paper type used.

Automatic Size Recognition

Place documents of different sizes up to A4 in the middle of the feeding tray and the DS-730N will automatically detect and scan everything in the correct size, all in a single batch.



Epson Scan 2

Text Enhancement

Improves text recognition when scanning text documents, whether in colour, greyscale or black-and-white. Removes background for better clarity, making double-sided printed documents clearer.

Document Skew Correction

Automatically adjusts and straightens scanned images.

Colour Enhancement & Colour Dropout

Remove or enhance the visibility of ink signatures such as "Confidential" and "Urgent' stamps. Users can pick one of the preset colours (red, green, blue, pink, purple, yellow, orange, or all other colours except black), or use the customised settings to dropout or enhance up to 5 colours with a single scan. Up to 10 colours can be preset for reuse.



PDF Features for Added Convenience

The built-in OCR enables searchable PDF files. Secure your PDF files by setting a password to prevent unauthorised viewing, editing or printing.

Epson ScanWay – Easy and Fuss-Free Data Sharing



ScanWay supports network sharing functions, as well as stand-alone operation without needing to connect to a PC. Epson's ScanWay models provide simple, reliable, and secure scanning solutions for scanner operators and administrators.

With DS-730N:

- Scan documents straight to Network folders and E-mail.
- Facilitate more efficient scan workflow using Quick send buttons.

User-Friendly Feature

Paper Protection Function

Upon detection of abnormal paper feeding or stapled/folded paper, scanner will automatically stop to prevent damage to important documents.





Competitor

Epson

Image Sensor Glass Dirt Detection

A notification will be sent upon detection of dirt in three areas before scanning. This reduces the risk of re-scanning due to bad image quality, improves the Scan-to workflow and increases business productivity.







Document Management

Document Capture Pro^

Scan, view, edit, save and transfer scanned documents easily with the Document Capture PRO, which easily

recognises barcodes, characters and blank pages in scanned documents for batch separation, allowing you to create up to 30 customised settings. Simplify scan workflow with assigned shortcuts to the scanner's operation panel. With built-in OCR capability, searchable PDF files can be created and documents saved into editable Microsoft Office formats. Assign passwords to protect devices and documents through the Advanced Log function.

^Limited functionality for Mac version of Document Capture software.



SPECIFICATIONS

| Model Number | DS-730N |
|----------------------------------|----------------------------------------------------------------------------------------------|
| SKU Code | B11B259501 |
| Scanner | |
| Scanner Type | A4 sheet-fed, one-pass duplex colour scanner |
| Sensor Type | Contact Image Sensor (CIS) x 2 |
| Scanning Method | Fixed carriage and moving document |
| Light Source | RGB LED x 2 |
| Optical Resolution*1 | 600 x 600 dpi |
| Output Resolution | 50 - 1,200 dpi (in 1 dpi increments) |
| Bit Depth | |
| Colour | 30-bit input, 24-bit output |
| Grayscale | 10-bit input, 8-bit output |
| Black & White | 10-bit input, 1-bit output |
| Document Size | - |
| Minimum | 50.8 x 50.8 mm |
| Maximum | 215.9 x 6,096 mm |
| Supported Paper Weight | 27 - 413 g/m² (Less than A8 size: 127 - 413 g/m²) |
| ADF Capacity | 100 sheets (80 g/m²) |
| Daily Scan Volume | Up to 6,500 sheets / day |
| Multi-feed Detection | Ultrasonic Sensor and Length Detection |
| Interface | USB 2.0 and Ethernet (1000BASE-T/100BASE-TX/10BASE-T) |
| Scan-to Destination | Computer (Document Capture Pro), Network Folder/FTP, Email, Computer (WSD) |
| Scanning Speed ² | |
| Resolution (A4, Colour/Monochro | me) |
| 300 dpi | 40 ppm / 80 ipm |
| 600 dpi | 12 ppm / 24 ipm |
| Drivers and Software | |
| Supported OS (Scanner Driver) | |
| Windows | Windows XP / Vista / 7 / 8 / 8.1 / 10 / 11, Server 2003 / 2008 / 2012 / 2016 / 2019 / 2022 |
| Mac | Mac OS X 10.6.8 or later, macOS 11 or later |
| Driver Compatibility | TWAIN, SANE, WIA, ICA, ISIS |
| Bundled Software | Epson Scan 2 |
| | ISIS Driver (Web Download) |
| | Epson Scan OCR Component |
| | Epson Scan PDF Extensions |
| | Document Capture Pro (Windows) / Document Capture (Mac) |
| Software Solutions Compatibility | Document Capture Pro Server |
| | Epson Device Admin |
| | Epson Remote Services |
| File Format | Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP ⁻³ , PNG |
| | Document Capture Pro: JPEG, JPEG2000°3, BMP°3, PDF, Searchable PDF, TIFF, Multi-TIFF°3, PNG, |
| | DOCX, XLSX, PPTX*3 |
| Control Panel | |
| LCD Screen | 1.44" LCD |
| Electrical Specifications | |
| Rated Voltage | AC 100 - 240 V |
| • | |

Dimensions & Weight DS-730N Weight: 3.6 kg (7.9 lb)

296 mm

(11.7")

What's in the box: Scanner Main unit • USB 2.0 Cable AC Adapter Power Cable Software CD Setup Guide

167 mm (6.6")

169 mm

(6.7")

©2025 Epson Malaysia Sdn. Bhd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited.

EPSON is a registered trademark of Seiko Epson Corporation.

All other product and company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Dealer's Stamp

Information correct at time of printing. Printed July 2025

*1 Scanning resolution as defined by ISO14473. *2 Based on A4 documents.

*3 For Windows version only.

Epson Malaysia

Options & Consumables

Rated Frequency

Operating

Power Consumption

Ready Mode

Sleep Mode

Environmental Conditions

Power Off

Operating

Storage Humidity Operating

Storage

Cleaning Kit

Roller Assembly Kit Carrier Sheet

Temperature

Order Code

B12B819671

B12B819051 B12B819291









50 - 60 Hz

5.9W

0.1W

5 - 35 °C -25 - 60 °C

Durability

200.000 scans

3,000 scans

13W (USB) / 14W (Ethernet)

1.2W (USB) / 1.5W (Ethernet)

15 - 80 % (No condensation)

15 - 85 % (No condensation)