# SCANNERS WORKFORCE DS-C330/ES-C320W/ES-C380W

# **EPSON**

# FLEXIBLE SCANNING DESIGNED FOR COMPACT SPACES.

12.3



ES-C380W


ES-C320W

### Compact and versatile A4 scanners tailored for agile businesses.

led P/

B

The Epson WorkForce DS-C330/ES-C320W/ES-C380W A4 document scanner embodies compact efficiency, combining versatile media handling with rapid scanning capabilities. Its unique vertical paper path design enables seamless scanning even in confined workspaces, maximising its space-saving potential. Furthermore, this scanner incorporates advanced paper protection technology to prevent damages to your original documents. Committed to sustainability, the scanner is made of up to 34%\* recycled plastic in crafting its main unit.



# ENGINEERED FOR 9000

#### **Built For Business**

Enhance productivity with fast scanning speeds of up to 30 ppm / 60 ipm, with daily duty cycle of 5,000 sheets<sup>#</sup> and an ADF capacity of 20 sheets.

#### **Compact Solution**

Perfect scanner for limited space with the ability to scan paper in the vertical path position, without adding to the device's footprint.

EPSON

### **PC-less Operation**

Effortlessly send scanned documents without a computer using the Scan to function\*\*, streamlining your workflow for a hassle-free experience.

\*The usage ratio of recycled plastic is subject to change depending on the availability of raw materials. \*\*For ES-C380W only. ^For ES-C320W and ES-C380W only. \*Daily duty cycle of 5,000 sheets for DS-C330 only. Daily duty cycle of 3,500 sheets for ES-C320W and ES-C380W.

**SCANNERS** WORKFORCE DS-C330/ES-C320W/ES-C380W



The DS-C330, ES-C320W, and ES-C380W document scanners are versatile options designed to meet the needs of both individuals and businesses. These scanners enable duplex scanning at speeds of up to 30 ppm / 60 ipm, significantly enhancing office productivity. Additionally, they are equipped with a 20-sheet Automatic Document Feeder (ADF) for convenient scanning, and feature a handle grip at the back for easy carrying, ensuring convenient portability.

# **Compact and Versatile Scanning**

These scanners effortlessly handle long documents, boasting a maximum scan size of 215.9 x 3,048 mm (5,588 mm for ES-C380W). Additionally, the scanner can scan documents weighing up to 127 gsm for vertical scanning and 413 gsm for straight path scan, including fragile, torn, or folded papers using a carrier sheet. Using a passport carrier sheet, you can also seamlessly scan passports and booklet<sup>#</sup> with a thickness of up to 5 mm.



### Vertical Path Scan

The vertical path scan feature allows for effortless scanning in narrow spaces and efficient document handling. This makes it particularly suitable for settings with limited desk space, such as hospital front desks, hotel receptions, and similar environments.



\*Postcard with thickness of more than 190g/m<sup>2</sup> need to be scanned in the straight path position



### Straight Path Scan

The straight path scan feature allows you to easily scan thick documents such as passports, plastic cards, and envelopes, making it a versatile scanning solution.



Require carrier sheet. #Require passport carrier sheet for DS-C330 and ES-C320W



# **Document Solutions**

### Epson Scan 2

Epson Scan 2 functions as a versatile scanner driver. allowing meticulous control over size, resolution, brightness, contrast, and image quality adjustments. It effortlessly scans, patches up, and enhances documents by utilising surrounding colors, making it easy to address issues like folds, tears, border shadows, and punch holes.



Folded edge Paper tea Border shadow Punch hole

### **Efficient Fleet Management**

Manage, monitor and configure your Epson device fleet effortlessly with Epson Device Admin. Compatible with a large range of networked

printers and scanners, all information can be easily viewed via one smart. intuitive interface.

### Epson ScanSmart ES-C320W & ES-C380W only

The Epson ScanSmart simplified user interface and features allow users to have a seamless and hassle-free scanning experience.



# **User-Friendly Features**

### Paper Protection Function

Upon detection of abnormal paper feeding or stapled/ folded paper, scanner will automatically stop to prevent damage to important documents.





Without Paper Protection Function

With Paner Protection Function

### **Reliable Scanning**

The kit includes a robust user-replaceable assembly roller, designed for a high daily duty cycle of 5,000 sheets#.

### **Double Feed Length Detection**

This function signals the scanner to automatically stop when it detects that multiple document sheets have been fed at the same time.

### Automatic Feeding Mode

The Automatic Feeding Mode enables large volumes of documents to be scanned continuously.

# Document Capture Pro\* D5-C330 only

Scan, edit, and process documents with automatic workflows. Convert documents into searchable PDF files or editable Office documents with built-in OCR capability. Documents can be named and sorted into different folders conveniently by various job separation methods. You can also capture text and barcode information from documents including Machine Readable Zone (MRZ) of travel documents.

# **Cloud & Mobile Solutions**

Epson Smart Panel ES-C320W & ES-C380W only Scan directly from your smart device with access to popular cloud storage services.

# Epson Connect (Scan to Cloud) ES-C380W only

Send documents through the cloud service directly from the device panel to an email address or to popular cloud storage services without a PC or email server.

### ScanWay ES-C380W only

Easy and fuss-free data sharing without PC. Scan documents straight to Cloud, Network folders, Email and USB.

### Driverless Scanning ES-C320W & ES-C380W only

Scan directly to Chromebooks and Android devices with support from Mopria. Users can also scan to their devices running macOS without drivers using Apple AirPrint technology.

# **Glass Dirt Detection**

A notification will be sent upon detection of dirt in three areas before scanning. This reduces the risk of re-scanning due to bad image guality, improves the Scan-to workflow and increases business productivity.

# 2.4" Colour

LCD Touchscreen ES-C380W only

User-friendly interface with up to 24 customisable preset buttons for easy operations.



\*Limited functionality for Mac version of Document Capture







### **SPECIFICATIONS**

Model Number	DS-C330	ES-C320W	ES-C380W	DImensions & Weight	
SKU Code Scanner	B11B272501	B11B270503	B11B269502	DS-C330	
Scanner Type	A4 sheet-fed, one-pass duplex colo	our scanner		Weight: 1.8 kg (4.0 lb)	
Sensor Type	Colour Contact Image Sensor (CIS)			125	
canning Method ight Source	Fixed carriage and moving docume RGB LED x 2	ent		(4.9	
Detical Resolution *1	600 x 600 dpi				
Output Resolution	50 – 1,200 dpi (in 1 dpi increments)	1			
Bit Depth				The second	
Colour Grayscale	30-bit input, 24-bit output 10-bit input, 8-bit output				
Black and White	10-bit input, 1-bit output				
ocument Size	· · ·				
Minimum Maximum	50.8 x 50.8 mm		215.9 x 5.588 mm	296 mm 104	
upported Paper Weight	215.9 x 3,048 mm		215.9 x 5,588 mm	(11.7") (4.	
Vertical Path		40 – 127 g/m², Less than A6 size: 40 – 209 g/m²			
Straight Path	40 – 413 g/m <sup>2</sup>			ES-C320W	
DF Capacity Iulti-Feed Detection	20 sheets (80 g/m²) _ength Detection			Weight: 1.8 kg (4.0 lb)	
ally Scan Volume	Up to 5,000 sheets / day	Up to 3,500 sheets / day	125		
Interface	USB 2.0	USB 2.0	USB 2.0	(4.9	
		Wi-Fi (IEEE 802.11 b/g/n)	Wi-Fi (IEEE 802.11 b/g/n)		
		Wi-Fi Direct	Wi-Fi Direct USB 2.0 Host		
Scan to Destinations	Computer (Document Capture Pro)	Computer (Epson ScanSmart)	Computer (Epson ScanSmart),	1 Eventer	
		(	Network Folder/FTP, Email,		
			USB Drive, Cloud (Epson		
JSB Host Function			Connect), Computer (WSD)	000	
ype of Devices	_	-	Memory Devices	296 mm 104 (11.7") (4.1	
unction		-	Scan to Memory Device	(11.7) (4.	
ïle Format	-	-	JPEG, TIFF, Multi-TIFF, PDF,		
canning Speed *2			PDF/A	ES-C380W	
Resolution (Colour/Monochrome)				Weight: 1.9 kg (4.2 lb)	
300 dpi	<u>30 ppm / 60 ipm</u>			125	
600 dpi	5 ppm / 10 ipm			(4.9	
Privers and Software Supported OS (Scanner Driver)					
Windows	Windows 7/8/8.1/10/11, Server 20	008/2012/2016/2019/2022			
Mac	Mac OS X 10.9 or later,	Mac OS X 10.11 or later,		The second second	
	macOS 11 or later	macOS 11 or later			
Driverless Solutions Driver Compatibility	- TWAIN, SANE, WIA, ICA, ISIS	AirPrint, Mopria, Chrome OS TWAIN, SANE, WIA, ICA Epson Scan 2 Presto! Bi2Card Epson Scan OCR Component Epson Scan PDF Extensions			
Bundled Software	Epson Scan 2				
	ISIS Driver (Web Download)			296 mm 104	
	Epson Scan OCR Component Epson Scan OCR Component Pro			(11.7") (4.	
	Epson Scan PDF Extensions				
	Document Capture Pro (Windows)	Epson ScanSmart		What's in the box:	
Software Solutions Compatibility	Epson Device Admin	Epson Device Admin Epson Smart Panel (iOS / Android) Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP <sup>3</sup> , PNG Epson ScanSmart: JPEG DDF Scamebable PDF, TIFF, Multi-TIFF, PNG		Scanner Main Unit	
ile Format	Document Capture (Mac) Epson Scan 2:			USB 2.0 Type A-C Cable	
	JPEG, TIFF, Multi-TIFF, PDF,			AC Adapter	
	Searchable PDF, BMP <sup>-3</sup> , PNG			Power Cable	
	Document Capture Pro:			Supplement Sheet	
	JPEG, JPEG2000, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, Multi-TIFF, PNG, PNG, DOCX, XLSX, PPTX <sup>3</sup> JPEG, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, BMP, DOCX, XLSX, PPTX <sup>3</sup>			Warranty Card	
				Setup Guide	
Control Panel					
CD Screen Ilectrical Specifications		-	2.4" LCD Touchscreen		
Rated Voltage	AC 220 - 240 V			©2025 Epson Singapore Pte Ltd. All Rights Re Reproduction in part or in whole, without the w	
Rated Frequency	50 - 60 Hz			permission from Epson, is strictly prohibited.	
Power Consumption				EPSON is a registered trademark of Seiko Epso	
Operating Ready Mode	10 W 3.3 W	10 W (USB), 11 W (Wi-Fi) 3.3 W (USB), 3.7 W (Wi-Fi)	10 W (USB), 11 W (Wi-Fi) 4.0 W (USB), 4.3 W (Wi-Fi)	Corporation.	
Sleep Mode	<u>5.5 W</u> 1.0 W	<u>3.3 W (USB), 3.7 W (WI-FI)</u> 1.0 W (USB), 1.4 W (WI-FI)	1.0 W (USB), 1.4 W (Wi-Fi)	All other product and company names used he for identification purposes only and are the trad	
Power Off	0.1 W	0.1 W	0.1 W	or registered trademarks of their respective own	
nvironmental Conditions				Epson disclaims any and all rights in those mar Projected images shown herein are simulations	
emperature	5 35 °C			The actual product design and contents may va	
	<u>5 - 35 °C</u> -25 - 60 °C			Specifications are subject to change without no may vary between countries. Please check with	
Operating				Epson offices for more information.	
Operating Storage				Dealer's Stamp	
Operating Storage lumidity Operating	15 - 80 % (No Condensation)		15 - 85 % (No Condensation)		
Operating Storage lumidity Operating Storage	15 - 85 % (No Condensation)	Ouden Oad-			
Operating Storage lumidity Operating Storage Options & Consumables	15 - 85 % (No Condensation) Durability	Order Code B12B819731			
Operating Storage lumidity Operating	15 - 85 % (No Condensation)	Order Code B12B819731 B12B819051			
Operating Storage lumidity Operating Storage Ditions & Consumables toller Assembly Kit Carrier Sheet Passport Carrier Sheet	15 - 85 % (No Condensation) Durability 50,000 scans	B12B819731 B12B819051 B12B819651			
Operating Storage lumidity Operating Storage Options & Consumables Koller Assembly Kit Carrier Sheet	15 - 85 % (No Condensation) Durability 50,000 scans 3,000 scans	B12B819731 B12B819051			

Find out more at www.epson.com.sg/scanners

f EpsonSingapore 🙆 EpsonSingapore 区 EpsonSoutheastAsia in Epson Singapore 🗾 EpsonSingapore

Epson Singapore Pte Ltd Epson Authorised Service Centre 438B Alexandra Road, Block B Alexandra Technopark, #04-01/04, Singapore 119968. Tel: (65) 6586-5500 6 Harper Road, #04-01 Leong Huat Building, Singapore 369674. Epson Helpdesk: 800-120-5564. Please refer to www.epson.com.sg/contact for opening hours.