

EPSON



**Impeccable print quality and spectacular accuracy with Epson's large format printers.**

The new Epson SureColor large format printers are Epson's next generation of high-performance signage printers, which incorporate the latest printing technologies to be Epson's most advanced signage printers to date. The printers come with the new sophisticated precision media feeding system, high-performance printheads, and a myriad of advanced features that enable them to reliably meet the most demanding jobs while minimising operation costs.

ENGINEERED FOR good



**Exceptional Print Quality**

Explore enhanced printing speeds with the latest Epson technology, thanks to an expanded printhead width and increased nozzle count.

**Super Reliability**

High-volume printing is made ultra-reliable with an advanced precision media feeding system\* to ensure minimal downtime.

**Engineered For Convenience**

Epson's solutions such as Epson Cloud Solution PORT and Epson Edge Print helps with ease of use and remote management during operations.

Find out more at [www.epson.com.sg/gobig-signage](http://www.epson.com.sg/gobig-signage) EpsonSingapore EpsonSingapore EpsonSoutheastAsia Epson Singapore EpsonSingapore

**Epson Singapore Pte Ltd** 438B Alexandra Road, Block B Alexandra Technopark, #04-01/04, Singapore 119968. Tel: (65) 6586-5500  
**Epson Customer Care Center** 100G Pasir Panjang Road, #01-09 Interlocal Centre, Singapore 118523. Epson Helpdesk: 800 120 5564. Please refer to [www.epson.com.sg/contact](http://www.epson.com.sg/contact) for opening hours.




Epson Cloud Solution  
**PORT**

## BRILLIANCE IN RELIABILITY

Leading the next generation of high-performance signage printers, the Epson SureColor printers are engineered with advanced functions and the latest printing technologies. With printheads tailor-made to cater to each ink type, the SureColor printers produce impeccable text and image sharpness across a wide range of ink and media with micron-level precision and reliability.

### Epson's Piezo Technology

Utilising Epson's Piezo Technology, the SureColor printers can prolong printhead longevity thanks to their heatless system, providing reliable long-term operation. The piezo element also acts as a highly-sensitive sensor that detects irregularities, such as interrupted firing by an air bubble or if rising ink viscosity is causing issues, all within milliseconds.



R-series printhead

### Superior Ink Technology

Advanced ink technology from Epson brings a wide gamut of colours that comes with high image quality. The inks are optimised to perform high quality images and reduce machine downtime.

#### Eco-Solvent Printing

Using Epson UltraChrome GS3 eco-solvent ink – including an all-new Red solvent along with the option for White or Metallic Silver inks\* – for outstanding photographic print quality, durability, and media compatibility.

\*For selected models only.

#### Resin Printing

Epson's UltraChrome RS Ink offers wide substrate support. The odourless water-based ink enables the use of printed applications in sensitive environments.

#### UV Ink

Vibrant 10-colour UltraChrome UV ink, including dedicated red and grey inks, ensures smooth gradation and natural grey effects. The availability of varnish ink creates a visual and tactile experience.



## CONNECT. OPTIMISE. GROW

At Epson, we understand that having real-time information at your fingertips is vital to your daily operations. This is why we have introduced the Epson Cloud Solution PORT, an intuitive cloud-based remote monitoring software. Monitor and manage your fleet of printers effectively across multiple sites, or a single site. Epson Cloud Solution PORT can be accessed from multiple devices including PCs, smartphones and tablets.

### Fleetwide Printer Management

When managing printer efficiency and usage, intelligent and intuitive production monitoring is essential for maximising productivity, connectivity, and growth. A clear and simple dashboard, drawing from vast amounts of usage data, provides the insight needed to make critical business decisions.

### Remote Monitoring System

Designed with simplicity and security in mind, the Epson Cloud Solution PORT provides a live view of your printer fleet production, equipment utilisation, and service information to better manage efficiency and optimise your Epson printing workflow.



#### Remote Monitoring<sup>1</sup>

View live status of the entire printer fleet, output production rates, printer status, errors, and equipment utilisation.



#### Secure & Encrypted

Data stream and cloud are encrypted end-to-end to protect customers' privacy and usage data.



#### Production Efficiency Tracking & Reporting

Run reports to view total production efficiency, uptime, and printer usage.



#### Mobile Access, No App Needed!

Optimised mobile website allows for easy, remote tracking of printer fleet while on the go.



#### Dashboard Tracking

Create in-shop dashboard to internally communicate key performance metrics to employees.



#### Expedited Service Response

Epson support helps reduce downtime with fast, remote troubleshooting.

<sup>1</sup> All features of this system require an active internet connection and use of a supported browser.

# PRINT APPLICATIONS FOR DIFFERENT SCENARIOS

Versatility meets convenience, fulfilling your different printing needs effortlessly.

## ECO SOLVENT

The eco-solvent inks are generally more suitable for general printing of indoor signages (i.e. on PVC material), offering a wide colour gamut and competitive cost per print.



Retail Signage



Event & Exhibition



Backlit



Window Graphic



Window Sticker

## RESIN

The resin inks are recommended for unique printing applications. Because of 'instant lamination' and higher scratch durability finishing, the inks are more suitable for applications requiring such features.



Outdoor Signage



Vehicle Wrap



Wallpaper




Canvas



Textile

## UV

UV printing uses a unique drying method compared to the traditional inks where instead of evaporation, they are cured using high-intensity UV lights. This allows operators to use UV printing on virtually any substrate, catering to a wider range of media.



Stainless Steel



Wall Display Tile



Acrylic Frame



Glass Facade



Wooden Panel




# ECO-SOLVENT PRINTER

## QUITE POSSIBLY THE BEST ECO-SOLVENT SIGNAGE PRINTERS EVER

Epson SureColor S-Series eco-solvent printers offer exceptional productivity, outstanding image quality, and iron-clad reliability.

With lightning-fast printing speeds and lamination capability, the SureColor S-Series printers empower you to turn around jobs fast. Additionally, the automated printer maintenance system lets you focus on printing, not on the printer.




### A precision media feeding and take-up system

Ensures virtually any roll media feeds accurately, nearly eliminating buckling and skewing.

### Patented technology

Deliver increased speed, rock-solid reliability and unbeatable image quality for customer-pleasing results every time.



### GREENGUARD Gold Certified

With low emission and VOC, GS3 inks are safe for indoor use.

64"

GS3  
ULTRACHROME  
GS3 INK



MAX. INK CAPACITY  
PER COLOUR  
700ml

### Entry-Level Sign Printer

SC-S40670



- Outstanding quality at affordable cost of ownership
- Print speed of up to 58.4m<sup>2</sup> per hour
- Single PrecisionCore TFP Printhead

64"

GS3  
ULTRACHROME  
GS3 INK



MAX. INK CAPACITY  
PER COLOUR  
700ml

### Productive Sign Printer

SC-S60670



- Print speed of up to 95.3m<sup>2</sup> per hour
- High productivity with Dual PrecisionCore TFP Printhead
- Fabric Wiping System dramatically reduces manual maintenance

64"

GS3  
ULTRACHROME  
GS3 INK



MAX. INK CAPACITY  
PER COLOUR  
700ml\*

### Versatile Sign Printer

SC-S80670



- Widest colour gamut to meet most demanding jobs with 10-colour configuration
- Epson UltraChrome GS3 ink Technology with Red - Greenguard Gold certified for low chemical emissions
- Amazing quality and detail with smooth gradations, accurate skin tones and sharp, grain-free images

\* 700ml for all colours; except 600ml for White & 350ml for Metallic Silver.




# ECO-SOLVENT PRINTER

## REDUCE INK COSTS WITH BULK-INK EDITIONS

These printers break new ground in sign printing by dramatically reducing ink costs. They deliver fast print speeds, best-in-class 98.2%<sup>1</sup> PANTONE certification<sup>2</sup> and lamination along with the convenience and savings of bulk ink.

Innovative bulk-ink packs offer low ink cost, so you can print more at a lower ink cost per square foot. Plus, in addition to delivering longer, unattended printing, they reduce plastic waste compared to traditional cartridge systems.



### Epson Edge Print Pro

Offers a simple and effective tool for production imaging in environments which do not require advanced workflow management.

### A first-of-its-kind fabric wiping system

Improves printhead life while automating maintenance to keep your printer running in top form.



### High volume 1.5-Litre bulk-ink packs

Save time and money, reduce waste and increase uptime because you have to replace ink less frequently.

<sup>1</sup> 98.2% coverage of PANTONE PLUS FORMULA GUIDE solid-coated palette on adhesive vinyl media. PANTONE coverage may vary when printed under other conditions.  
<sup>2</sup> PANTONE® certification applies to SC-S80670L only.

64"

GS3  
ULTRACHROME  
GS3 INK



MAX. INK CAPACITY  
PER COLOUR  
1500ml

### Dual 4-Colour Bulk-Ink Sign Printer

## SC-S60670L



- Dual, 4-colour UltraChrome GS3 ink for high productivity
- Greenguard Gold certified for low chemical emissions

64"

GS3  
ULTRACHROME  
GS3 INK  
WITH RED



MAX. INK CAPACITY  
PER COLOUR  
1500ml\*

### 10-Colour Bulk-Ink Sign Printer

## SC-S80670L



- Pantone Digital Colour certified for high colour accuracy
- Media Versatility through Auto-Tension control and paper feeding mechanism

\* 1,500ml for colour and White, 500ml for Metallic Silver.

## 20-hours\* of continuous unattended printing

The SureColor S-Series printers enable up to 20-hours\* of continuous unattended printing with a 50%\*\* less need for replacements therefore enabling operators to attend to other matters.



**1.5L**  
Bulk Ink Packs  
offers **2X**  
Ink Capacity

For SC-S60670L and SC-S80670L:

\* Based on internal simulation of solid colour printing. Actual result could differ based on printing conditions.

\*\*Ink cartridge and waste ink bottle replacement frequency: Approximately 50% less than the S-series cartridge edition (SC-S40670 / S60670 / SC-S80670).

# R

## RESIN PRINTER

### HIGHLY VERSATILE, HIGH-PERFORMANCE RESIN PRINTERS

Epson SureColor R-Series 64" roll-to-roll printers are the perfect choice for high-volume shops looking for a fast, versatile printing solution. Tackle any signage job with all new, multi-purpose resin ink that delivers outstanding, repeatable colour on a wide range of media, including wallpapers, uncoated papers, and more. Blistering print speed and immediate lamination boost productivity. Plus, economical bulk ink packs offer increased convenience and reduce the total cost of ownership.




#### Epson UltraChrome RS resin inks

Dries instantly for highly scratch-resistant prints that you can laminate immediately for faster turnaround.

#### Instant lamination

Achieve fuss-free instant lamination with our durable water-based inks.



#### New multi-purpose resin ink

Delivers extremely accurate, reliably consistent, high-quality colour for repeat jobs, brand colours, wall tiling applications and more.

64"

RS3  
ULTRACHROME  
RS3 INK



MAX. INK CAPACITY  
PER COLOUR  
1500ml

#### Standard Resin Printer

### SC-R5030



- Outstanding image quality and repeatable colour at production speeds
- Convenient, efficient 1.5-Litre bulk ink packs

64"

RS3  
ULTRACHROME  
RS3 INK



MAX. INK CAPACITY  
PER COLOUR  
3000ml  
(1500ml x 2)

#### Supersized Bulk-Ink Resin Printer


### SC-R5030L



- High-quality, colour-accurate output on a wide variety of media
- Cost-reducing 3-Litre (1.5-Litre x 2 packs) bulk ink system
- Hot swap function reduces printer down time

### Q


#### What is Water-Based Resin?



Water-Based Resin Inks contain

- Water
- Resin
- Wetting Agent
- Humectant

The UltraChrome RS Ink forms a more uniform layer of ink on the print media, eliminating the existing challenge of diffused reflection from surfaces.



# V

# UV PRINTER

## AMPLIFY CREATIVITY WITH CUSTOMISABLE NOVELTY GOODS

Designed for the competitive niche market of customisable products, the Epson SureColor SC-V1030 is the perfect printer for businesses prioritising versatility and performance in their A4 desktop UV printing needs. The printer's extensive substrate compatibility, including wood and stainless steel, consistently delivers high-quality prints, providing new opportunities for businesses.



Note: Jigs are to be purchased separately.


### Fine print quality

Achieve impeccable results with fine lines and sharp text on a wide range of compatible substrates. With Epson UltraChrome UV inks, users can expect vibrant outputs in every print.




### Smart operation

The Auto Height Adjustment function automatically adapts to substrates up to 70mm thick, while the Wide Gap function enhances clarity on three-dimensional items like golf balls, pens, and phone cases, ensuring optimal printing performance.



Auto Height Adjustment



Wide Gap Function



### Flexible placement

With its compact design, the printer fits easily on desks or workbenches for easy job monitoring. The front operation streamlines maintenance and allows wire-free placement at the rear. Multiple units can be positioned side-by-side to maximise space.

## A4 Desktop UV Printer


## SC-V1030



UV  
ULTRACHROME  
UV INK




MAX. INK CAPACITY  
PER COLOUR  
140ml




- Print with high precision, achieving crisp text and detailed images on small customised goods
- Compact front-load design allows for flexible placement in tight spaces without obstructing printing operations
- Maintenance is easy and safe with the no-ink-contact design and automatic wiper unit that deposits cured UV ink into a tank

## Easy maintenance and operation



### Safe Maintenance

Featuring automatic printhead cleaning function, ink contact is minimised with the wiper unit that cleans and safely deposits cured UV ink into the tank.



### Internal Air Circulation

With two built-in air filters that reduces odour, the printer is safe for operation in a closed environment.



### Large Display Panel

Effortlessly manage and oversee your print jobs, monitor ink levels, and perform printhead cleaning using the LED display panel. The panel also provides convenient visibility in low-light environments.

## Print on variety of substrates

Print directly onto a large variety of substrates including wood, stainless steel, acrylic, plastics, ceramic, and more. Businesses can provide high-value novelty goods that are unique and personalised, offering customised products that are not commonly found.



Wood



Stainless Steel



Acrylic



Plastics




Ceramic

# V

# UV PRINTER

## PRODUCTION UV FLATBED PRINTER

With the ability to print directly on a wide variety of rigid substrates up to 80mm thick, the Epson SureColor SC-V7000 flatbed printer offers a cost-effective solution for expanding your shop's capabilities. Featuring 10-colour UltraChrome UV Ink, including red and grey inks, it produces bright, colourful, tactile high-quality prints with smooth gradation and neutral greys in record time. Plus, the quick media loading and easy alignment, along with intuitive RIP software makes the SureColor SC-V7000 a breeze to use.



Other brands

Epson SC-V7000  
with Variable Droplet

### Epson Ultrachrome UV Inks

With up to 10 colour ink sets that provide low graininess and banding, the UV flatbed printer provides highly vivid and consistent prints with its striking reds and stunning colours.



2.50m  
by  
1.25m


UV  
ULTRACHROME  
UV INK



MAX. INK CAPACITY  
PER COLOUR  
1000ml

### Flatbed UV Printer

## SC-V7000



- Prints on media and rigid substrates up to 2.50m by 1.25m and 80mm thick
- Delivers outstanding quality prints at true production speeds
- Includes Epson Edge Print RIP software

### Wide media usage

Automatic detection and adjustment to accommodate media of up to 80mm thick. The four zone vacuum can easily hold media in place securely.




### White ink and varnish

Producing rich, high-quality prints on a variety of materials, the White ink and varnish enable operators to print glossy finishes, various textures, and more.

### Versatility Redefined

Epson's SC-V7000 reinvents what large format printers can offer, allowing businesses to print directly on a wide variety of substrates\* up to 80mm media thickness. This includes vinyl, textile, canvas, film, aluminium composite boards and styrofoam boards. The possibilities to create with the SC-V7000 are limitless!



\*Some materials will require pre-treatment. Contact Epson to find out more.



# SURECOLOR SIGNAGE PRINTERS

## SOLVENT PRINTING



MODEL NUMBER	SC-S40670	SC-S60670	SC-S80670	SC-S60670L	SC-S80670L
<b>PRINT Technology</b>	PrecisionCore Inkjet, Variable-Sized Droplet Technology	PrecisionCore Inkjet, Variable-Sized Droplet Technology	PrecisionCore Inkjet, Variable-Sized Droplet Technology	PrecisionCore Inkjet, Variable-Sized Droplet Technology	PrecisionCore Inkjet, Variable-Sized Droplet Technology
Printhead	PrecisionCore TFP Printhead	PrecisionCore TFP Printhead	PrecisionCore TFP Printhead	PrecisionCore TFP Printhead	PrecisionCore TFP Printhead
Maximum Resolution	1440 x 1440 dpi	1440 x 1440 dpi	1440 x 1440 dpi	1440 x 1440 dpi	1440 x 1440 dpi
Print Speed	2 Pass – Up to 29.4 m <sup>2</sup> /h (720 x 720 dpi) 4 Pass – Up to 16.6 m <sup>2</sup> /h (720 x 720 dpi) 6 Pass – Up to 11.0 m <sup>2</sup> /h (720 x 1440 dpi)	2 Pass – Up to 52.3 m <sup>2</sup> /h (720 x 720 dpi) 4 Pass – Up to 31.6 m <sup>2</sup> /h (720 x 720 dpi) 6 Pass – Up to 20.7 m <sup>2</sup> /h (720 x 1440 dpi)	2 Pass – Up to 52.3 m <sup>2</sup> /h (720 x 720 dpi) 4 Pass – Up to 26.8 m <sup>2</sup> /h (720 x 720 dpi) 6 Pass – Up to 18.2 m <sup>2</sup> /h (720 x 1440 dpi)	2 Pass – Up to 52.3 m <sup>2</sup> /h (720 x 720 dpi) 4 Pass – Up to 31.6 m <sup>2</sup> /h (720 x 720 dpi) 6 Pass – Up to 20.7 m <sup>2</sup> /h (720 x 1440 dpi)	2 Pass – Up to 52.3 m <sup>2</sup> /h (720 x 720 dpi) 4 Pass – Up to 26.8 m <sup>2</sup> /h (720 x 720 dpi) 6 Pass – Up to 18.2 m <sup>2</sup> /h (720 x 720 dpi)
<b>INK Ink Type</b>	Epson UltraChrome GS3 ink	Epson UltraChrome GS3 ink	Epson UltraChrome GS3 ink with Red	Epson UltraChrome GS3 ink	Epson UltraChrome GS3 ink with Red
Colour	Cyan, Magenta, Yellow, Black	Cyan, Magenta, Yellow, Black	Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta, Light Black, Orange, Red, White, Metallic Silver	Cyan, Magenta, Yellow, Black	Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta, Light Black, Orange, Red, White, Metallic Silver
Ink Capacity	700ml	700ml	700ml Except White (600ml), Metallic Silver (350ml)	1500ml	1500ml
Ink Case	Ink Cartridge	Ink Cartridge	Ink Cartridge	Ink Pack	Ink Pack
<b>MEDIA HANDLING Paper Path</b>	Friction Feed	Friction Feed	Friction Feed	Friction Feed	Friction Feed
Maximum Roll Diameter/Weight	Max. 250mm / 45kg	Max. 250mm / 45kg	Max. 250mm / 45kg	Max. 250mm / 45kg	Max. 250mm / 45kg
Maximum Reel Diameter/Weight	Max. 200mm	Max. 200mm	Max. 200mm	Max. 200mm	Max. 200mm
<b>CONNECTIVITY Interface</b>	Hi-Speed USB 2.0, 100BASE-TX/1000BASE-T	Hi-Speed USB 2.0, 100BASE-TX/1000BASE-T	Hi-Speed USB 2.0, 100BASE-TX/1000BASE-T	Hi-Speed USB, 100BASE-TX/1000BASE-T	Hi-Speed USB, 100BASE-TX/1000BASE-T
Printer Language	ESC/P	ESC/P	ESC/P	ESC/P	ESC/P
Memory	Printer: 512MB Network: 128MB	Printer: 512MB Network: 128MB	Printer: 2GB Network: 128MB	Printer: 512MB Network: 128MB	Printer: 2GB Network: 128MB
<b>ENVIRONMENTAL CHARACTERISTICS Temperature</b>	Operating: 15°C to 35°C (20°C to 32°C recommended)	Operating: 15°C to 35°C (20°C to 32°C recommended)	Operating: 15°C to 35°C (20°C to 32°C recommended)	Operating: 15°C to 35°C (20°C to 32°C recommended)	Operating: 15°C to 35°C (20°C to 32°C recommended)
Humidity	Operating: 20 – 80% (40 to 60% recommended)	Operating: 20 – 80% (40 to 60% recommended)	Operating: 20 – 80% (40 to 60% recommended)	Operating: 20 – 80% (40 to 60% recommended)	Operating: 20 – 80% (40 to 60% recommended)
<b>DIMENSIONS &amp; WEIGHT Printer Dimension (W) (mm) - Max</b>	2620	2620	2620	2766	2766
Printer Dimension (D) (mm) - Max	1090	1147	1090	1147	1090
Printer Dimension (H) (mm) - Max	1670	1670	1670	1671	1671
Weight	Approx. 279kg (without ink)	Approx. 291kg (without ink)	Approx. 284kg (without ink)	Approx. 331kg (without ink)	Approx. 326kg (without ink)
<b>SYSTEM Win PC System Requirement</b>	EPSON Edge Print - OS: Windows 11, Windows 10 x64 - CPU: Intel® Core™ i7-14700 Processor (20core (8P+12E))/2.1GHz or more – Free Memory Space: 32GB or more – Storage: 1TB (or larger) Solid State Drive or more – Monitor: 1280 x 1024 or more EPSON Edge dashboard – OS: Windows 7 x32/64 SP1, 8 x64, 8.1 x64, 10 x64 – CPU: Multicore processor 3.0GHz (Recommend: Intel® Core™ i5 3.4GHz or later) – Free Memory Space: 4GB or more – Storage: 2GB or more – Monitor: 1280 x 1024 or more				
Mac System Requirement	EPSON Edge dashboard – OS: Mac OS X(10.7) or later – CPU: Multicore processor 3.0GHz (Recommend: Intel® Core™ i5 3.4GHz or later) – Free Memory Space: 4GB or more – Storage: 2GB or more – Monitor: 1280 x 1024 or more				

# SURECOLOR SIGNAGE PRINTERS

## RESIN PRINTING

### MODEL NUMBER

#### PRINT

Technology

Printhead

Maximum Resolution

Print Speed

#### INK

Ink Type

Colour

Ink Capacity

Ink Case

#### MEDIA HANDLING

Paper Path

Maximum Roll Diameter/Weight

Maximum Reel Diameter/Weight

#### CONNECTIVITY

Interface

Printer Language

Memory

#### ENVIRONMENTAL CHARACTERISTICS

Temperature

Humidity

#### DIMENSIONS & WEIGHT

Printer Dimension (W) (mm) - Max

Printer Dimension (D) (mm) - Max

Printer Dimension (H) (mm) - Max

Weight

#### SYSTEM

Win PC System Requirement

Mac System Requirement



### SC-R5030

### SC-R5030L

PrecisionCore Inkjet,  
Variable-Sized Droplet Technology

PrecisionCore TFP Printhead

1200 x 2400 dpi with 600 x 600 dpi 8 Half Tone layers

Adhesive Vinyl, Paper/Other: 9 Pass Production 15.1 m<sup>2</sup>/h  
Banner, Non-woven Wallpaper: 6 Pass Production 21.0m<sup>2</sup>/h  
Textile: 14 Pass Production 9.5 m<sup>2</sup>/h  
Film: 26 Pass Production 5.2 m<sup>2</sup>/h

UltraChrome RS Ink

Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta

1500ml

1500ml x 2

Ink Supply Unit

Friction Feed

Max. 250mm / 45kg

Max. 200mm / 45kg

USB (Hi-speed USB), 100BASE-TX/1000BASE-T

ESC/P

2GB

Operating: 15°C to 30°C  
(20°C to 32°C recommended)

Operating: 20 – 80%  
(40 to 60% recommended)

2949

1045

1774

Approx. 425kg (without ink)

Approx. 449kg (without ink)

EPSON Edge Print – OS: Windows 11, Windows 10 x64 – CPU: Intel® Core™ i7-14700 Processor (20core (8P+12E)/2.1GHz) or more – Free Memory Space: 32GB or more – Storage: 1TB (or larger) Solid State Drive or more – Monitor: 1280 x 1024 or more

EPSON Edge dashboard – OS: Mac OS X(10.7) or later – CPU: Multicore processor 3.0GHz

# SURECOLOR SIGNAGE PRINTERS

## UV PRINTING

### MODEL NUMBER

#### PRINT

Technology

Printhead

Maximum Resolution

Print Speed

#### INK

Ink Type

Colour

Ink Capacity

Ink Case

#### MEDIA HANDLING

Maximum Media Size

Maximum Media Thickness/Weight

#### CONNECTIVITY

Interface

Printer Language

Memory

#### ENVIRONMENTAL CHARACTERISTICS

Temperature

Humidity

#### DIMENSIONS & WEIGHT

Printer Dimension (W) (mm) - Storage

Printer Dimension (D) (mm) - Storage

Printer Dimension (H) (mm) - Storage

Weight

EPSON Edge dashboard – OS: Windows 7 x32/64 SP1, 8 x64, 8.1 x64, 10 x64 – CPU: Multicore processor 3.0GHz (Recommend: Intel® Core™ i5 3.4GHz or later) – Free Memory Space: 4GB or more – Storage: 2GB or more – Monitor: 1280 x 1024 or more – UV Flatbed Controller: Win8/10 64bit, 8GB M, 250GB SSD, USB 3.0

(Recommend: Intel® Core™ i5 3.4GHz or later) – Free Memory Space: 4GB or more – Storage: 2GB or more – Monitor: 1280 x 1024 or more



### SC-V1030

### SC-V7000

MicroPiezo Inkjet,  
Variable-Sized Droplet Technology

MicroPiezo Printhead

1440 x 1440 dpi

12 Pass (Colour) –  
0.89 m<sup>2</sup>/h (720 x 720 dpi)  
16 Pass (White) –  
0.65 m<sup>2</sup>/h (1440 x 720 dpi)

Epson UltraChrome  
UV Ink

Cyan, Magenta, Yellow, Black,  
White, Varnish

140ml

Ink Supply Unit

Max. 210 x 297mm

70 mm

Super-Speed USB (Compatible with the  
USB 3.0 Specification), 100BASE-TX /  
1000BASE-T / IEEE802.11b/g/n/az/ac

ESC/P raster

1 GB

Operating: 15°C to 30°C

Operating: 20 – 80%  
(40 to 60% recommended)

699

699

426

Approx. 59kg

MicroPiezo Inkjet,  
Variable-Sized Droplet Technology

MicroPiezo Printhead

720 x 1440 dpi

Colour High Speed – Up to 43.1 m<sup>2</sup>/h (360 x 720 dpi)  
Speed – Up to 23.2 m<sup>2</sup>/h (720 x 720 dpi)  
Production – Up to 15.3 m<sup>2</sup>/h (720 x 720 dpi)  
Quality – Up to 10.5 m<sup>2</sup>/h (720 x 1080 dpi)  
High Quality – Up to 4.8 m<sup>2</sup>/h (720 x 1440 dpi)

Epson UltraChrome  
UV Ink

Cyan, Magenta, Yellow, Black,  
Light Cyan, Light Magenta,  
Grey, Red, White, Varnish

1000ml

Ink Bottle

Max. 2500 x 1250mm

Max. 80mm / Max. 50kg/m<sup>2</sup> (non-concentrated)  
Suction System User Selectable 4 Zones  
(X Axis: 2 Zones. Y Axis: 2 Zones)

Super-Speed USB (Type-B)

N/A

N/A

Operating: 15°C to 35°C  
(20°C to 32°C recommended)

Operating: 20 – 80%  
(40 to 60% recommended)

4635

2768

1730

Approx. 1,370kg (with ink cartridges)

**SIGNAGE  
CONSUMABLES  
& OPTIONS**

PRINTER MODELS

**SC-S40670 / SC-S60670**



**SC-S80670**



Description

Ink Capacity

Product Code

Ink Capacity

Product Code

CONSUMABLES

Black Ink	700 ml	C13T892100	700 ml	C13T892100
Cyan Ink	700 ml	C13T892200	700 ml	C13T892200
Magenta Ink	700 ml	C13T892300	700 ml	C13T892300
Yellow Ink	700 ml	C13T892400	700 ml	C13T892400
Light Cyan Ink			700 ml	C13T892500
Light Magenta Ink			700 ml	C13T892600
Grey Ink				
Light Black Ink			700 ml	C13T892700
Orange Ink			700 ml	C13T892800
Red Ink			700 ml	C13T892900
White Ink			600 ml	C13T892A00
Metallic Silver Ink			350 ml	C13T892B00
Cleaning Liquid	350 ml	C13T696000	350 ml	C13T696000
Varnish				
Optimiser				
Maintenance Liquid				
Maintenance Parts Kit		C13S210044		C13S210044
Ink Cleaner		C13T699300		C13T699300
Cleaning Stick		C13S090013		C13S090013
Clean Room Wiper		C13S090016		C13S090016
Waste Ink Bottle		C13T724000		C13T724000
Wiper Unit				
Cleaning Kit				
Coolant				

OPTIONS

Bulk Ink Solution				
Substrate Support System		C12C932361		C12C932361
Additional Print Drying System		C12C932381		C12C932381
Option Set* *Includes Bulk Ink Solution, Substrate Support System and Curing heater.		C12C932411		C12C932411
Media Edge Plate		C12C932411		C12C932411
Media Spacer				
Head Installation Kit				
Document Pack				

**SIGNAGE  
CONSUMABLES  
& OPTIONS**

PRINTER MODELS

**SC-S60670L**



**SC-S80670L**



Description

Ink Capacity

Product Code

Ink Capacity

Product Code

CONSUMABLES



Black Ink	1500 ml	C13T45P100	1500 ml	C13T45P100
Cyan Ink	1500 ml	C13T45P200	1500 ml	C13T45P200
Magenta Ink	1500 ml	C13T45P300	1500 ml	C13T45P300
Yellow Ink	1500 ml	C13T45P400	1500 ml	C13T45P400
Light Cyan Ink			1500 ml	C13T45P500
Light Magenta Ink			1500 ml	C13T45P600
Grey Ink				
Light Black Ink			1500 ml	C13T45P700
Orange Ink			1500 ml	C13T45P800
Red Ink			1500 ml	C13T45P900
White Ink			1500 ml	C13T45PA00
Metallic Silver Ink			500 ml	C13T45PB00
Cleaning Liquid	700 ml	C13T44A500	700 ml	C13T44A500
Varnish				
Optimiser				
Maintenance Liquid				
Maintenance Parts Kit		C13S210093		C13S210093
Ink Cleaner		C13T699300		C13T699300
Cleaning Stick		C13S090013		C13S090013
Clean Room Wiper		C13S090016		C13S090016
Waste Ink Bottle		C13S210071		C13S210071
Wiper Unit				
Cleaning Kit				
Coolant				

OPTIONS

Bulk Ink Solution		C12C934611		C12C934631
Substrate Support System				
Additional Print Drying System		C12C932381		C12C932381
Option Set* *Includes Bulk Ink Solution, Substrate Support System and Curing heater.		C12C932411		C12C932411
Media Edge Plate		C12C932411		C12C932411
Media Spacer				
Head Installation Kit				
Document Pack				

**SIGNAGE  
CONSUMABLES  
& OPTIONS**

PRINTER MODELS


	SC-R5030		SC-R5030L	
				
Description	Ink Capacity	Product Code	Ink Capacity	Product Code
<b>Black Ink</b>	1500 ml	C13T48D100	1500 ml x 2	C13T45R100
<b>Cyan Ink</b>	1500 ml	C13T48D200	1500 ml x 2	C13T45R200
<b>Magenta Ink</b>	1500 ml	C13T48D300	1500 ml x 2	C13T45R300
<b>Yellow Ink</b>	1500 ml	C13T48D400	1500 ml x 2	C13T45R400
<b>Light Cyan Ink</b>	1500 ml	C13T48D500	1500 ml x 2	C13T45R500
<b>Light Magenta Ink</b>	1500 ml	C13T48D600	1500 ml x 2	C13T45R600
<b>Grey Ink</b>				
<b>Light Black Ink</b>				
<b>Orange Ink</b>				
<b>Red Ink</b>				
<b>White Ink</b>				
<b>Metallic Silver Ink</b>				
<b>Cleaning Liquid</b>			1500 ml	C13T45X100
<b>Varnish</b>				
<b>Optimiser</b>	1500 ml	C13T48D700	1500 ml x 2	C13T45R700
<b>Maintenance Liquid</b>	1500 ml	C13T48D800	1500 ml x 2	C13T45R800
<b>Maintenance Parts Kit</b>				
<b>Ink Cleaner</b>				
<b>Cleaning Stick</b>		C13S090013		C13S090013
<b>Clean Room Wiper</b>		C13S090016		C13S090016
<b>Waste Ink Bottle</b>		C13S210071		C13S210071
<b>Wiper Unit</b>		C13S210100		C13S210100
<b>Cleaning Kit</b>		C13S210103		C13S210103
<b>Coolant</b>				
<b>Bulk Ink Solution</b>				
<b>Substrate Support System</b>				
<b>Additional Print Drying System</b>				
<b>Option Set*</b> <small>*Includes Bulk Ink Solution, Substrate Support System and Curing heater.</small>		C12C935291		C12C935291
<b>Media Edge Plate</b>		C12C935321		C12C935321
<b>Media Spacer</b>		C12C937271		C12C937271
<b>Head Installation Kit</b>				
<b>Document Pack</b>				

CONSUMABLES

OPTIONS

**SIGNAGE  
CONSUMABLES  
& OPTIONS**

PRINTER MODELS

	SC-V1030		SC-V7000	
				
Description	Ink Capacity	Product Code	Ink Capacity	Product Code
<b>Black Ink</b>	140 ml	C13T53R120	1000 ml	C13T49V110
<b>Cyan Ink</b>	140 ml	C13T53R220	1000 ml	C13T49V210
<b>Magenta Ink</b>	140 ml	C13T53R320	1000 ml	C13T49V310
<b>Yellow Ink</b>	140 ml	C13T53R420	1000 ml	C13T49V410
<b>Light Cyan Ink</b>			1000 ml	C13T49V510
<b>Light Magenta Ink</b>			1000 ml	C13T49V610
<b>Grey Ink</b>			1000 ml	C13T49V710
<b>Light Black Ink</b>				
<b>Orange Ink</b>				
<b>Red Ink</b>				C13T49V810
<b>White Ink</b>	140 ml	C13T53RA20		C13T49V910
<b>Metallic Silver Ink</b>				
<b>Cleaning Liquid</b>				C13T49V010
<b>Varnish</b>	140 ml	C13T53RV20		C13T49VA10
<b>Optimiser</b>				
<b>Maintenance Liquid</b>				
<b>Maintenance Parts Kit</b>				
<b>Ink Cleaner</b>				
<b>Cleaning Stick</b>				
<b>Clean Room Wiper</b>				
<b>Waste Ink Bottle</b>				C13T724000
<b>Wiper Unit</b>		C13S210146		
<b>Cleaning Kit</b>				
<b>Coolant</b>				C13S210135
<b>Bulk Ink Solution</b>				
<b>Substrate Support System</b>				
<b>Additional Print Drying System</b>				
<b>Option Set*</b> <small>*Includes Bulk Ink Solution, Substrate Support System and Curing heater.</small>				
<b>Media Edge Plate</b>				
<b>Media Spacer</b>				
<b>Head Installation Kit</b>				C12C935921
<b>Document Pack</b>				C12C936421

CONSUMABLES

OPTIONS