


INDUSTRY-GRADE PRECISION FOR WIDE-GAMUT IMAGING.

SC-P20530
64" Photo Printer

1.6L
Bulk Ink Solution

Exceptional colour accuracy and reliability for high-volume workflows.


The Epson SureColor P20530 is a 64-inch professional printer featuring PrecisionCore MicroTFP technology and 12-colour UltraChrome PRO ink, delivering outstanding detail, colour accuracy, and productivity for high-end print environments.



12-Channel
Printhead




Black Enhanced
Overcoat



4.3" Optical Touch
Colour LCD



Wide Colour
Gamut



Up to 1.5mm
Media Thickness



1.6L Ink
Supply Unit

ENGINEERED FOR good

ULTRACHROME
PRO 12 INK



GO GENUINE
Original Supplies, Quality Prints



Wide Colour Gamut

UltraChrome PRO 12 pigment ink system with Orange, Green, and Violet delivers expanded colour range and accurate reproduction across diverse professional media.

Superior Image Detail

PrecisionCore MicroTFP printhead with 9,600 nozzles ensures rich tonal depth, smooth gradations, and consistent, high-resolution output for photos and fine art.

Streamlined Productivity

Intuitive 4.3" touchscreen and flexible media handling with high-capacity ink support efficient operations for demanding, high-volume workflows.



Fine art printing




Advertising signage

From gallery-ready photography and fine art reproduction to colour-critical proofs and high-volume commercial printing, the Epson SureColor P20530 delivers consistent, professional results at scale.

Photographic Perfection and Accuracy

PrecisionCore MicroTFP Printhead

With two additional lines supporting the 12 colour ink set and 9,600 nozzles, this printer features dedicated channels for PK and MK black, reducing both printing time and ink consumption for greater efficiency.



Two additional lines support the 12-colour ink set.

Unparalleled 99%¹ PANTONE Coverage

Achieve unparalleled colour accuracy and impeccable print quality for both colour and monochrome reproductions.




Wide Colour Gamut with 12-colour Ink Set

Utilising UltraChrome PRO 12 ink with the addition of Orange, Green, and Violet colours, the SC-P20530 offers a wider colour gamut, making it ideal for highly accurate and vibrant fine art and photographic prints.



10-colour ink set



12-colour ink set



ULTRACHROME
PRO 12 INK

¹ 99% coverage of PANTONE® Solid Coated colour palette based on Epson Proofing Paper White Semimatte printed with Epson Edge Print PRO at 2400 x 1200 dpi. PANTONE coverage may vary when printed under other conditions. PANTONE® and other Pantone trademarks are trademarks or registered trademarks of Pantone LLC in the United States and/or other countries. PANTONE Trademarks used under License Agreement between Pantone LLC and Seiko Epson Corporation. All rights reserved.

Deeper Blacks and Greater Tonal Expression

Superior Black Enhancement

Epson's Black Enhanced Overcoat (BEO) mode deepens black density and contrast using Light Grey ink, delivering smoother tones with reduced bronzing² for premium black-and-white fine art prints.



Overcoat **OFF**

Overcoat **ON**

Deeper Black Density

Produces richer, more solid blacks for greater depth and visual impact in black-and-white and dark-toned images.

Improved Contrast

Enhances separation between highlights and shadows, delivering clearer detail and stronger image definition.

Smooth Tonality

Achieves refined grey transitions and natural tonal gradations for expressive monochrome reproduction.

Reduced Bronzing²

Minimises surface reflections to ensure a more consistent appearance under different lighting conditions.

² Only on glossy paper.

Simplified Operation and Increased Productivity

Intuitive Touchscreen Control

The 4.3-inch colour touchscreen provides clear, responsive access to printer settings and job status, simplifying operation and reducing setup time.



High-Capacity Ink System

The 1.6-litre bulk ink supply supports extended print runs with fewer ink changes, improving productivity while helping reduce operational waste.



1.6L Ink Packs

Centralised Fleet Management

Epson Cloud Solution PORT

Epson Cloud Solution PORT makes printer fleet management simple. Monitor and manage printers across multiple sites from a PC or mobile device, all through a single intuitive interface, improving efficiency and troubleshooting with ease.



SPECIFICATIONS

MODEL NUMBER	SC-P20530
SKU Number	C11CK99402
Printing Technology	PrecisionCore Inkjet Technology, Variable-Sized Droplet Technology
Printing Method	PrecisionCore MicroTFP Printhead
Print Head	
Nozzle Configuration	9,600 Nozzles
Black	PK, MK, GY, LGY: 800 Nozzles
Colour	C, VM, Y, LC, VLM, OR, GR, V: 800 Nozzles
Maximum Resolution	2,400 x 1,200 dpi
Minimum Ink Droplet Volume	3.5pl
Printing Specifications	
Print Speed	Level 1: Approx. 122 m²h Printed on Plain Paper Draft
Line Accuracy	±0.2% or ±.26 mm (whichever greater)
Ink System	
Ink Type	Pigment Ink
Ink Brand Name	UltraChrome PRO 12 Ink
Colours	Photo Black, Cyan, Vivid Magenta, Yellow, Matte Black, Grey, Light Grey, Light Cyan, Vivid Light Magenta, Orange, Green, Violet
Ink Capacity	1,600ml
Ink Housing	Ink Supply Unit
Paper Handling	
Paper Path	Roll (Single Roll), Cut Sheet (Manual Feed), Poster Board (Manual Feed)
Paper Feed Method	Friction Feed
Paper Width (Roll)	254 (10") – 1,626 (64") mm
Paper Width (Cut Sheet)	210 (A4) – 1,118 (44") mm
Paper Thickness (Roll)	0.08 – 0.5 mm
Paper Margin (Cut Sheet)¹	With Border (Top, Right, Left): Min. 3 mm / (Bottom): Min 14 mm Borderless (Top): Min. 3 mm / (Bottom): Min 14 mm / (Right, Left): Min. 0 mm
Paper Margin (Roll)¹¹	With Border (Top, Right, Left, Bottom): Min. 3 mm Borderless (Top, Right, Left, Bottom): Min. 0 mm
Maximum Printable Length²	91 m
Maximum Reel Diameter³	Max. 190 mm
Maximum Reel Weight³	Max. 24 Kg
Maximum Roll Diameter³	Max. 170 mm
Maximum Reel Weight³	Max. 24 Kg
Borderless Sizes	254mm (10"), 300mm (11.8"), 330mm (A3+/A3++), 406mm (16"), 432mm (17"/USC), 508mm (20"), 515mm (20.3"/B2), 594mm (A1), 610mm (24"/A0+), 728, (29"/B1), 841mm (A0), 914mm (36"/A0+), 1,030mm (B0), 1,118mm (44"/B0+), 1,270mm (50"), 1,372mm (54"), 1,524mm (60"), 1,626mm (64")
Roll Paper Remaining	The remaining amount is managed by the barcode printed on roll paper
Control Panel	4.3" Optical Touch Colour LCD
Connectivity	
Interface	SuperSpeed USB, 100BASE-TX / 1000BASE-T (Option)
Printer Language	ESC/P raster, Adobe PostScript 3⁴, Adobe PDF 1.7⁴, TIFF⁴, JPEG⁴, CALS G4 (Type I)⁴, EPS⁴
USB Direct Print	Yes
Memory	Physical 6GB (Printer H/W)
Electrical Specifications	
Voltage	AC 100 – 240V, 50/60Hz
Rated Current	AC 100V 3.4AAC 100-240V 3.4-1.6A
Power Consumption	Operating: Approx. 95W, Sleep: Approx. 2.2W, Standby: Approx. 0.5W
Environmental Conditions	
Temperature	Operating: 10°C to 35°C / Storage: -20°C to 40°C
Humidity	Operating: 20% to 80% (no condensation), Storage: 5% to 85% (no condensation)
Supported Operating System	
PC	Windows 11/10/8.1/8/7, CPU: Core 2 Duo 3.05 GHz Memory: 4GB or more, HDD (Free space during installation): 64GB or more
Mac	Mac OS X (10.9.5 or later), CPU: Core 2 Duo 3.05 GHz, Memory: 2GB or more, HDD (Free space during installation): 32GB or more
Utility Software	
Bundled in CD	User's Guide (EN), Network Guide (EN) , LFP RemotePanel 2, Epson Color Calibration Utility, EpsonNet Setup, EpsonNet Config, EpsonNet Print (Windows only)
Web Delivery	LFP Accounting Tool (Job monitoring, consumable cost tracking), HDD Utility software (Web download)
What's In The Box	Main unit, AC power cable, Setup guide, Software CD-ROM, Maintenance box

Dimensions and Weight

SC-P20530 (Stowed Position)

Weight: Approx. 224 kg



Inks (1600ml)

Photo Black	C13T56J100
Cyan	C13T56J200
Vivid Magenta	C13T56J300
Yellow	C13T56J400
Light Cyan	C13T56J500
Vivid Light Magenta	C13T56J600
Grey	C13T56J700
Matte Black	C13T56J800
Light Grey	C13T56J900
Orange	C13T56JA00
Green	C13T56JB00
Violet	C13T56JD00

Options and Consumables

Auto Cutter Spare Blade	C13S210040
Bulk Ink Solution	C12C939161
Cleaning Sheet	C13S400045
Cleaning Stick	C13S090013
Maintenance Box	C13T619300
Auto Take-up Reel Unit	C12C932201
Roll Adapter	C12C932231
SSD Unit	C12C936671
Adobe® PostScript® 3™ Expansion Unit	C12C939191

©2026 Epson Singapore Pte Ltd. All Rights Reserved.
Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited.

EPSON is a registered trademark of Seiko Epson Corporation.

All other product and company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Dealer's Stamp

Information correct at time of printing.
Printed April 2026

¹ Might differ depends on applications/media.

² Auto Take-up Reel Unit (Option) is needed.

³ Printable length is limited depending on restrictions of operating systems or applications.

⁴ Adobe® PostScript® 3™ Expansion Unit is needed.