

EXCEPTIONAL IMAGE QUALITY WITH THE NEXT-GENERATION OF SIGNAGE PRINTING.



Maximise performance and efficiency with the SureColor S-Series signage printers.

The next-generation Epson SureColor S7130/S8130/S9130 delivers superior image quality featuring PrecisionCore MicroTFP Printhead technology and a 11 colour UltraChrome GS3 ink set. Designed for professional sign shops and print service providers, these printers provide consistent, durable results for both indoor and outdoor signage.

ENGINEERED FOR **good**

Epson Edge Print PRO

EPSON ULTRACHROME
GS3_{ink}



Exceptional Print Quality

Experience faster print speed with the latest Epson technology. The improved printhead drives higher productivity with an increased nozzle count.


Super Reliability

Achieve uninterrupted high-volume printing with intelligent temperature control, automatic nozzle compensation, and efficient drying performance.

Engineered For Convenience

Epson's solutions such as Epson Cloud Solution PORT and Epson Edge Print PRO helps with ease of use and remote management during operations.

High Performance Eco-Solvent Printing



A low-profile,
clear flat-top design
allows easy monitoring of
production status.



Precision and Performance in Every Print

Next-Generation Printhead

The Epson SureColor S-Series features the PrecisionCore MicroTFP printhead for faster, high-quality printing across all modes, boosting productivity and precision for professional signage and graphics.

Exceptional Colour Precision & Detail


With Epson UltraChrome inks, colours are vibrant and consistent, and reduced banding that remains less visible for uninterrupted productivity.



Consistent Colour Reproduction


Nozzle Ink Temperature Sensor

The new temperature sensor ensures consistent temperature control for improved colour accuracy from the first print to the last.



Nozzle Verification Technology

The Nozzle Verification Technology (NVT) automatically detects and compensates* for clogged nozzles.



* Automatic nozzle compensation is not supported on SC-S7130.

Uninterrupted, Efficient Printing

Printhead Guard for Enhanced Durability

Only for SC-S7130

The SC-S7130 is equipped with a newly designed printhead guard that helps flatten jammed media and prevents printhead damage.

Hot Swap Ink System

Only for SC-S8130


Epson's advanced Hot Swap Ink System automatically switches to a backup ink pack the moment one runs out — with zero interruption to your print job.



Drying Fan for Faster, Smudge-Free Prints

Available for SC-S7130/S8130/S9130

The drying fan speeds up media drying after print while preventing smudges and condensation, delivering consistently sharp, vibrant prints.



Enhanced White Ink Output

Only for SC-S9130

The dual white ink channel enables higher white opacity output in less time, improving efficiency while maintaining vibrant, consistent results.




Optimised Colour & Ink Efficiency

Expanded Colour Range with 11-Colour Ink Set

Only for SC-S9130

Choose between two configurations, depending on your needs of white or varnish inks.

Configuration 1



Configuration 2



Flexible Bulk Ink Options for High Productivity

Only for SC-S8130 & S9130

Choose the pack size that matches your needs for maximum efficiency and uninterrupted operation.



GREENGUARD Gold Certified

Epson UltraChrome GS3 eco-solvent inks meet strict GREENGUARD Gold emissions standards, ensuring safer, low-emission printing suitable for indoor environments. This certification helps support healthier workspaces while maintaining vibrant, professional-quality results.



Enhanced Usability & Media Handling


Effortless Media Lifter

Bundled media lifter allows for easier loading of heavy media.



Reliable Media Feeding

Designed for high-volume signage production, these printers support single-roll, friction-feed media up to 1,625.6 mm wide and 45 kg in weight.



Large Display Panel

The new adjustable-tilt 4.3-inch optical touch panel delivers reliable touch operation, even when used with gloves.



Epson Total Solution

Connect. Optimise. Grow

At Epson, we understand that having real-time information at your fingertips is vital to daily operations. That's why we introduced Epson Cloud Solution PORT — an intuitive, cloud-based remote monitoring software. Monitor and manage your fleet of printers efficiently across multiple sites or a single location. Access PORT from PCs, tablets, or smartphones, keeping your operations connected wherever you are.


Epson Cloud Solution PORT

Fleetwide Printer Management

Maximise productivity and business growth with intelligent, intuitive production monitoring. A clear, simple dashboard aggregates usage data across your fleet, providing actionable insights to make critical business decisions with confidence.

Remote Monitoring System

Designed for simplicity and security, Epson Cloud Solution PORT offers a live view of printer production, equipment utilisation, and service status. Optimise workflow, manage efficiency, and proactively reduce downtime across your Epson printer fleet.



Find out more at www.epson.com.sg/cloud-solution-port

*All features of this system require an active internet connection and use of a supported browser.

Epson Edge Print PRO

Sharper, More Precise Printing

Edge Print PRO unlocks powerful image-processing for the S-Series printers. Its new "Text Sharpness" mode enhances fine text output, delivering crisp, precise lines – even with very small fonts.

Together with "Smooth Graininess" mode, it reduces grain and banding on graphics.

board. Be
unforgettable

Terms and conditions apply. Cr
availability. Taxes, fees, and po
notice. Offer valid for a limite

Escape

Set sail on a breathtak
Discover crystal-clear water
vibrant island cultures – all w
onboard. Book your dream
unforgettable memories under the sun!

Terms and conditions apply. Cruise prices are per person, based on double occupancy, and subject to availability. Taxes, fees, and port expenses are additional. Itinerary and pricing are subject to change without notice. Offer valid for a limited time only. Please review the full terms and conditions before booking.

SPECIFICATIONS

MODEL NUMBER	SC-S7130	
SKU Number	C11CL67402	
Printing Technology	PrecisionCore Inkjet Technology	
Technology 1	Variable-Sized Droplet Technology	
Technology 2	PrecisionCore MicroTFP Printhead	
Printhead	3,200 nozzles	
Nozzle Configuration	(400 nozzle/row x 2 row/colour x 4 colour)	
Maximum Resolution	1,200 x 1,200 dpi	
Maximum Ink Droplet Volume	4.3 pl	
Printing Specifications	4 Pass – Up to 19.2m ² /h (Banner 600 x 600 dpi)	
Print Speed	6 Pass – Up to 13.5m ² /h (PVC 600 x 1,200 dpi)	
	16 Pass – Up to 4.7m ² /h (Film 1,200 x 1,200 dpi)	
Print Margin (Roll Paper)	5 mm (Right/Left)	
Ink System	Eco-Solvent Ink	
Ink Types	Epson UltraChrome GS3 Ink	
Ink Brand Name	Cyan, Magenta, Yellow, Black	
Colours	800 ml	
Ink Capacity	Ink Pack	
Ink Housing	Media Handling	
Paper Path	Roll (Single Roll)	
Paper Feed Method	Friction Feed	
Maximum Roll Diameter	250 mm	
Maximum Roll Weight	45 kg	
Maximum Reel Diameter	200 mm	
Paper Width (Roll)	300 – 1625.6mm (64")	
Paper Thickness	Up to 1 mm	
Control Panel	4.3-inch Optical Touch Colour LCD	
Connectivity	Super-Speed USB ¹ , 100BASE-TX/1000BASE-T	
Interfaces	ESC/P raster	
Printer Language	Memory	
Memory	1GB	
Operating System Requirements	OS: Windows 8.1 or later, CPU: Intel® Core™ i3 3.0 GHz or faster,	
PC System Requirement	Memory: 8GB or more, Storage: 50GB or more	
Mac	Mac OS 10.7 or later	
Utility Software	Windows: Communication Driver, Installer Package, Web Installer,	
Web Delivery	Software Updater, Firmware Updater, EpsonNet Print, EpsonNet Setup,	
	EpsonNet Config SE, Manual Package, Epson Manual Launcher,	
	Epson Edge Print PRO, Epson Edge Dashboard, Epson Edge Color,	
	Epson Device Admin	
	Mac OS: Firmware Updater, Epson Edge Dashboard	
Electrical Specifications	Main Unit: AC 100 – 240V, 50/60Hz	
Voltage	Drying Fan: 100/200V	
Power Consumption	Main Unit	Drying Fan
	Operating: Approx. 1,100W,	Operating: Approx. 45W,
	Ready: Approx. 520W,	Ready: Approx. 1W,
	Sleep: Approx. 3.0W	Sleep: Approx. 1W
	Power Off (Stand by): Approx. 0.3W	Power Off (Stand by): Approx. 0.3W
Environmental Conditions	Operating: 15 °C – 35 °C, Storage: -20 °C – 40 °C	
Temperature	Operating: 20 – 80% (no condensation), Storage: 5 – 85% (no condensation)	
Humidity	Less than Approx. 61dB	
Sound Pressure	Less than Approx. 7.9B	
Sound Power	Printer, Ink Packs (800ml), Epson Edge Print PRO RIP, Power Cord,	
What's In The Box	Maintenance Parts Kit, Waste Ink Bottle, Ink Cleaner, Cleaning Sticks,	
	User Guide Kit	

¹ Compatible with the USB 3.0 specification.

Dimensions & Weight

Weight: 278 kg (without inks)



Inks

800ml

Black	C13T51S100
Cyan	C13T51S200
Magenta	C13T51S300
Yellow	C13T51S400

Options and Consumables

Cleaning Liquid	C13T56L000
Maintenance Parts Kit	C13S210164
Ink Cleaner	C13T699300
Cleaning Stick	C13S090013
Clean Room Wiper	C13S090016
Waste Ink Bottle	C13T724000
Substrate Support	C12C932361
System	
Additional Print Drying	C12C932381
System	
Media Edge Plate	C12C932411

©2026 Epson Singapore Pte Ltd. All Rights Reserved.
Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited.

EPSON is a registered trademark of Seiko Epson Corporation.

All other product and company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Dealer's Stamp

SPECIFICATIONS

MODEL NUMBER	SC-S8130		SC-S9130	
SKU Number	C11CL39402		C11CL38402	
Printing Technology	PrecisionCore Inkjet Technology			
Technology 1	Variable-Sized Droplet Technology			
Technology 2	PrecisionCore MicroTFP Printhead			
Printhead	9,600 nozzles		9,600 nozzles	
Nozzle Configuration	(400 nozzle/row x 4 row/colour x 6 colour)		(400 nozzle/row x 2 row/colour x 10 colour)	
			(400 nozzle/row x 4 row/colour x 1 colour)	
Maximum Resolution	1,200 x 1,200 dpi			
Maximum Ink Droplet Volume	4.4 pl		4.3 pl	
Printing Specifications				
Print Speed	4 Pass - Up to 36.3m²/h (Banner 600 x 600 dpi)		6 Pass - Up to 20.1m²/h (Banner 600 x 600 dpi)	
	6 Pass - Up to 23.4m²/h (PVC 1,200 x 600 dpi)		10 Pass - Up to 14.0m²/h (PVC 1,200 x 600 dpi)	
	16 Pass - Up to 8.9m²/h (Film 1,200 x 1,200 dpi)		17 Pass - Up to 7.2m²/h (Film 1,200 x 600 dpi)	
Print Margin (Roll Paper)	5 mm (Right/Left)			
Ink System	Eco-Solvent Ink			
Ink Types	Epson UltraChrome GS3 Ink			
Ink Brand Name	Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta		Cyan, Magenta, Yellow, Black, Light Cyan, Light Magenta, Light Black, Orange, Red, Green, White or Cleaning Liquid	
Colours				
Ink Capacity	800 ml / 1,500 ml			
Ink Housing	Ink Pack			
Media Handling				
Paper Path	Roll (Single Roll)			
Paper Feed Method	Friction Feed			
Maximum Roll Diameter	250 mm			
Maximum Roll Weight	45 kg			
Maximum Reel Diameter	250 mm			
Paper Width (Roll)	300 – 1625.6mm (64")			
Paper Thickness	Less than 1 mm			
Control Panel	4.3-inch Optical Touch Colour LCD			
Connectivity				
Interfaces	Super-Speed USB¹, 100BASE-TX/1000BASE-T			
Printer Language	ESC/P raster			
Memory	4GB			
Operating System Requirements				
PC System Requirement	OS: Windows 10 or later, CPU: Intel® Core™ i3 3.0 GHz or faster, Memory: 8GB or more, Storage: 50GB or more		OS: Windows 8.1 or later, CPU: Intel® Core™ i3 3.0 GHz or faster, Memory: 8GB or more, Storage: 50GB or more	
Mac	Mac OS 10.7 or later			
Utility Software				
Web Delivery	Windows: Communication Driver, Installer Package, Web Installer, Software Updater, Firmware Updater, EpsonNet Print, EpsonNet Setup, EpsonNet Config SE, Manual Package, Epson Manual Launcher, Epson Edge Print PRO, Epson Edge Dashboard, Epson Edge Color, Epson Device Admin Mac OS: Firmware Updater, Epson Edge Dashboard			
Electrical Specifications				
Voltage	Main Unit: AC 100 – 240V, 50/60Hz Drying Fan: AC 100 – 240V, 50/60Hz			
Power Consumption	Operating: Approx. 1,350W, Ready: Approx. 500W, Sleep: Approx. 3.4W Power Off (Stand by): Approx. 0.3W		Operating: Approx. 1,190W, Ready: Approx. 500W, Sleep: Approx. 3.4W Power Off (Stand by): Approx. 0.3W	
Environmental Conditions				
Temperature	Operating: 15 °C – 35 °C, Storage: -20 °C – 40 °C			
Humidity	Operating: 20 – 80% (no condensation), Storage: 5 – 85% (no condensation)			
Sound Pressure	Less than 60.5dB			
Sound Power Level	Less than 7.9B			
Safety	Singapore (PSB), Cambodia			
Environmental Certifications	WEEE, RoHS			
Environmental Labelling	GREENGUARD			
What's In The Box	Printer, Media Lifter, Epson Edge Print PRO, User Guide Kit, Warranty Sheet, AC Cable, Waste Ink Bottle, Take up roll core (64"), Maintenance Parts Kit, Grease Kit		Printer, Media Lifter, Epson Edge Print PRO, User Guide Kit, Warranty Sheet, AC Cable, Waste Ink Bottle, Take up roll core (64"), Maintenance Parts Kit, Ink Cleaner	

Dimensions & Weight

SC-S8130
Weight: 340 kg (without inks)



SC-S9130
Weight: 342 kg (without inks)



Inks	
800ml	
Black	C13T51S100
Cyan	C13T51S200
Magenta	C13T51S300
Yellow	C13T51S400
Light Cyan	C13T51S500
Light Magenta	C13T51S600
Light Black	C13T51S700
Orange	C13T51S800
Red	C13T51S900
Green	C13T51SF00
White	C13T51SA00

1500ml	
Black	C13T51Y100
Cyan	C13T51Y200
Magenta	C13T51Y300
Yellow	C13T51Y400
Light Cyan	C13T51Y500
Light Magenta	C13T51Y600
Light Black	C13T51Y700
Orange	C13T51Y800
Red	C13T51Y900
Green	C13T51YF00
White	C13T51YA00

Options and Consumables	
Cleaning Liquid	C13T56L000
Maintenance Parts Kit	C13S210153
Ink Cleaner	C13T699300
Cleaning Stick	C13S090013
Clean Room Wiper	C13S090016
Waste Ink Bottle	C13T724000

©2026 Epson Singapore Pte Ltd. All Rights Reserved.
Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited.

EPSON is a registered trademark of Seiko Epson Corporation.

All other product and company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Dealer's Stamp

¹ Compatible with the USB 3.0 specification.

Optimised Printing Solutions for Every Application

Eco-solvent inks deliver excellent performance for a wide range of indoor and outdoor signage, especially on PVC substrates. They provide a broad colour gamut, reliable output quality, and an economical cost per print – making them a versatile and convenient choice for everyday printing needs.

Outdoor Advertisement



Window Decal



Events & Exhibitions



Retail Signage



Product Display




Wallpaper



Floor Sticker



Fine Art Reproduction



Vehicle Wrap

