

ENGINEERED FOR good

EPSON

SUDAH
BERSERTIFIKAT
TKDN



BANGGA BUATAN
INDONESIA



EPSON
TKDN
KATALOG
PRODUK



**BANGGA
KARYA
ANAK
BANGSA**

KONTRIBUSI EIN

MENGENAL TKDN DAN MANFAATNYA

APA ITU TKDN?

Tingkat Komponen Dalam Negeri (TKDN) merupakan suatu aspek penting dalam hal rantai pasokan di dalam negeri. Secara garis besar TKDN adalah nilai persentase dari komponen berbagai produksi di dalam negeri. Adapun Komponen Produk barang TKDN meliputi aspek produksi (material yang digunakan, kewarganegaraan tenaga kerja, serta negara kepemilikan alat kerja yang digunakan) dan aspek pengembangan (Piranti Lunak, Desain Industri, dan Desain Tata Letak).

Penerapan TKDN dalam pengadaan barang dan jasa dalam pemberdayaan industri dalam negeri, merupakan upaya pemerintah dalam meningkatkan P3DN (Penggunaan Produk Dalam Negeri).*

MANFAAT TKDN

TKDN memiliki berbagai manfaat bagi pemerintah maupun masyarakat Indonesia. Secara singkat, penerapan TKDN dapat meminimalisasi produk impor dan meningkatkan daya saing produk di dalam negeri.

- Tercipta Lapangan Kerja Baru
- Penghematan Devisa Negara
- Meningkatkan Pemasukan PPh
- Dukungan Untuk Ekonomi Dalam Negeri
- Meningkatkan Rasa Bangga dengan Produk Dalam Negeri



Berdasarkan Peraturan Menteri Perindustrian No.16 Tahun 2011:

- Berinvestasi di Indonesia
- Bertlokasi di Indonesia
- Berproduksi di Indonesia

KOMITMEN EPSON MENDUKUNG TKDN



PRINTER BISNIS INKJET

(BUSINESS INKJET PRINTER)

Total Nilai
TKDN + BMP

37.48%



L15150



Printer Type	Print, Scan, Copy, Fax with ADF
Technology	PrecisionCore™ Printhead
Ink	4 Colours Epson Genuine Ink Bottle
Print Resolution	4800 x 2400 dpi (with Variable-sized Droplet Technology)
Print Speed	Approx; 32.0 ppm / 22.0 ppm
Copy Resolution	600 x 600 dpi
Copy Speed	23.0 ipm / 10.0 ipm
Scan Resolution	1200 x 2400 dpi
Scan Speed	Black 200 dpi : Flatbed : 5 sec / ADF (Simplex / Duplex) : 26.0 ipm / 11.5 ipm Colour 200 dpi : Flatbed : 10 sec / ADF (Simplex / Duplex) : 9.0 ipm / 6.0 ipm
Connectivity	USB 2.0 Hi-speed, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct
Epson Connect	Epson iPrint, Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solutions	Apple AirPrint, Mopria Print Service, Epson Smart Panel
Warranty	2 years or 80.000 pages
Ink Model	008

Total Nilai
TKDN + BMP

38.57%



L15160



Printer Type	Print, Scan, Copy, Fax with ADF
Technology	PrecisionCore Printhead
Ink	4 Colours Epson Genuine Ink Bottle
Print Resolution	4800 x 2400 dpi (with Variable-sized Droplet Technology)
Print Speed	Approx; 32.0 ppm / 32.0 ppm
Copy Resolution	600 x 600 dpi
Copy Speed	23.0 ipm / 23.0 ipm
Scan Resolution	1200 x 1200 dpi
Scan Speed	Black 200 dpi : Flatbed : 5 sec / ADF (Simplex / Duplex) : 26.0 ipm / 11.5 ipm Colour 200 dpi : Flatbed : 10 sec / ADF (Simplex / Duplex) : 9.0 ipm / 6.0 ipm
Connectivity	USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct (8 connections)
Epson Connect	Epson iPrint, Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solutions	Apple AirPrint, Mopria Print Service
Warranty	2 years or 80.000 pages
Ink Model	008

PRINTER BISNIS INKJET

(BUSINESS INKJET PRINTER)

EPSON TKDN – PDN

Total Nilai TKDN + BMP
38.38%



L15180



Printer Type: Print, Scan, Copy, Fax with ADF
 Technology: PrecisionCore Printhead
 Ink: 4 Colours Epson Genuine Ink Bottle
 Print Resolution: 4800 x 1200 dpi (with Variable-sized Droplet Technology)
 Print Speed: Approx; 32.0 ppm / 32.0 ppm
 Copy Resolution: 600 x 600 dpi
 Copy Speed: 23.0 ipm / 23.0 ipm
 Scan Resolution: 1200 x 2400 dpi
 Scan Speed: Black 200 dpi : Flatbed : 5 sec / ADF (Simplex / Duplex) : 26.0 ipm / 11.5 ipm
 Colour 200 dpi : Flatbed : 10 sec / ADF (Simplex / Duplex) : 9.0 ipm / 6.0 ipm
 Connectivity: USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct (8 connections)
 Epson Connect: Epson iPrint, Email Print, Remote Print Driver, Scan to Cloud
 Other Mobile Solutions: Apple AirPrint, Mopria Print Service
 Warranty: 2 years or 80.000 pages
 Ink Model: 008

Total Nilai TKDN + BMP
47.96%



M15140



Printer Type: Print, Scan, Copy, ADF
 Technology: PrecisionCore™ Printhead
 Ink: Black Pigment Epson genuine Ink Bottle
 Print Resolution: 4800 x 2400 dpi (with Variable-sized Droplet Technology)
 Print Speed: up to 32.0 ppm
 Copy resolution: 600 x 600 dpi
 Copy speed: up to 23.0 ipm
 Scan Resolution: 1200 x 2400 dpi
 Scan Speed: Black 200 dpi : Flatbed : 5 sec / ADF (Simplex / Duplex) : 26.0 ipm / 11.5 ipm
 Connectivity: USB 2.0, Ethernet, Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct
 Epson Connect: Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
 Other Mobile Solution: Apple AirPrint, Mopria Print Service, Smart Panel
 Warranty: 4 years or 150.000 pages
 Ink Model: 008

PRINTER BISNIS INKJET

(BUSINESS INKJET PRINTER)

Total Nilai
TKDN + BMP
45.07%



M15180



Printer Type	Print, Scan and Copy with ADF
Technology	PrecisionCore Printhead
Ink	Black Pigment Epson Genuine Ink Bottle
Print Resolution	4800 x 2400 dpi [with Variable-sized Droplet Technology]
Print Speed	Up to 32 ppm
Copy Resolution	600 x 600 dpi
Copy Speed	Up to 23 ipm
Scan Resolution	1200 x 2400 dpi
Scan Speed	Black 200 dpi : Flatbed : 5 sec / ADF (Simplex / Duplex) : 26.0 ipm / 11.5 ipm
Connectivity	Colour 200 dpi : Flatbed : 10 sec / ADF (Simplex / Duplex) : 9.0 ipm / 6.0 ipm
Epson Connect	USB 2.0, Ethernet, Wi-Fi (IEEE 802.11b/g/n, Wi-Fi Direct (8 connections))
Other Mobile Solutions	Epson iPrint, Email Print, Remote Print Driver, Scan to Cloud
Warranty	Apple AirPrint, Mopria Print Service
Ink Model	4 years or 150,000 pages
	008

WORKFORCE PRO WF-C579R



Total Nilai
TKDN + BMP
31.63%



Print Tech	PrecisionCore™ Printhead
Print Type	Print, Scan, Copy, Fax with ADF
Print Resolution	4,800 x 1,200 dpi [with Variable-Sized Droplet Technology]
Print Speed	Up to 34 ppm / 34 ppm (Black#1 / Colour#2) - Draft Text - Memo (A4)
Copy Speed	Up to 24 ipm / 24 ipm (Black / Colour) - ISO 24734, A4, Simplex
Scan Speed	Up to 22 ipm / 22 ipm (Black / Colour) - ISO 29183, A4, Simplex
Scan Resolution	Up to 22 ipm / 22 ipm (Black / Colour) - ISO 24735, A4, 1:1
Paper Size	Monochrome 200 dpi: 5 sec (flatbed, A4 Landscape)
Power Consumption	Colour 200 dpi: 5 sec (flatbed, A4 Landscape)
Connectivity	ADF (duplex), 5 sec / 24 ppm / 8 ipm
Epson Connect	1,200 x 2,400 dpi
Other Mobile Solutions	A4, 8.5x13", Legal, Letter, Executive, B5, A5, A6, B6, 5x7", 16:9 wide, 4x6", Envelopes: #10, DL, C6, C4
Consumable	Operating: 29 Watt
	Standby: 14 Watt
	Sleep: 1.3 Watt
	USB 2.0, Ethernet, Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct
	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
	Apple AirPrint, Google Cloud Print, Mopria Print Service
	Up to 50,000 pages* ink packs

PRINTER BISNIS INKJET

(BUSINESS INKJET PRINTER)

Total Nilai
TKDN + BMP

41.59%



L6550



Printer Type	Print, Scan, Copy, Fax with ADF
Technology	PrecisionCore™ Printhead
Print Resolution	4,800 x 2,400 dpi
Print Speed	Up to 32 ppm / 22 ppm 25/12 ipm (ISO doc)
Copy Resolution	600 x 600 dpi
Copy Speed	Up to 23 ipm / 10 ipm
Scan Resolution	1,200 x 2,400 dpi
Scan Speed	Monochrome: 200dpi Up to 5.0sec / 27.5 ppm / 11 ipm Colour: 200dpi Up to 10sec / 9.0 ppm / 6.0 ipm
Connectivity	USB 2.0, Ethernet (100BASE-TX/10BASE-T), Wi-Fi (IEEE 802.11 b/g/n), Wi-Fi Direct
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solution Ink Model	Apple AirPrint, Mopria Print Service 008

Total Nilai
TKDN + BMP

41.11%



L6580



Printer Type	Print, Scan, Copy, Fax with ADF
Technology	PrecisionCore™ Printhead
Ink	4 Colours Epson Genuine Ink Bottle
Print Resolution	4,800 x 1,200 dpi
Print Speed	Up to 32 ppm / 32 ppm 25/25 ipm (ISO doc)
Copy Resolution	600 x 600 dpi
Copy Speed	Up to 23 ipm / 23 ipm
Scan Resolution	1,200 x 2,400 dpi
Scan Speed	Monochrome: 5 sec / Up to 27.5 ipm / 11.5 ipm Colour: 10 sec / Up to 9.0 ipm 6.0 ipm
Connectivity	USB 2.0, Ethernet (100BASE-TX/10BASE-T), Wi-Fi (IEEE 802.11 b/g/n), Wi-Fi Direct
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solution Ink Model	Apple AirPrint, Mopria Print Service 008

PRINTER BISNIS INKJET

(BUSINESS INKJET PRINTER)

Total Nilai
TKDN + BMP

39.26%



WORKFORCE PRO WF-C878R



Print Method	PrecisionCore™ Print Head
Max Resolution	4,800 x 1,200 dpi (with Variable-Sized Droplet Technology)
Min Droplet Size	4.6 pl
Print Speed	Max Draft Text - Memo (A4) : Approx. 35 ppm / 35 ppm (Black / Colour) ISO 24734, A4, Simplex : Approx. 25 ipm / 24 ipm (Black / Colour) ISO 24734, A4, Duplex : Approx. 17 ipm / 16 ipm (Black / Colour) ISO 24734.2, A3, Simplex : Approx. 13 ipm / 13 ipm (Black / Colour) ISO 24734.2, A3, Duplex : Approx. 11 ipm / 11 ipm (Black / Colour)
Copy Resolution	600 x 600 dpi
Copy Speed	ISO 29183, A4, Simplex (Flatbed) Approx. 23 ipm / 22 ipm (Black / Colour) ISO 24735, A4, Simplex (ADF) Approx. 21 ipm / 21 ipm (Black / Colour) ISO 24735, A4, Duplex (ADF) Approx. 15 ipm / 15 ipm (Black / Colour)
Scan Resolution	1,200 x 2,400 dpi
Scan Speed	[A4 Landscape, Flatbed / ADF Simplex / ADF Duplex] Monochrome 200 dpi: 4.0 sec / 25 ppm / 45 ipm Colour 200 dpi: 5.0 sec / 25 ppm / 45 ipm
Memory	3,072 MB



WORKFORCE PRO WF-C879R



Total Nilai
TKDN + BMP

29.44%



Print Method	PrecisionCore™ Print Head
Max Resolution	4,800 x 1,200 dpi (with Variable-Sized Droplet Technology)
Min Droplet Size	4.6 pl
Print Speed	Max Draft Text - Memo (A4) : Approx. 35 ppm / 35 ppm (Black / Colour) ISO 24734, A4, Simplex : Approx. 26 ipm / 25 ipm (Black / Colour) ISO 24734, A4, Duplex : Approx. 18 ipm / 17 ipm (Black / Colour) ISO 24734.2, A3, Simplex : Approx. 13 ipm / 13 ipm (Black / Colour) ISO 24734.2, A3, Duplex : Approx. 11 ipm / 11 ipm (Black / Colour)
Copy Resolution	600 x 600 dpi
Copy Speed	ISO 29183, A4, Simplex (Flatbed) : Approx. 24 ipm / 23 ipm (Black / Colour)
Scan Resolution	600 x 600 dpi
Scan Speed	[A4 Landscape, Flatbed / ADF Simplex / ADF Duplex] Monochrome 200 dpi: 3.7 sec / 50 ppm / 100 ipm Colour 200 dpi: 3.7 sec / 50 ppm / 100 ipm
Memory	4,224 MB



PRINTER BISNIS INKJET

[BUSINESS INKJET PRINTER]

WORKFORCE PRO WF-C20750



Total Nilai
TKDN + BMP
23.55%



Print Tech	PrecisionCore™ Linehead Inkjet Technology
Print Type	Print, Scan, Copy, Fax
Print Resolution	600 x 2,400 dpi
Print Speed	Approx. 75 ipm / 75 ipm (Black / Colour) – ISO 24734, A4, Simplex / Duplex Approx. 45 ipm / 25.4 ipm (Black / Colour) – ISO 24734.2, A3, Simplex / Duplex Approx. 5.5 sec / 5.5 sec (Black / Colour) – ISO First Page Out Time
Copy Speed	Approx. 75 ipm (Black / Colour) – ISO 29183, A4, Simplex (Flatbed) Approx. 75 ipm (Black / Colour) – ISO 24735, A4, Simplex (ADF 1:1) Approx. 75 ipm (Black / Colour) – ISO 24735, A4, Duplex (ADF 1:2 / 2:2)
Scan Speed	3.7 sec / 60 ppm / 110 ppm (200 dpi; Mono / Colour)
Scan Resolution	600 x 1,200 dpi
Paper Size	A3+, A3, A4, B5, A5, A6, 5x7", 4x6", Legal, 8.5x13", Letter, Envelopes: # 10, DL, C6, C5, C4
Power Consumption	Operating: 160 Watt Standby: 77 Watt Sleep: 1.4 Watt
Connectivity	USB 3.0, Ethernet (1000BASE-T/100BASE-TX/10BASE-T), Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct, NFC
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solutions	Google Cloud Print, Mopria Print Service
Consumable	Up to 100,000 pages* for black ink pack

WORKFORCE PRO WF-C21000



Total Nilai
TKDN + BMP
23.38%



Print Tech	PrecisionCore™ Linehead Inkjet Technology
Print Type	Print, Scan, Copy, Fax
Print Resolution	600 x 2,400 dpi
Print Speed	Approx. 100 ipm / 100 ipm (Black / Colour) – ISO 24734, A4, Simplex / Duplex Approx. 54 ipm / 36.3 ipm (Black / Colour) – ISO 24734.2, A3, Simplex / Duplex Approx. 5.0 sec / 5.0 sec (Black / Colour) – First Page Out Time
Copy Speed	Approx. 100 ipm (Black / Colour) – ISO 29183, A4, Simplex (Flatbed) Approx. 100 ipm (Black / Colour) – ISO 24735, A4, Simplex (ADF 1:1) Approx. 100 ipm (Black / Colour) – ISO 24735, A4, Duplex (ADF 1:2 / 2:2)
Scan Speed	3.7 sec / 60 ppm / 110 ppm (200 dpi; Mono / Colour)
Scan Resolution	600 x 1,200 dpi
Paper Size	A3+, A3, A4, B5, A5, A6, 5x7", 4x6", Legal, 8.5x13", Letter, Envelopes: # 10, DL, C6, C5, C4
Power Consumption	Operating: 170 Watt Standby: 77 Watt Sleep: 1.4 Watt
Connectivity	USB 3.0, Ethernet (1000BASE-T/100BASE-TX/10BASE-T), Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct, NFC
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solutions	Apple AirPrint, Google Cloud Print, Mopria Print Service
Consumable	Up to 100,000 pages* for black ink pack

PRINTER BISNIS INKJET

(BUSINESS INKJET PRINTER)

WORKFORCE PRO WF-M21000



Total Nilai
TKDN + BMP

23.36%



- Print Tech** PrecisionCore™ Linehead Inkjet Technology
- Print Type** Print, Scan, Copy, Fax
- Print Resolution** 600 x 2,400 dpi
- Print Speed** Approx. 100 ipm / 100 ipm (Black) - ISO 24734, A4, Simplex / Duplex
- Copy Speed** Approx. 54 ipm / 36.3 ipm (Black) - ISO 24734.2, A3, Simplex / Duplex
- Scan Speed** Approx. 5.0 sec / 5.0 sec (Black) - First Page Out Time
- Scan Resolution** Approx. 100 ipm / 100 ipm (black) - ISO 29183, A4, Simplex (Flatbed)
- Paper Size** Approx. 100 ipm / 100 ipm (black) - ISO 24735, A4, Simplex (ADF, 1:1)
- Power Consumption** 3.7 sec / 60 ppm / 110 ppm (200 dpi; Mono / Colour)
- Connectivity** 600 x 600 dpi
- Epson Connect** A3+, A3, A4, B5, A5, A6, 5x7", 4x6", Legal, 8.5x13", Letter, Envelopes: #10, DL, C6, C5, C4
- Other Mobile Solutions** Operating: 180 Watt
- Consumable** Standby: 77 Watt
- Up to 100,000 pages* for black ink pack

WORKFORCE ENTERPRISE AM-C4000



Total Nilai
TKDN + BMP

24.06%



- Print Tech** PrecisionCore Line Head Inkjet Technology
- Print Type** Print, Scan, Copy, Fax
- Print Resolution** 600 x 2,400 dpi
- Print Speed** Approx. 40 ipm / 40 ipm (Black/ Colour) - ISO 24734, A4, Simplex / Duplex
- Copy Speed** Approx. 23 ipm / 11 ipm (Black/ Colour) - ISO 24734.2, A3, Simplex / Duplex
- Scan Speed** Approx. 7.6 sec / 7.6 sec (Black/ Colour) - First Page Out Time
- Scan Resolution** Approx. 40 ipm (Black and Colour) - ISO 29183, A4, Simplex (Flatbed)
- Paper Size** Approx. 40 ipm / 40 ipm (Black/ Colour) - ISO 24735, A4, Simplex (ADF 1:1)
- Power Consumption** Approx. 40 ipm / 40 ipm (Black/ Colour) - ISO 24735, A4, Duplex (ADF 1:2 / 2:2)
- Connectivity** A4 Landscape: 3.0 sec, A3: 4.0 sec, A4: 60 ppm / 120 ipm
- Epson Connect** A3: 30 ppm / -
- Other Mobile Solutions** 600 x 600 dpi
- Consumable** A3+, A3, A4, B5, A5, A6, 5x7", 4x6", Legal, 8.5x13", Letter, Envelopes: #10, DL, C6, C5, C4
- Operating: 110 Watt, Standby: 46 Watt, Sleep: 1.0 Watt
- Up to 50,000 pages *for blank ink pack

PRINTER BISNIS INKJET

(BUSINESS INKJET PRINTER)

WORKFORCE ENTERPRISE AM-C5000



Total Nilai
TKDN + BMP

24.06%



Print Tech	PrecisionCore Line Head Inkjet Technology
Print Type	Print, Scan, Copy, Fax
Print Resolution	600 x 2,400 dpi
Print Speed	Approx. 50 ipm / 50 ipm (Black/ Colour) - ISO 24734, A4, Simplex / Duplex Approx. 30 ipm / 15 ipm (Black/ Colour) - ISO 24734.2, A3, Simplex / Duplex Approx. 6.7 sec / 6.7 sec (Black/ Colour) - First Page Out Time
Copy Speed	Approx. 50 ipm (Black and Colour) - ISO 29183, A4, Simplex (Flatbed) Approx. 50 ipm / 50 ipm (Black/ Colour) - ISO 24735, A4, Simplex (ADF 1:1) Approx. 50 ipm / 50 ipm (Black/ Colour) - ISO 24735, A4, Duplex (ADF 1:2 / 2:2)
Scan Speed	A4 Landscape: 3.0 sec, A3: 4.0 sec, A4: 60 ppm / 120 ipm A3: 30 ppm / -
Scan Resolution	600 x 600 dpi
Paper Size	A3+, A3, A4, B5, A5, A6, 5x7", 4x6", Legal, 8.5x13", Letter, Envelopes: #10, DL, C6, C5, C4
Power Consumption	Operating: 110 Watt, Standby: 46 Watt, Sleep: 1.0 Watt
Connectivity	USB 3.0, Ethernet, Ethernet, Direct Wi-Fi, Fax, Storage with HDD
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solutions	Apple AirPrint, Mopria Print Service, Microsoft Universal Print
Consumable	Up to 50,000 pages *for blank ink pack

WORKFORCE ENTERPRISE AM-C6000



Total Nilai
TKDN + BMP

24.08%



Print Tech	PrecisionCore Line Head Inkjet Technology
Print Type	Print, Scan, Copy, Fax
Print Resolution	600 x 2,400 dpi
Print Speed	Approx. 60 ipm / 60 ipm (Black/ Colour) - ISO 24734, A4, Simplex / Duplex Approx. 36 ipm / 20 ipm (Black/ Colour) - ISO 24734.2, A3, Simplex / Duplex Approx. 6.1 sec / 6.1 sec (Black/ Colour) - First Page Out Time
Copy Speed	Approx. 60 ipm (Black and Colour) - ISO 29183, A4, Simplex (Flatbed) Approx. 60 ipm / 60 ipm (Black/ Colour) - ISO 24735, A4, Simplex (ADF 1:1) Approx. 60 ipm / 60 ipm (Black/ Colour) - ISO 24735, A4, Duplex (ADF 1:2 / 2:2)
Scan Speed	A4 Landscape: 3.0 sec, A3: 4.0 sec, A4: 60 ppm / 120 ipm A3: 30 ppm / -
Scan Resolution	600 x 600 dpi
Paper Size	A3+, A3, A4, B5, A5, A6, 5x7", 4x6", Legal, 8.5x13", Letter, Envelopes: #10, DL, C6, C5, C4
Power Consumption	Operating: 110 Watt, Standby: 46 Watt, Sleep: 1.0 Watt
Connectivity	USB 3.0, Ethernet, Ethernet, Direct Wi-Fi, Fax, Storage with HDD
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solutions	Apple AirPrint, Mopria Print Service, Microsoft Universal Print
Consumable	Up to 50,000 pages *for blank ink pack

PRINTER BISNIS INKJET

(BUSINESS INKJET PRINTER)

WORKFORCE PRO WF-C5890



Total Nilai
TKDN + BMP

36.86%



- Print Tech** PrecisionCore™ Printhead
Print Type Print, Scan, Copy, Fax with ADF
Print Resolution 4,800 x 1,200 dpi
Print Speed [with Variable-Sized Droplet Technology]
Up to 34 ppm / 34 ppm (Black#1 / Colour#2) -
Draft Text - Memo (A4)
Up to 24 ipm / 24 ipm (Black / Colour) -
ISO 24734, A4, Simplex
Up to 15 ipm / 15 ipm (Black / Colour) -
ISO 24734, A4, Duplex
Copy Speed Up to 22 ipm / 22 ipm (Black / Colour) -
ISO 29183, A4, Simplex
Up to 22 ipm / 22 ipm (Black / Colour) -
ISO 24735, A4, 1:1
Scan Speed Monochrome 200 dpi: Flatbed / ADF (simplex) /
ADF (duplex), 5 sec / 24 ppm / 8 ipm
Colour 200 dpi: Flatbed / ADF (simplex) /
ADF (duplex), 5 sec / 24 ppm / 8 ipm
Scan Resolution 1,200 x 2,400 dpi
Paper Size A4, 8.5x13", Legal, Letter, Executive, B5, A5, A6, B6, 5x7",
16:9 wide, 4x6", Envelopes: #10, DL, C6, C4
Power Consumption Operating: 25 Watt
Standby: 12 Watt
Sleep: 1.5 Watt
Connectivity USB 2.0, Ethernet, Wi-Fi (IEEE 802.11b/g/n), Wi-Fi
Direct, NFC
Epson Connect Epson iPrint, Epson Email Print, Remote Print Driver,
Scan to Cloud
Other Mobile Solutions Apple AirPrint, Google Cloud Print, Mopria Print Service
Consumable Up to 10,000 pages* for black ink pack & 3,000 pages*
for color ink pack

WORKFORCE PRO WF-5390



Total Nilai
TKDN + BMP

35.09%



- Print Tech** PrecisionCore™ Printhead
Print Type Print (Single Function)
Print Resolution 4,800 x 1,200 dpi
Print Speed [with Variable-Sized Droplet Technology]
Up to 34 ppm / 34 ppm (Black#1 / Colour#2) -
Draft Text - Memo (A4)
Up to 24 ipm / 24 ipm (Black / Colour) - ISO 24734,
A4, Simplex
Up to 15 ipm / 15 ipm (Black / Colour) - ISO 24734,
A4, Duplex
Paper Size A4, 8.5x13", Legal, Letter, Executive, B5, A5, A6, B6,
5x7", 16:9 wide, 4x6", Envelopes: #10, DL, C6, C4
Power Consumption Operating: 22 Watt
Standby: 7 Watt
Sleep: 1.2 Watt
Connectivity USB 2.0, Ethernet, Wi-Fi (IEEE 802.11b/g/n), Wi-Fi
Direct, NFC
Epson Connect Epson iPrint, Epson Email Print, Remote Print
Driver
Other Mobile Solutions Apple AirPrint, Google Cloud Print, Mopria Print
Service
Consumable Up to 10,000 pages* for black ink pack & 3,000
pages* for color ink pack

PRINTER BISNIS INKJET

[BUSINESS INKJET PRINTER]



PDN

WORKFORCE PRO WF-M5899



Print Tech	PrecisionCore Printhead
Print Type	Print (Single Function)
Print Resolution	1,200 x 2,400 dpi
Print Speed	Black Draft Text - Memo, A4 Up to 34 ppm ISO 24734, A4 Simplex, Up to 25 ipm ISO 24734, A4 Duplex, Up to 16 ipm First Page Out Time, Approx. 4.8 sec
Copy Speed	Up to 22 ipm (Black) – ISO 29183, A4, Simplex Up to 22 ipm (Black) – ISO 24735, A4, 1:1
Scan Speed	Monochrome 200 dpi: 5.0 sec / 30 ppm / 60 ipm Colour 200 dpi: 5.0 sec / 30 ppm / 60 ipm
Scan Resolution	1,200 x 2,400 dpi
Paper Size	A6, A5, A4, B6, B5, Half Letter, 16K, Indian Legal, Letter, 8.5 x 13in, Legal, Photo Paper: 4 x 6", 16:9 Wide, 5 x 7", 8 x 10", Envelopes: #10, DL, C6, C5, C4
Power Consumption	Operating: 25 Watt Standby: 9.8 Watt Sleep: 1.1 Watt
Connectivity	USB 2.0, Ethernet, Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct (up to 8 devices)
Epson Connect	Epson Smart Panel, Epson Email Print, Remote Print Driver
Other Mobile Solutions	Apple AirPrint, Mopria, Microsoft Universal Print, ChromeOS
Consumable	Up to 40,000 pages for black ink pack



PDN

WORKFORCE PRO WF-M5399



Print Tech	PrecisionCore Printhead
Print Type	Print (Single Function)
Print Resolution	1,200 x 2,400 dpi
Print Speed	Black Draft Text - Memo, A4 Up to 34 ppm ISO 24734, A4 Simplex, Up to 25 ipm ISO 24734, A4 Duplex, Up to 16 ipm First Page Out Time, Approx. 4.8 sec
Paper Size	A6, A5, A4, B6, B5, Half Letter, 16K, Indian Legal, Letter, 8.5 x 13in, Legal, Photo Paper: 4 x 6", 16:9 Wide, 5 x 7", 8 x 10", Envelopes: #10, DL, C6, C5, C4
Power Consumption	Operating: 25 Watt Standby: 9.8 Watt Sleep: 1.1 Watt
Connectivity	USB 2.0, Ethernet, Wi-Fi (IEEE 802.11b/g/n), Wi-Fi Direct (up to 8 devices)
Epson Connect	Epson Smart Panel, Epson Email Print, Remote Print Driver
Other Mobile Solutions	Apple AirPrint, Mopria, Microsoft Universal Print, ChromeOS
Consumable	Up to 40,000 pages for black ink pack

PRINTER BISNIS INKJET

(BUSINESS INKJET PRINTER)



PDN

WORKFORCE ENTERPRISE AM-C400



Print



Scan



Copy



Duplex
Printing



Wi-Fi
Direct



Epson
Connect



Print Tech	PrecisionCore Line Head Inkjet Technology
Print Type	Print, Scan, Copy with ADF
Print Resolution	600 x 2,400 dpi
Print Speed	Approx. 40 ipm / 40 ipm (Black/ Colour) - ISO 24734, A4, Simplex / Duplex Approx. 6.4 sec / 6.4 sec (Black/ Colour) - First Page Out Time
Copy Speed	Approx. 40 ipm (Black and Colour) - ISO 29183, A4, Flatbed Copy Speed Approx. 40 ipm (Black/ Colour) - ISO 24735, A4 (1:1, 1:2, 2:2), ADF Copy Speed
Scan Speed	3.9 sec / 50 ppm / 100 ipm Monochrome 200 dpi (Flatbed / ADF Simplex / ADF Duplex) 3.9 sec / 50 ppm / 100 ipm Colour 200 dpi (Flatbed / ADF Simplex / ADF Duplex)
Scan Resolution	600 x 600 dpi
Paper Size	A6, A5, A4, B6, B5, Half Letter, Executive, 16K, Letter, Legal, Custom Size: 85 x 140 mm – 215.9 x 297 mm
Power Consumption	Operating: 84 Watt, Standby: 39 Watt, Sleep: 0.9 Watt
Connectivity	USB 3.0, Ethernet, Wi-Fi (IEEE802.11b/g/n), Wi-Fi Direct (Max 8 devices)
Epson Connect	Epson Smart Panel, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solutions	Apple AirPrint, Mopria Print Service, ChromeOS, Microsoft Universal Print
Consumable	Up to 31,500 pages for black ink pack Up to 28,000 pages for colour ink pack

BANGGA KARYA ANAK BANGSA

Tiga dekade kiprah Epson di Indonesia.
Membangun Negeri, Memajukan Bangsa.



SCAN ME

FOR MORE TKDN
INFORMATION

PRINTER BISNIS INKJET

(BUSINESS INKJET PRINTER)



PDN

WORKFORCE ENTERPRISE AM-C550



Print Tech	PrecisionCore Line Head Inkjet Technology
Print Type	Print, Scan, Copy with ADF
Print Resolution	600 x 2,400 dpi
Print Speed	Approx. 55 ipm / 55 ipm (Black/ Colour) - ISO 24734, A4, Simplex / Duplex Approx. 5.9 sec / 5.9 sec (Black/ Colour) - First Page Out Time
Copy Speed	Approx. 55 ipm (Black and Colour) - ISO 29183, A4, Flatbed Copy Speed Approx. 55 ipm (Black/ Colour) - ISO 24735, A4 (1:1, 1:2, 2:2), ADF Copy Speed
Scan Speed	3.9 sec / 50 ppm / 100 ipm Monochrome 200 dpi (Flatbed / ADF Simplex / ADF Duplex) 3.9 sec / 50 ppm / 100 ipm Colour 200 dpi (Flatbed / ADF Simplex / ADF Duplex)
Scan Resolution	600 x 600 dpi
Paper Size	A6, A5, A4, B6, B5, Half Letter, Executive, 16K, Letter, Legal, Custom Size: 85 x 140 mm – 215.9 x 297 mm
Power Consumption	Operating: 86 Watt, Standby: 39 Watt, Sleep: 0.9 Watt
Connectivity	USB 3.0, Ethernet, Wi-Fi (IEEE802.11b/g/n), Wi-Fi Direct (Max 8 devices)
Epson Connect	Epson Smart Panel, Epson Email Print, Remote Print Driver, Scan to Cloud
Other Mobile Solutions	Apple AirPrint, Mopria Print Service, ChromeOS, Microsoft Universal Print
Consumable	Up to 31,500 pages for black ink pack Up to 28,000 pages for colour ink pack



PEMINDAI DOKUMEN

(DOCUMENT SCANNER)

Total Nilai
TKDN + BMP

45.79%



WORKFORCE DS-1630



Scan up to
A4



Scan
1200 dpi



RGB LED
Lighting



USB 2.0
Bus-powered

Scanner Type	Flatbed colour image scanner with ADF
Sensor Type	Colour Contact Image Sensor (CIS)
Light Source	RGB LED
Optical Resolution	1200 dpi x 1200 dpi
Document Size (Min)	89 x 127 mm (ADF Simplex), 89 x 170 mm (ADF Duplex)
(Max)	216 x 297 mm (Flatbed), 215.9 x 3048 mm (ADF Simplex)
Supported Paper Weight	50 - 120 g/m ²
ADF Capacity	50 sheets (80g/m ²)
Daily Scan Volume	Up to 1,500 sheets/day
Scanning Speed	Colour
Flatbed	
200-300 dpi	approx. 7.0 sec, 1.4 msec/line
600 dpi	approx. 26 sec, 3.2 msec/line
ADF	
200-300 dpi	25 ppm / 10 ipm
600 dpi	9.0 ppm / 6.0 ipm
Operating System	Windows XP SP3 / Vista / 7 / 8 / 8.1 / 10 Windows Server 2003 / 2008 / 2012 / 2016 / 2019, Mac OS X 10.6.8 or later
Interface	USB 3.0
Dimensions	450x318x121mm
Weight	4.1kg

Total Nilai
TKDN + BMP

46.95%



WORKFORCE DS-730N



Scan
up to A4



Colour
LCD



One Pass
Duplex
Scanning



Ethernet

Scanner Type	Sheet-fed, one pass duplex colour scanner
Sensor Type	Colour Contact Image Sensor (CIS)
Light Source	RGB LED
Optical Resolution	600 x 600 dpi
Document Size (Min)	50.8 x 50.8 mm
(Max)	215.9 x 6096 mm
Supported Paper Weight	27 - 413 g/m ²
ADF Capacity	100 sheets (80 g/m ²)
Daily Scan Volume	Up to 6,500 sheets/day
Scanning Speed	
Resolution (A4, Colour/Monochrome)	
300 dpi	40 ppm / 80 ipm
600 dpi	12 ppm / 24 ipm
Operating System	Windows XP SP3 / Vista / 7 / 8 / 8.1 / 10 / Server 2003 / Server 2008 / Server 2012 / Server 2016 / Server 2019, Mac OS X 10.6.8 or later
Interface	USB2.0 and Ethernet (1000BASE-T/100BASE-TX/10BASE-T)
Dimensions	296 x 169 x 167 mm
Weight	3.6kg

PEMINDAI DOKUMEN

[DOCUMENT SCANNER]

Total Nilai
TKDN + BMP

43.06%



WORKFORCE ES-580W



Scanner Type	A4 Sheet-fed, one pass duplex colour scanner
Sensor Type	Colour Contact Image Sensor (CIS)
Light Source	RGB LED
Optical Resolution	600 x 600 dpi
Document Size (Min)	50.8 x 50.8 mm
(Max)	215.9 x 609.6 mm
Supported Paper Weight	27 - 413 g/m ²
ADF Capacity	100 sheets (80 g/m ²)
Daily Scan Volume	Up to 4,000 sheets/day
Scanning Speed	
Resolution (A4, Colour/Monochrome)	300 dpi 35 ppm / 70 ipm 600 dpi 12 ppm / 24 ipm
Operating System	Windows 7 / 8 / 8.1 / 10 / Server 2003 / Server 2008 / Server 2012 / Server 2016 / Server 2019 Mac OS X 10.6.8 or later
Interface	USB 3.2 Gen 1, Wi-Fi (802.11 b/g/n), Wi-Fi Direct (max 8 connections)
Dimensions	296 x 169 x 167 mm
Weight	3.7kg



Total Nilai
TKDN + BMP

43.99%



WORKFORCE DS-530II



Scanner Type	A4 Sheet-fed, one-pass duplex colour scanner
Sensor Type	Contact Image Scanner (CIS)
Light Source	RGB LED
Optical Resolution	600 x 600 dpi
Document Size (Min)	50.8 x 50.8 mm
(Max)	215.9 x 609.6 mm
Supported Paper Weight	27 - 413 g/m ² (A8 or less)
ADF Capacity	50 sheets (80g/m ²)
Daily Scan Volume	Up to 4,000 pages/day
Scanning Speed	
Resolution (Colour/Greyscale/Mono)	Simplex / Duplex 200/300 dpi 35 ppm / 70 ipm 600 dpi 12 ppm / 24 ipm
Operating System	Windows XP / Vista / 7 / 8 / 8.1 / 10 / Server 2003 / Server 2008 / Server 2012 / Server 2016 Mac OS X 10.6.8 or later
Interface	USB 3.2 Gen 1
Dimensions	296 x 169 x 176 mm
Weight	3.7 kg



PEMINDAI DOKUMEN

(DOCUMENT SCANNER)

Total Nilai
TKDN + BMP

43.27%



WORKFORCE DS-570WII



- Scanner Type** A4 Sheet-fed, one-pass duplex colour scanner
- Sensor Type** Contact Image Scanner (CIS)
- Light Source** RGB LED
- Optical Resolution** 600 x 600 dpi
- Document Size (Min)** 50.8 x 50.8 mm
- (Max)** 215.9 x 6096 mm
- Supported Paper Weight** 27 - 413 g/m² (A8 or less : 127 - 413 g/m²)
- ADF Capacity** 50 sheets (80g/m²)
- Daily Scan Volume** Up to 4,000 pages/day
- Scanning Speed**
- Resolution (Colour/Greyscale/Mono)** Simplex / Duplex
200/300 dpi
600 dpi
- Operating System** Windows XP / Vista / 7 / 8 / 8.1 / 10 / Server 2003 / Server 2008 / Server 2012 / Server 2016
Mac OS X 10.6.8 or later
- Interface** USB 3.2 Gen 1, Wi-Fi (802.11 b/g/n)
- Dimensions** 296 x 169 x 176 mm
- Weight** 3.7 kg



Total Nilai
TKDN + BMP

44.04%



WORKFORCE DS-770II



- Scanner Type** A4 Sheet-fed, one pass duplex colour scanner
- Sensor Type** Contact Image Sensor (CIS)
- Light Source** RGB LED
- Optical Resolution** 600 x 600 dpi
- Document Size (Min)** 50.8 x 50.8 mm
- (Max)** 215.9 x 6096 mm
- Supported Paper Weight** 27 - 413 g/m² (A8 or less 127 - 413 g/m²)
- ADF Capacity** 100 sheets (80g/m²)
- Daily Scan Volume** Up to 7,000 sheets/day
- Scanning Speed**
- Resolution (Colour/Greyscale/Mono)** Simplex / Duplex
200/300 dpi
600 dpi
- Operating System** Windows XP / Vista / 7 / 8 / 8.1 / 10 / Server 2003 / Server 2008 / Server 2012 / Server 2016
- Interface** USB 3.2 Gen 1
- Dimensions** 296 x 169 x 176 mm
- Weight** 3.7 kg



PEMINDAI DOKUMEN

[DOCUMENT SCANNER]

Total Nilai
TKDN + BMP

33.09%



WORKFORCE DS-870



Scanner Type

A4 Sheet-fed, one pass duplex colour scanner

Sensor Type

Contact Image Sensor (CIS)

Light Source

RGB LED

Optical Resolution

600 x 600 dpi

Document Size (Min)

50.8 x 50.8 mm

(Max)

215.9 x 609.6 mm

Supported Paper Weight

27 - 413 g/m2 (A8 or less 127 - 413 g/m2)

ADF Capacity

100 sheets (80 g/m2)

Daily Scan Volume

Up to 10,000 sheets/day

Scanning Speed

Resolution (Colour/Greyscale/Mono)

Simplex / Duplex

200/300 dpi

65 ppm / 130 ipm

600 dpi

16 ppm / 32 ipm

Operating System

Windows XP / Vista / 7 / 8 / 8.1 / 10

Mac OS X 10.6.8 or later

Interface

USB 3.0

Dimensions

296 x 169 x 167 mm

Weight

3,6kg



Total Nilai
TKDN + BMP

33.09%



WORKFORCE DS-970



Scanner Type

A4 Sheet-fed, one pass duplex colour scanner

Sensor Type

Contact Image Sensor (CIS)

Light Source

RGB LED

Optical Resolution

600 x 600 dpi

Scan Area

A4 (support F4)

Document Size (Min)

50.8 x 50.8 mm

(Max)

215.9 x 609.6 mm

Supported Paper Weight

27 - 413 g/m2 (A8 or less 127 - 413 g/m2)

ADF Capacity

100 sheets (80 g/m2)

Daily Scan Volume

Up to 14,000 sheets/day

Scanning Speed

Resolution (Colour/Greyscale/Mono)

Simplex / Duplex

300 dpi

85 ppm / 170 ipm

600 dpi

23 ppm / 46 ipm

Operating System

Windows XP / Vista / 7 / 8 / 8.1 / 10

Mac OS X 10.6.8 or later

Interface

USB 3.0

Dimensions

296 x 169 x 167 mm

Weight

3,6kg



PEMINDAI DOKUMEN

(DOCUMENT SCANNER)



Total Nilai
TKDN + BMP

31.50%



WORKFORCE DS-30000



Scan up to
A3



Scan
600 dpi



USB 3.0
Bus-powered



White LED
Lighting

Scanner Type
Sensor Type

A3 sheet-fed, one-pass duplex colour scanner
Colour Contact Image Sensor (CIS)

Light Source

White LED

Optical Resolution

600 x 600 dpi

Document Size (Min)

50.8 x 69 mm

(Max)
304.8 x 5.588 mm

Supported Paper Weight

27-413 g/m²

ADF Capacity

A4 : 120 sheets, A3 : 60 sheets (80 g/m²)

Daily Scan Volume

Up to 30.000 sheets/day

Scanning Speed

Resolution (A4, Colour/Monochrome)

Simplex / Duplex

200/300 dpi

70 ppm / 140 ipm

600 dpi

22 ppm / 44 ipm

Operating System

Windows XP SP3 / Vista / 7 / 8 / 8.1 / 10

Windows Server 2003 / 2008 / 2012 / 2016 /

2019, Mac OS X 10.6.8 or later

Interface

USB 3.0

Dimensions

371 x 208 x 219 mm

Weight

5.8 kg



Total Nilai
TKDN + BMP

34.44%



WORKFORCE DS-32000



Scan up to
A3



Scan
600 dpi



USB 3.0
Bus-powered



White LED
Lighting

Scanner Type

A3 sheet-fed, one-pass duplex colour scanner

Sensor Type

Colour Contact Image Sensor (CIS)

Light Source

White LED

Optical Resolution

600 x 600 dpi

Document Size (Min)

50.8 x 69 mm

(Max)
304.8 x 5.588 mm

Supported Paper Weight

20 - 413 (80 g/m²)

ADF Capacity

A4 120 sheets, A3 : 60 sheets

Delicate Feed Mode : 20 sheets (A4),

10 sheets (A3)

Daily Scan Volume

Up to 40.000 sheets/day

Scanning Speed

Resolution (A4, Colour/Monochrome)

Simplex / Duplex

200/300 dpi

90 ppm / 180 ipm

600 dpi

26 ppm / 52 ipm

Operating System

Windows XP SP3 / Vista / 7 / 8 / 8.1 / 10

Windows Server 2003 / 2008 / 2012 / 2016 /

2019, Mac OS X 10.6.8 or later

Interface

USB 3.0

Dimensions

371 x 167 x 245mm

Weight

6.9 kg

PEMINDAI DOKUMEN

[DOCUMENT SCANNER]



WORKFORCE DS-C330



Scanner Type	A4 sheet-fed, one-pass duplex colour scanner
Sensor Type	Colour Contact Image Sensor (CIS) x 2
Light Source	RGB LEDx2
Optical Resolution	600 x 600 dpi
Scan Area	A4 (support F4)
Document Size (Min)	50.8 x 50.8 mm
(Max)	215,9 x 3.048 mm
Supported Paper Weight	40-127 g/m ² , Less than A6 size: 40-209 g/m ²
Vertical Path	40-413 g/m ²
Straight Path	
ADF Capacity	20 sheets (80 g/m ²)
Daily Scan Volume	Up to 5.000 sheets/day
Scanning Speed	
Resolution (Colour/Monochrome)	Simplex / Duplex
	300 dpi
	30 ppm / 60 ipm
	5 ppm / 10 ipm
Operating System	Windows 7/8/8.1/10/11, Server 2008/2012/2016/2019/2022 MAC OS x 10.9 or later, MAC OS 11 or later
Interface	USB 2.0
Dimensions	296 x 104 x 125 mm
Weight	1,8 kg



WORKFORCE ES-C320W



Scanner Type	A4 sheet-fed, one-pass duplex colour scanner
Sensor Type	Colour Contact Image Sensor (CIS) x 2
Light Source	RGB LEDx2
Optical Resolution	600 x 600 dpi
Scan Area	A4 (support F4)
Document Size (Min)	50.8 x 50.8 mm
(Max)	215,9 x 3.048 mm
Supported Paper Weight	40-127 g/m ² , Less than A6 size: 40-209 g/m ²
Vertical Path	40-413 g/m ²
Straight Path	
ADF Capacity	20 sheets (80 g/m ²)
Daily Scan Volume	Up to 3.500 sheets/day
Scanning Speed	
Resolution (Colour/Monochrome)	Simplex / Duplex
	300 dpi
	30 ppm / 60 ipm
	5 ppm / 10 ipm
Operating System	Windows 7/8/8.1/10/11, Server 2008/2012/2016/2019/2022 MAC OS x 10.11 or later, MAC OS 11 or later
Interface	USB 2.0, Wi-Fi (IEEE 802.11 b/g/n), Wi-Fi Direct
Dimensions	296 x 104 x 125 mm
Weight	1,8 kg

PEMINDAI DOKUMEN

(DOCUMENT SCANNER)



WORKFORCE ES-C380W



Scanner Type	A4 sheet-fed, one-pass duplex colour scanner
Sensor Type	Colour Contact Image Sensor (CIS) x 2
Light Source	RGB LEDx2
Optical Resolution	600 x 600 dpi
Scan Area	A4 (support F4)
Document Size (Min)	50.8 x 50.8 mm
(Max)	215,9 x 5.588 mm
Supported Paper Weight	40-127 g/m ² , Less than A6 size: 40-209 g/m ²
Vertical Path	
Straight Path	40-413 g/m ²
ADF Capacity	20 sheets (80 g/m ²)
Daily Scan Volume	Up to 3.500 sheets/day
Scanning Speed	
Resolution (Colour/Monochrome)	Simplex / Duplex
	300 dpi / 60 ipm
	600 dpi / 10 ipm
Operating System	Windows 7/8/8.1/10/11, Server 2008/2012/2016/2019/2022
	MAC OS x 10.11 or later, MAC OS 11 or later
Interface	USB 2.0, Wi-Fi (IEEE 802.11 b/g/n), Wi-Fi Direct, USB 2.0 Host
Dimensions	296 x 104 x 125 mm
Weight	1,8 kg



PERFECTION V3911



Scanner Type	A4 Flatbed Colour Image Scanner	
Sensor Type	Contact Image Sensors (CIS)	
Light Source	RGB LED	
Optical Resolution	4,800 x 4,800 dpi	
Output Resolution	50 – 4,800 dpi (in 1 dpi increments), 7,200 dpi, 9,600 dpi	
Document Size	216 x 297 mm	
Scanning Speed	DPI	Speed
Reflective Scanning	Monochrome	300 10 sec
		600 12 sec
		1,200 37 sec
24 bit Colour		300 10 sec
		600 29 sec
		1,200 103 sec
Operating System	Windows 7 / 8 / 8.1 / 10 / 11, Server 2003 / 2008 / 2012 / 2016 / 2019	
	Mac OS X 10.11 or later	
Interface	USB 2.0	
Dimensions	249 x 364 x 39 mm	
Weight	1,4 kg	

PRINTER DOT MATRIX DAN BUKU TABUNGAN

(SERIAL IMPACT DOT MATRIX & PASSBOOK PRINTER)



Total Nilai
TKDN + BMP

36.29%



LQ-310



Print



Cost Effective



High Speed Printing

Print Method	Impact dot matrix
Number Of Pins	24 pins
Print Speed	High speed: 347 / 416 cps Draft: 260 / 312 / 390 cps NLQ: 86 / 103 / 129 cps
Reliability	Printhead life: Approx. 400 million strokes/wire MVBF: Approx. 20 million lines (except print head) MTBF: Approx. 10,000 POH (25% Duty)
Ribbon Life	Approx. 2.5 million characters
Operating System	Windows 95 / 98 / 2000 / Me / XP / Vista / 7 / 8 / 8.1 / 10
Memory Buffer	128 KB
Interface	Bi-directional parallel interface (IEEE-1284 nibble mode supported), USB 2.0 Full-Speed, Serial
Power Consumption	Approx. 24W
Dimension	362 x 275 x 154 mm
Weight	Approx. 4.1 kg



Total Nilai
TKDN + BMP

36.08%



LX-310



Print



Cost Effective



High Speed Printing

Print Method	Impact dot matrix
Number Of Pins	9 pins
Print Speed	High speed: 347 / 357 / 390 cps Draft: 260 / 312 / 223 cps NLQ: 65 / 78 / 55 / 47 / 56 cps
Reliability	Printhead life: Approx. 400 million strokes/wire MVBF: Approx. 20 million lines (except print head) MTBF: Approx. 10,000 POH (25% Duty)
Ribbon Life	Approx. 4.0 million characters
Operating System	Microsoft® Windows® 2000 / XP / Vista / 7 / 8 / 8.1 / 10
Memory Buffer	128 KB
Interface	Bi-directional parallel (IEEE-1284 nibble mode supported), USB 2.0 Full-Speed, Serial
Power Consumption	Approx. 27W
Dimension	362 x 275 x 154 mm
Weight	Approx. 4.1 kg

PRINTER DOT MATRIX DAN BUKU TABUNGAN

(SERIAL IMPACT DOT MATRIX & PASSBOOK PRINTER)



Total Nilai
TKDN + BMP

37.84%



LQ-2190



Print

Cost
Effective

High Speed
Printing

Print Method	Impact dot matrix
Number Of Pins	24 pins
Print Speed	High speed: 480 / 576 cps Draft: 360 / 432 / 540 cps NLQ: 120 / 144 / 180 cps
Reliability	Printhead life: Approx. 400 million strokes/wire MVBF: Approx. 40 million lines (except print head) MTBF: 20,000 Power On Hours (POH) (25% Duty)
Ribbon Life	Approx. 15 million characters
Operating System	Microsoft® Windows® 2000 / XP / Vista / 7 / 8 / 8.1 / 10
Memory Buffer	128 KB
Interface	Bi-directional Parallel Interface (IEEE-1284 nibble mode supported), USB 2.0 (Full Speed), Type B I/F Level 2 (Option)
Power Consumption	Approx. 46W
Dimension	639 x 402 x 256 mm
Weight	Approx. 13 kg



Total Nilai
TKDN + BMP

33.08%



PLQ-35



Print

High Speed
Printing

Colour LED
Control Panel

Cost Effective

Power
Savings

Print Method	24 pins Impact Dot Matrix
Printer Speed	PR2 Emulation (10 cpi): 540 Ultra High Speed Draft/ 480 High Speed Draft/ 360 Draft/ 180 NLQ/ 120 LQ ESC/P2, Others (10 cpi): 540 Ultra High Speed Draft/ 480 High Speed Draft/ 360 Draft/ 120 LQ IBM 4722 (10 cpi): 360 Standard Text/ 240 NLQ
Interface	Bi-directional parallel interface (IEEE-1284 nibble mode supported), Serial I/F, High Speed USB 2.0
Power Consumption	61W Operation/ 0.7 W Sleep Mode
Dimensions	384 x 280 x 203 mm
Weight	7.8 kg

PRINTER DOT MATRIX DAN BUKU TABUNGAN

[SERIAL IMPACT DOT MATRIX & PASSBOOK PRINTER]



PLQ-50



Print



Cost Effective



High Speed Printing

Total Nilai
TKDN + BMP

32.55%



Print Method	Impact dot matrix
Number Of Pins	24 pins
Print Speed	Ultra high speed: 630 cps High speed: 560 cps Draft: 420 cps
Reliability	Printhead life: 600 million strokes/wire MVBF: 24 million lines MTBF: 35000 PDH
Ribbon Life	Approx. 5 million characters
Operating System	Microsoft Windows XP, Vista, 7, 8, 8.1, 10, Windows Server 2003, 2008, 2012, 2016
Interface	Bi-directional parallel interface (IEEE-1284 nibble mode supported), Serial I/F, High Speed USB 2.0
Power Consumption	Approx. 77W
Dimension	384 x 280 x 203 mm
Weight	Approx. 7.9 kg

PRINTER LABEL

(COLORWORK PRINTER)



CW-C6050A



Print
Batch Printing
High Capacity
Auto Cutter

Total Nilai
TKDN + BMP
26.07%



Print Technology	Serial Inkjet PrecisionCore TFP® with Nozzle Verification Technology
Print Resolution	1,200 x 1,200 dpi (Max.)
Colour	CMYK
Printing Width	Max. 108 mm
Printing Speed	Max speed (300x600dpi): 119 mm/sec. Max speed for Glossy media (600x600dpi): 48 mm/sec; *When printing 101.6 mm width
Interfaces	USB 2.0 High-Speed, Ethernet 10/100 BASE-T Extended: Dsub-25 pin
Media Type	Matte, synthetic, glossy, high glossy
External Roll Diameter	Max. 203.2 mm
Power Consumption	Printing: Approx. 39.4W Standby: Approx. 7.51W
Dimensions	565 x 340 x 326 mm
Weight	Approx. 22.5 kg



CW-C6050P



Print
Batch Printing
High Capacity
Auto Peeler

Total Nilai
TKDN + BMP
27.18%



Print Technology	Serial Inkjet PrecisionCore TFP® with Nozzle Verification Technology
Print Resolution	1,200 x 1,200 dpi (Max.)
Colour	CMYK
Printing Width	Max. 108 mm
Printing Speed	Max speed (300x600dpi): 119mm/sec. Max speed for Glossy media (600x600dpi): 48 mm/sec; *When printing 101.6 mm width
Interfaces	US 2.0 High-Speed, Ethernet 10/100 BASE-T Extended: Dsub-25 pin
Media Type	Matte, synthetic, glossy, high glossy
External Roll Diameter	Max. 203.2 mm
Power Consumption	Printing: Approx. 39.4W Standby: Approx. 7.51W
Dimensions	565 x 340 x 326 mm
Weight	Approx. 22.8 kg

PRINTER LABEL

[COLORWORK PRINTER]



CW-C6550A



Total Nilai
TKDN + BMP
25.83%



Print Technology	Serial Inkjet PrecisionCore TFP® with Nozzle Verification Technology
Print Resolution	1,200 x 1,200 dpi (max.)
Colour	CMYK
Printing Width	Max. 211.9mm (A4 Size)
Printing Speed	Max speed (300x600dpi): 85 mm/sec. Max speed for Glossy media (600x600dpi): 34 mm/sec. *When printing 203.2 mm width
Interfaces	US 2.0 High-Speed, Ethernet 10/100 BASE-T Extended: Dsub-25 pin
Media Type	Matte, synthetic, glossy, high glossy
External Roll Diameter	Max. 152.4 mm
Power Consumption	Printing: Approx. 38.7W Standby: 5.82W
Dimensions	515 x 444 x 326 mm
Weight	Approx. 25.5 kg



CW-C6550P



Total Nilai
TKDN + BMP
25.62%



Print Technology	Serial Inkjet PrecisionCore TFP® with Nozzle Verification Technology
Print Resolution	1200 x 1200 dpi (max.)
Colour	CMYK
Printing Width	Max. 211.9mm (A4 Size)
Printing Speed	Max speed (300x600dpi): 85 mm/sec. Max speed for Glossy media (600x600dpi): 34 mm/sec. *When printing 203.2 mm width
Interfaces	US 2.0 High-Speed, Ethernet 10/100 BASE-T Extended: Dsub-25 pin
Media Type	Matte, synthetic, glossy, high glossy
External Roll Diameter	Max. 152.4 mm
Power Consumption	Printing: Approx. 38.7W Standby: 5.82W
Dimensions	515 x 444 x 326 mm
Weight	Approx. 26.3 kg

PRINTER TEKNIKAL / PLOTTER

[TECHNICAL PRINTER / PLOTTER]



Total Nilai
TKDN + BMP

36.24%



SURECOLOR SC-T3130



Versatile
Media Handling



Printhead



Up to
1.5mm
Thick



Up to 24"
Wide*

Max Print Width	24 inch wide (610 mm)
Print Head	PrecisionCore TFP with VSDT and Auto Head Alignment
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	4.0 pl
Ink System	Epson Ultrachrome XD2 Pigment Ink
Type	All-Pigment Aqueous
Colours	C+M+Y+K
Cartridge Size	CMY 26/50 ml, K 50/80 ml
Print Speed [A1 sheet]	CAD A1: 34 sec
Paper Size	Single roll top loaded spindle, 2" core, 0.05-0.21 mm thick, 329-610 mm wide, 110 mm max diameter, 3kg max weight
Interface	USB 3.0 & Ethernet 10Base-T/100Base-TX/1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
OS Compatibility	Windows 10 / 8.1 / 8 / 7 / Vista / XP, Mac OSx10.6.8 or later
Memory	1 GB
Power Consumption	28W Operating, 8W Standby, 1.6W Sleep
Dimensions (W x D x H)	970 x 505 x 230
Weight	38 kg



Total Nilai
TKDN + BMP

33.42%



SURECOLOR SC-T3130N



Versatile
Media Handling



Printhead



Up to
1.5mm
Thick



Up to 24"
Wide*

Max Print Width	24 inch wide (610 mm)
Print Head	Precision Core TFP with VSDT and Auto Head Alignment
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	4.0pl
Ink System	Epson Ultrachrome XD2 Pigment Ink
Type	All-Pigment Aqueous
Colours	C+M+Y+K
Cartridge Size	CMY 26/50 ml, K50/80 ml
Print Speed [A1 sheet]	CAD A1:34 sec
Paper Size	Single roll top loaded spindle, 2" core, 0.05-0.21 mm thick, 329-610mm wide, 110 mm max diameter, 3 kg max weight
Interface	USB 3.0 & Ethernet 10Base-T/100Base-TX/1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
OS Compatibility	Windows 10 / 8.1 / 8 / 7 / Vista / XP, Mac OSx10.6.8 or later
Memory	1 GB
Power Consumption	28W Operating, 8W Standby, 1.6 W Sleep
Dimensions (W x D x H)	970 x 505 x 230 cm
Weight	27 kg

PRINTER TEKNIKAL / PLOTTER

(TECHNICAL PRINTER / PLOTTER)



Total Nilai
TKDN + BMP

34.60%



SURECOLOR SC-T3130X



Max Print Width	24 inch wide (610 mm)
Print Head	Precision Core TFP with VSDT and Auto Head Alignment
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	3.8pl
Ink System	Epson Ultrachrome XD2 Pigment Ink
Type	All-Pigment Aqueous
Colours	C+M+Y+K
Cartridge Size	140 ml
Print Speed	CAD A1:34 sec
[A1 sheet]	
Paper Size	Single roll top loaded spindle, 2" core, 0.05-0.21 mm thick, 329-610mm wide, 110 mm max diameter, 3 kg max weight
Interface	USB 3.0 & Ethernet 10Base-T/100Base-TX/1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
OS Compatibility	Windows 10/ 8.1 / 8 / 7 / Vista / XP, Mac OSx10.6.8 or later
Memory	1 GB
Power Consumption	28W Operating, 8W Standby, 1.6 W Sleep
Dimensions (W x D x H)	970 x 577 x 245 cm
Weight	29 kg



Total Nilai
TKDN + BMP

34.23%



SURECOLOR SC-T3130M



Max Print Width	24 inch wide (610 mm)
Print Head	Precision Core TFP with VSDT and Auto Head Alignment
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	4.0pl
Ink System	Epson Ultrachrome XD2 Pigment Ink
Type	All-Pigment Aqueous
Colours	C+M+Y+K
Cartridge Size	CMY 26/50 ml, K 50/80 ml
Scan Technology	Contact Image Sensor (CIS) with RGB filters
Light Source	Dual Low Angle / RGB LED
Feed System	Sheet pass-through
Max Resolution	600 dpi
Max Scan Speed	11.43 cm/s or 4.5 ips (Colour) 19.05 cm/s or 7.5 ips (Mono)
Max Copy Speed	38 sec per A1 sheet mono 44 sec per A1 sheet colour
Print Speed [A1 sheet]	CAD A1:34 sec
Paper Size	Single roll top loaded spindle, 2" core, 0.05-0.21 mm thick, 329-610mm wide, 110 mm max diameter, 3 kg max weight
Interface	USB 3.0 & Ethernet 10Base-T/100Base-TX/1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
OS Compatibility	Windows 10/ 8.1 / 8 / 7 / Vista / XP, Mac OSx10.6.8 or later
Memory	1 GB+8GB*For scanner data processing
Power Consumption	24W Operating, 11W Standby, 2.0 W Sleep
Dimensions (W x D x H)	970 x 292 x 230
Weight	44.4 kg

PRINTER TEKNIKAL / PLOTTER

[TECHNICAL PRINTER / PLOTTER]



Total Nilai
TKDN + BMP

37.14%



SURECOLOR SC-T5130M



Max Print Width	36 inch wide (914 mm)
Print Head	Precision Core TFP with VSDT and Auto Head Alignment
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	4.0pl
Ink System	Epson Ultrachrome XD2 Pigment Ink
Type	All-Pigment Aqueous
Colours	C+M+Y+K
Cartridge Size	CMY 26/50 ml, K 50/80 ml
Scan Technology	Contact Image Sensor (CIS) with RGB filters
Light Source	Dual Low Angle / RGB LED
Feed System	Sheet pass-through
Max Resolution	600 dpi
Max Scan Speed	11.43 cm/s or 4.5 ips (Colour) 19.05 cm/s or 7.5 ips (Mono)
Max Copy Speed	38 sec per A1 sheet mono 44 sec per A1 sheet colour
Print Speed [A1 sheet]	CAD A1: 31 sec
Paper Size	Single roll top loaded spindle, 2" core, 0.05-0.21 mm thick, 297-914mm wide, 110 mm max diameter, 3 kg max weight
Interface	USB 3.0 & Ethernet 10Base-T/100Base-TX/1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
OS Compatibility	Windows 10/ 8.1 / 8 / 7 / Vista / XP, Mac OSx10.6.8 or later
Memory	1 GB+8GB*For scanner data processing
Power Consumption	26W Operating, 12W Standby, 2.0 Sleep
Dimensions (W x D x H)	1268 x 975 x 696 cm (with stand)
Weight	54.8 kg



Total Nilai
TKDN + BMP

36.99%



SURECOLOR SC-T5130



Max Print Width	36 inch wide (914 mm)
Print Head	PrecisionCore TFP with VSDT and Auto Head Alignment
Max Resolution	2,400 dpi x 1,200 dpi
Min Droplet Size	4.0pl
Ink System	Epson Ultrachrome® XD2
Type	All-Pigment Aqueous
Colours	C+M+Y+K
Cartridge Size	CMY 26/50 ml, K 50/80 ml
Print Speed [A3 Sheet]	CAD A3: 31 sec
Paper Size	Single roll top loaded spindle, 2" core, 0.05-0.21 mm thick, 329-910 mm wide, 110 mm max diameter, 5kg max weight
Interface	USB 3.0 & Ethernet 10Base-T / 100Base-TX / 1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
OS Compatibility	Windows 10 / 8.1 / 8 / 7 / Vista / XP, Mac OS x 10.6.8 or later
Memory	1 GB
Power Consumption	28W Operating, 8W Standby, 1.6W Sleep
Dimensions (W x D x H)	1,268 x 913 x 696 mm
Weight	46 kg

PRINTER TEKNIKAL / PLOTTER

(TECHNICAL PRINTER / PLOTTER)



Total Nilai
TKDN + BMP

33.77%



SURECOLOR SC-T5430M



Max Print Width	36 inch wide (914 mm)
Print Head	PrecisionCore TFP with VSDT and Auto Head Alignment
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	4.0 pl
Ink System	Epson Ultrachrome® XD2
Type	All-Pigment Aqueous
Colours	C+M+Y+K
Cartridge Size	CMYK 110/350ml
Scan Technology	Contact Image Sensor (CIS) with RGB filters
Light Source	Dual Low Angle
Feed System	Sheet pass-through
Max Resolution	600 dpi
Max Scan Speed	11.43 cm/s or 4.5 ips (Colour) 19.05 cm/s or 7.5 ips (Mono)
Max Copy Speed	38 sec per A1 sheet mono 44 sec per A1 sheet colour
Print Speed (A1 Sheet)	CAD A1 : 22 sec
Paper Size	Single roll top loaded spindle, 2" core, 3" core for plain paper, 0.08 to 0.3 mm thick, 254-914 mm wide, 170 mm max diameter, max weight 12kg
Interface	USB 3.0 & Ethernet 10Base-T / 100Base-TX / 1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print Windows 10 / 8.1 / 8 / 7 / Vista / XP, Mac OS x 10.6.8 or later
OS Compatibility	Mac OS x 10.6.8 or later
Memory	1 GB
Power Consumption	Operating 38W, Standby 13W, Sleep 1.6W
Dimensions (W x D x H)	1,385 x 966 x 1,060 mm
Weight	89 kg



Total Nilai
TKDN + BMP

35.99%



SURECOLOR SC-T3435



Max Print Width	24 inch wide (610 mm)
Print Head	Precision Core TFP with VSDT and Auto Head Alignment
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	4.0pl
Ink System	Epson Ultrachrome XD2 Pigment Ink
Type	All-Pigment Aqueous
Colours	C+M+Y+K
Cartridge Size	CMYK, 100 ml/350 ml/700 ml
Scan Integration	Available connect with Business Inkjet Printer Scanner : WF-C17590, WF-C20590, WF-C20600, WF-C20750, WF-C21000, WF-M20590 WF-R8591, WF-C869R, WF-C878R, WF-C879R,
Print Speed (A1 sheet)	CAD A1:25 sec
Paper Size	Single roll top loaded spindle, 2/3" core, 0.08-0.3 mm thick, 254-610mm wide, 170 mm max diameter, 8 kg max weight
Interface	USB 3.0 & Ethernet 10Base-T/100Base-TX/1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
OS Compatibility	Windows 10/ 8.1 / 8 / 7 / Vista / XP, Mac OSx10.6.8 or later
Memory	1 GB
Power Consumption	34W Operating, 13W Standby, 1.3 Sleep
Dimensions (W x D x H)	1080 x 1060 x 750 cm (with stand)
Weight	64 kg

PRINTER TEKNIKAL / PLOTTER

[TECHNICAL PRINTER / PLOTTER]



Total Nilai
TKDN + BMP

36.32%



SURECOLOR SC-T5435



Max Print Width	36 inch wide (914 mm)
Print Head	Precision Core TFP with VSDT and Auto Head Alignment
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	4.0pl
Ink System	Epson Ultrachrome XD2 Pigment Ink
Type	All-Pigment Aqueous
Colours	C+M+Y+K
Cartridge Size	CMYK, 100 ml/350 ml/700 ml
Scan Integration	Available connect with Business Inkjet Printer Scanner :
	WF-C17590, WF-C20590, WF-C20600, WF-C20750, WF-C21000, WF-M20590
	WF-R8591, WF-C869R, WF-C878R, WF-C879R, CAD A1:22 sec
Print Speed (A1 sheet)	Single roll top loaded spindle, 2/3" core, 0.08-0.3 mm thick, 254-914mm wide, 170 mm max diameter, 12 kg max weight
Paper Size	
Interface	USB 3.0 & Ethernet 10Base-T/100Base-TX/1000Base-T, Wi-Fi, Wi-Fi Direct, Air Print
OS Compatibility	Windows 10/ 8.1 / 8 / 7 / Vista / XP, Mac OSx10.6.8 or later
Memory	1 GB
Power Consumption	38W Operating, 13W Standby, 1.3 Sleep
Dimensions (W x D x H)	1385 x 1070 x 975 cm (with stand)
Weight	76 kg



PDN

SURECOLOR SC-T3730D



Max Print Width	24 inch wide (borderless)
Print Head	2.64 MicroTFP
Max Resolution	2401 dpi x 1200 dpi
Min Droplet Size	3.5 pl
Ink System	Ultrachrome XD3 pigment ink
Type	All Pigment Aqueous
Colours	C+M+Y+R+MK+PK (Black Matte/Photo Black)
Cartridge Size	110/350/700 ml
Paper Size	Two automatic roll switch (top-and front loading), (Roll: 0.07mm – 0.8mm, Cut Sheet: 0.07mm – 0.8mm, Poster Board: 0.8mm – 1.5mm))
Print Speed	CAD A1: Plain Paper 300dpi x 600dpi : 21 sec 600dpi x 600dpi Line Draw: 27 sec Poster A1 : Plain Paper 300dpi x 600dpi EPSON Vivid : 21 sec Up to 1.5mm
Media Thickness	
Interface	USB 3.0, Ethernet (100BASE-TX/1000BASE-T), Wi-Fi (IEEE802.11b/g/n), Wi-Fi Direct (Simple AP, up to 8 device connections), USB Host Direct Print (PDF, TIFF, JPEG, HP-GL/2, HP RTL) 4GB, Optional 960GB SSD
Memory	
Power Consumption	Operating : 75 W, Ready : 32 W, Sleep : 2 W, Standby : 0.3 W
Dimensions (W x D x H)	1365x499x975 mm
Weight	118 kg
Adobe Postscript 3	Available

PRINTER TEKNIKAL / PLOTTER

(TECHNICAL PRINTER / PLOTTER)



PDN

SURECOLOR SC-T3730E



Max Print Width	24 inch wide (borderless)
Print Head	2.64 MicroTFP
Max Resolution	2401 dpi x 1200 dpi
Min Droplet Size	3.5 pl
Ink System	Ultrachrome XD3 pigment ink
Type	All Pigment Aqueous
Colours	C+M+Y+R+MK+PK (Black Matte/Photo Black)
Cartridge Size	110/350/700 ml
Paper Size	Spindle-less front loading single roll (Roll: 0.07mm – 0.8mm, Cut Sheet: 0.07mm – 0.8mm, Poster Board: 0.8mm – 1.5mm)
Print Speed	CAD A1: Plain Paper 300dpi x 600dpi : 21 sec 600dpi x 600dpi Line Draw: 27 sec Poster A1 : Plain Paper 300dpi x 600dpi EPSON Vivid : 21 sec
Media Thickness	Up to 1.5mm
Interface	USB 3.0, Ethernet (100BASE-TX/1000BASE-T), Wi-Fi (IEEE802.11b/g/n), Wi-Fi Direct (Simple AP, up to 8 device connections), USB Host Direct Print (PDF, TIFF, JPEG, HP-GL/2, HP RTL)
Memory	4GB, Optional 960GB SSD
Power Consumption	Operating : 75 W, Ready : 32 W, Sleep : 2 W, Standby : 0.3 W
Dimensions (W x D x H)	1365x499x975 mm
Weight	118 kg
Adobe Postscript 3	N/A



PDN

SURECOLOR SC-T3730DE



Max Print Width	24 inch wide (borderless)
Print Head	2.64 MicroTFP
Max Resolution	2401 dpi x 1200 dpi
Min Droplet Size	3.5 pl
Ink System	Ultrachrome XD3 pigment ink
Type	All Pigment Aqueous
Colours	C+M+Y+R+MK+PK (Black Matte/Photo Black)
Cartridge Size	110/350/700 ml
Paper Size	Two automatic roll switch (top-and front loading), (Roll: 0.07mm – 0.8mm, Cut Sheet: 0.07mm – 0.8mm, Poster Board: 0.8mm – 1.5mm))
Print Speed	CAD A1: Plain Paper 300dpi x 600dpi : 21 sec 600dpi x 600dpi Line Draw: 27 sec Poster A1 : Plain Paper 300dpi x 600dpi EPSON Vivid : 21 sec
Media Thickness	Up to 1.5mm
Interface	USB 3.0, Ethernet (100BASE-TX/1000BASE-T), Wi-Fi (IEEE802.11b/g/n), Wi-Fi Direct (Simple AP, up to 8 device connections), USB Host Direct Print (PDF, TIFF, JPEG, HP-GL/2, HP RTL)
Memory	4GB, Optional 960GB SSD
Power Consumption	Operating : 75 W, Ready : 32 W, Sleep : 2 W, Standby : 0.3 W
Dimensions (W x D x H)	1365x499x975 mm
Weight	118 kg
Adobe Postscript 3	N/A

PRINTER TEKNIKAL / PLOTTER

[TECHNICAL PRINTER / PLOTTER]



PDN

SURECOLOR SC-T5730DM



Max Print Width	36 inch wide (borderless)
Print Head	2.64 MicroTFP
Max Resolution	2401 dpi x 1200 dpi
Min Droplet Size	3.5 pl
Ink System	UltraChrome XD3 pigment ink
Type	All Pigment Aqueous
Colours	C+M+Y+R+MK+PK [Black Matte/Photo Black]
Cartridge Size	110/350/700 ml
Paper Size	Two automatic roll switch (top-and front loading), [Roll: 0.07mm – 0.8mm, Cut Sheet: 0.07mm – 0.8mm, Poster Board: 0.8mm – 1.5mm]
Print Speed	CAD A1: Plain Paper 300dpi x 600dpi : 23 sec AO Size:300dpi x 600dpi Line Draw : 28 sec Poster: Plain Paper 300dpi x 600dpi EPSON Vivid : 32 sec Up to 1.5mm
Media Thickness	Up to 1.5mm
Interface	USB 3.0, Ethernet [100BASE-TX/1000BASE-T], Wi-Fi (IEEE802.11b/g/n), Wi-Fi Direct (Simple AP, up to 8 device connections), USB Host Direct Print (PDF, TIFF, JPEG, HP-GL/2, HP RTL)
Memory	4GB, Optional 960GB SSD
Power Consumption	Operating : 80 W, Ready : 32 W, Sleep : 2 W, Standby : 0.3 W
Dimensions (W x D x H)	1645x499x975 mm
Weight	136.8 kg
Adobe Postscript 3	Available



PDN

SURECOLOR SC-T7730D



Max Print Width	44 inch wide (borderless)
Print Head	2.64 MicroTFP
Max Resolution	2400 dpi x 1200 dpi
Min Droplet Size	3.5 pl
Ink System	UltraChrome XD3 pigment ink
Type	All Pigment Aqueous
Colours	C+M+Y+R+MK+PK [Black Matte/Photo Black]
Cartridge Size	110/350/700 ml
Paper Size	Two automatic roll switch (top-and front loading), [Roll: 0.07mm – 0.8mm, Cut Sheet: 0.07mm – 0.8mm, Poster Board: 0.8mm – 1.5mm]
Print Speed	CAD A1: Plain Paper 300dpi x 600dpi : 23 sec AO Size:300dpi x 600dpi Line Draw : 28 sec Poster: Plain Paper 300dpi x 600dpi EPSON Vivid : 32 sec BO Size: Plain Paper 300dpi x 600dpi EPSON Vivid : 46 sec"
Media Thickness	Up to 1.5mm
Interface	USB 3.0, Ethernet [100BASE-TX/1000BASE-T], Wi-Fi (IEEE802.11b/g/n), Wi-Fi Direct (Simple AP, up to 8 device connections), USB Host Direct Print (PDF, TIFF, JPEG, HP-GL/2, HP RTL)
Memory	4GB, Optional 960GB SSD
Power Consumption	Operating : 70 W, Ready : 32 W, Sleep : 2 W, Standby : 0.3 W
Dimensions (W x D x H)	1848x499x975 mm
Weight	155 kg
Adobe Postscript 3	Available

PRINTER SUBLIM

(SUBLIMATION PRINTER)



SURECOLOR SC-F530



Total Nilai
TKDN + BMP

34.18%



Printer Width
Print Head
Max. Resolution
Ink System
Colours
Print Speed

24"
PrecisionCore TFP Printhead
2400 x 1200 dpi
Epson Genuine Dye-Sublimation Ink
Cyan, Magenta, Yellow, Black
Production (2 pass), For Fabric: Up to 62 sec /
21 m² (600 x 1200 dpi), Production (7 pass): For Fabric &
Rigid: Up to 208 sec / 7.5 m² (1200 x 1200 dpi), Production
(12 pass), For Fabric & Rigid: Up to 350 sec / 4.5 m²
(2400 x 1200 dpi)
Interface
USB 2.0 Hi-speed, Ethernet 100BASE-TX / 1000BASE-T
OS
Windows 10 / 8.1 / 8 / 7 / Vista / XP,
Mac OSx10.6.8 or later
Compatibility
Memory
1 GB
Power
Operating: Approx. 22W, Ready: Approx. 8W
Sleep: Approx. 1.6W, Power Off (Stand by): Approx. 0.2W
Consumption
Dimension
Storage (W x H x D): 970 mm x 245 mm x 577 mm
Printing (W x H x D): 970 mm x 245 mm x 811 mm
Weight
29kg



SURECOLOR SC-F531



Total Nilai
TKDN + BMP

34.67%



Max. Print Width
Print Head
Max. Resolution
Min. Droplet Size
Ink Type
Colours
Cartridge Size
Print Speed

24 inch
PrecisionCore TFP[®] Printhead
2,400 x 1,200 dpi
4.0pl
Epson Genuine Dye-SUBlimat ion Ink
4 Colours - Cyan, Flourescent Pink, Flourescent Yellow
Black
Cyan, Magenta, Yellow: 26ml, 50ml ; Black: 50ml , 80ml
Production (2 pass), For Fabric: Up to 62 sec / 21 m² (600
x 1200 dpi) ; Production (7 pass): For Fabric & Rigid: Up to
208 sec / 7.5 m² (1200 x 1200 dpi)
Production (12 pass), For Fabric & Rigid: Up to 350 sec /
4.5 m² (2400 x 1200 dpi)
Interface
Super-Speed USB
100BASE-TX / 1000BASE-T / IEEE802.11 b/g/n
Memory
1 GB
Power
Ready: Approx. 8W; Sleep: Approx. 1.6 W
Consumption
Operating: Approx. 28W; Power Off: Approx 0.2W
Dimensions
970 x 505 x 230 (WxDxH)
Weight
29 kg (without ink cartridges)

PROYEKTOR BISNIS

[BUSINESS PROJECTOR]



Total Nilai
TKDN + BMP

53.00%



12,000 Hours
Lamp Life in Eco Mode



Split Screen

EB-E600

Brightness 3,400 lm	Resolution XGA	Contrast 15,000:1
Light Source Life 6,000/12,000 hrs	Keystone $\pm 30^\circ$ (V) / $\pm 30^\circ$ (H)	Connectivity USB Type-B x 1, VGA x 2, RCA x 1, HDMI x 1
Network N/A	Power Consumption 327W / 225W	Weight 2.7 kg



Total Nilai
TKDN + BMP

52.30%



12,000 Hours
Lamp Life in Eco Mode



Split Screen



Auto Vertical
Keystone



Horizontal Keystone
Adjuster*



Wireless
iProjection

EB-X600

Brightness 3,600 lm	Resolution XGA	Contrast 16,000:1
Light Source Life 6,000/12,000 hrs	Keystone $\pm 30^\circ$ (V) / $\pm 30^\circ$ (H)	Connectivity USB Type-A & B x 1, VGA x 2, RCA x 1, HDMI x 1
Network RJ45 x 1, Optional (ELPAP11)	Power Consumption 327W / 225W	Weight 2.7 kg

TINTA BOTOL

(INK BOTTLE)



Total Nilai
TKDN + BMP

35.13%



**Epson T6641
(Black) Ink Bottle**



Total Nilai
TKDN + BMP

35.84%



**Epson T6642
(Cyan) Ink Bottle**



Total Nilai
TKDN + BMP

38.28%



**Epson T6643
(Magenta) Ink Bottle**



Total Nilai
TKDN + BMP

35.37%



**Epson T6644
(Yellow) Ink Bottle**



TINTA BOTOL

(INK BOTTLE)



Total Nilai
TKDN + BMP

39.21%



Epson 003
(Black) Ink Bottle



Total Nilai
TKDN + BMP

27.45%



Epson 003
(Cyan) Ink Bottle



Total Nilai
TKDN + BMP

38.70%



Epson 003
(Magenta) Ink Bottle



Total Nilai
TKDN + BMP

36.06%



Epson 003
(Yellow) Ink Bottle



ENGINEERED FOR good

EPSON

BANGGA KARYA ANAK BANGSA

PROYEKTOR PERTAMA KARYA ANAK BANGSA

Dengan bangga kami mengumumkan bahwa Epson kini memproduksi proyektor di Indonesia.* Dengan fasilitas pabrik yang lebih besar, kami berharap bisa meningkatkan produksi lokal, menciptakan lebih banyak lapangan kerja, dan mendukung masa depan yang berkelanjutan di Indonesia.

** Produk TKDN Epson bisa dilihat di website kami <https://epson.co.id/tkdn>

Dirancang untuk kebaikan,
Dirancang untuk Indonesia



EB-E600

Total Nilai
TKDN + BMP

53.00%

EB-X600

Total Nilai
TKDN + BMP

52.30%

EPSON

PT EPSON INDONESIA

CIBIS Tower 9, 3rd Floor, Cibis Business Park

Jalan T.B. Simatupang No. 2 Jakarta 12560

Tel. (021) 808-66-766 Fax. (021) 808-66-799



1-500-766



0812-12-37766

HOTLINE CALL CENTER
(NATIONAL AREA)

Visit Us on       [epsonindonesia](#)



www.epson.co.id