









# ELEVATE PRINTING WITH FAST, ENERGY-EFFICIENT SOLUTIONS.



## Fast and Efficient Printing with Flexible Adaptability.

The Epson WorkForce Pro EM-C800 combines fast, high-volume printing at 25 images per minute with a quick first page-out time of 4.8 secs for black and white. Its Heat-Free Technology and large capacity ink packs ensure energy efficiency and lower running costs with minimal maintenance. Its compact size offers flexible office placement. The printer features Epson Open Platform (EOP), which provides seamless integration with various software solutions, allowing for easy customisation and adaptability to evolving business needs and IT systems.

|  |   |  |  |
|--|---|--|--|
| <br>UP TO<br>25<br>IPM<br>ISO Print Speed<br>(Simplex) | <br>50,000<br>High Yield<br>Ink Pack (Black) | <br>20,000<br>High Yield<br>Ink Pack (Colour) | <br>Duplex Printing<br>and Scanning |
| <br>Wi-Fi and<br>Wi-Fi direct                          | <br>Ethernet                                 | <br>Open Platform<br>Enabled                  | <br>Epson Connect                   |

**ENGINEERED FOR good**

**GO GENUINE**  
Original Supplies, Quality Prints

**DURABrite Ultra**  
INK

**PRECISIONCORE**  
HEAT-FREE

### Fast, High-Volume Printing

Print up to 25 pages per minute with a fast first page-out time of 4.8 secs\*, ideal for busy office environments.

### Low-Cost, Minimal Maintenance

Reduce costs with energy-efficient technology and large ink packs, cutting down on maintenance and replacements.

### Flexible Integration Capabilities

Easily integrate with various software using Epson Open Platform, adapting to your business needs.

\* For black and white printing. The first page-out time for colour printing is 5.3 sec.




## Fast, eco-friendly, and high-volume printing that seamlessly integrates into your office

Combining fast, reliable, and cost-efficient performance, the Epson WorkForce Pro EM-C800 is engineered to surpass laser printers with its innovative print system. Designed for eco-conscious businesses and compact office spaces, it features Heat-Free technology for energy savings and seamless integration with the Epson Open Platform. This printer offers superior productivity with high-volume printing capabilities to meet your evolving business needs.

### PrecisionCore Heat-Free Technology

PrecisionCore represents the next generation of inkjet printhead technology, driving Epson's high-resolution inkjet printing. It combines advanced component technologies, cutting-edge MEMS\* fabrication, and high-precision assembly processes developed over decades.

Epson's proprietary Micro Piezo technology, which utilises Heat-Free Technology, distinguishes our printers from the competition. Unlike traditional methods, our Heat-Free printers do not use heat in the ink ejection process. Instead, pressure is applied to the Piezo element, causing it to flex backwards and forwards, thereby ejecting the ink from the printhead.



\* Testing was commissioned by Epson and conducted by Keypoint Intelligence. One specific model was selected from colour laser multi-function printers in the 65-70ppm class. Epson WorkForce Enterprise WF-C21000 with 100ppm (equivalent model in Europe was used during the evaluation). This data is as of September, 2020. Devices were tested in default mode as per Keypoint Intelligence's proprietary standard energy consumption test methods. Calculations were based on a weekday workload of 2 x 4 hours printing + 16 hours in sleep/standby mode, and weekend energy use of 48 hours in sleep/standby mode. A total of 69 pages of workload test pattern using DOC, XLS, PPT, HTML, PDF files and Outlook email messages were printed six times in each 4-hour printing period.

### Lower Environmental Impact

The main body of the EM-C800 is made from up to 30%\* recycled plastics, while not compromising on the compact size and performance of the printer. This makes it an environmentally friendly choice for businesses.

\*The usage ratio of recycled plastic is subject to change depending on the availability of raw materials.



## Maximised performance in a minimal footprint

The WorkForce Pro EM-C800 combines powerful performance with a compact design, making it perfect for small offices and front counters with limited space. Its space-saving footprint allows for efficient use of office areas without sacrificing print quality or speed. This sleek design not only frees up valuable desk space but also contributes to a more organised and professional work environment, enhancing overall productivity and user experience.



### Superior Print Quality

The printer offers excellent print quality with a resolution of up to 4,800 x 1,200 dpi, producing sharp text and detailed images. Advanced Nozzle Verification Technology monitors and adjusts nozzle performance to sustain consistent print quality. This approach helps maintain clear and precise output while reducing the need for frequent maintenance.



### Consistent Fast Printing Speed

With the EM-C800, experience fast print speeds of up to 25 ipm and a swift first page-out time of just 4.8 seconds in black and white. The printer's design ensures consistent high-speed printing, supported by a recommended monthly duty cycle of up to 5,000 pages. This combination promotes high productivity and reliable performance in demanding office environments.





## Stress-free operation for effortless productivity

The EM-C800 is designed for hassle-free use with user-friendly features that streamline office tasks and boost productivity. Its intuitive interface, automatic maintenance systems, and seamless integration ensure smooth operation and minimal disruptions.



### Automatic Duplex Scanning

Enjoy impressive scan speeds of up to 30 ppm (simplex) and 60 ipm (duplex). Conveniently scan both sides of a document in a single pass with dual CIS.



### Reduce Downtime

Fuss-free access to ink packs and maintenance box for easy replacement of consumables.



### Smart Interface

The intuitive 4.3-inch tiltable TFT colour touchscreen panel, enhanced with colour-coded functions, features a user-friendly interface that simplifies the operation of the printer.



### Supports Authentication Device

Utilise compatible ID card readers to enhance the security of print management.

### Expandable Paper Capacity

Expand paper handling capacity to up to 1,830 sheets by adding up to three additional paper cassette trays.

## Fewer interruptions and lower costs with high-capacity ink packs

The EM-C800 offers a stress-free experience with high-capacity ink packs that print up to 50,000 pages in black or 20,000 pages in colour without interruption, minimising the need for frequent consumable changes. This reduces waste and requires less user intervention. Additionally, the fast-drying pigment ink is water-resistant, protecting your prints from accidental spills, while Epson's DuraBrite Ultra ink ensures laser-like quality that is resistant to water, fading, and smudging, providing durable and reliable results.



**High capacity ink packs**  
Up to **20,000** pages in colour  
Up to **50,000** pages in black




**Standard capacity ink packs**  
Up to **5,000** pages in colour  
Up to **10,000** pages in black

## Streamlined software for greater integration

Take advantage of remote management, customise print options and enjoy seamless compatibility with the Epson WorkForce Enterprise. Integrate these into your existing IT infrastructure to improve productivity and increase efficiency. For more information, please visit [www.epson.com.sg/software-solutions](http://www.epson.com.sg/software-solutions).

### Epson Solutions Suite



### Epson Open Platform


Expand the capability of the printer by integrating with embedded solutions. Allows ISV to integrate printers into their software for customised solutions.



### Printer Options

#### IP-Fax

Enables sending and receiving fax through IP address. This choice also requires installation of Super G3/G3 Multi Fax Board option.



### Cloud & Mobile Solutions

#### Mobile App



#### Epson Smart Panel

Control the MFP to print and scan directly from your smart device with access to popular cloud storage services.

#### Epson Connect Services



#### Epson Email Print

Send a print job to any Email Print-enabled Epson printer from any device that can send an email.



#### Remote Print Driver

Print to an Email Print-enabled printer anywhere in the world via the internet with advanced settings from a PC or the Epson Smart Panel mobile app.



#### Scan to Cloud

Send documents through the cloud service directly from the popular cloud storage services without a PC or email server.



#### Fax to Cloud

Forward received fax documents to an email address or popular cloud storage services.

#### Driverless Solutions:

• Apple AirPrint • Mopria™ • Microsoft Universal Print • ChromeOS

## SPECIFICATIONS

|   |  |
|---|--|
| <b>Model Number</b>                         | <b>EM-C800</b>   |
| <b>SKU Code</b>                             | C11CK19502   |
| <b>Printer Type</b>                         | Print, Scan, Copy, Fax with ADF  |
| <b>Printing</b>                             |  |
| Printing Technology                         | PrecisionCore™ Printhead   |
| Nozzle Configuration                        | 800 nozzles each colour (Black, Cyan, Magenta, Yellow)   |
| Print Direction                             | Bi-directional printing  |
| Maximum Resolution                          | 4,800 x 1,200 dpi  |
| Maximum Ink Droplet Volume                  | 3.8 pl   |
| Print Speed                                 |  |
| Draft Text – Memo, A4 <sup>1</sup>          | Up to 34 ppm   |
| ISO 24734, A4 Simplex                       | Up to 25 ppm   |
| ISO 24734, A4 Duplex                        | Up to 16 ppm   |
| First Page Out Time                         | Approx. 4.8 sec (Black) / 5.3 sec (Colour)   |
| Printer Language                            | ESC/P-R  |
| Emulation                                   | PCL5 / PCL6, Compatible with PostScript® Level 3   |
| Maximum Monthly Duty Cycle <sup>2</sup>     | Up to 70,000 pages / month   |
| Recommended Monthly Duty Cycle <sup>3</sup> | Up to 5,000 pages / month  |
| Automatic 2-sided Printing                  | Yes (up to A4)   |
| <b>Copying</b>                              |  |
| Copy Speed (Black / Colour)                 |  |
| ISO 29183, A4 (Flatbed Copy)                | Up to 22 ipm   |
| ISO 24735, A4 (ADF, 1:1)                    | Up to 22 ipm   |
| ISO 24735, A4 (ADF, 1:2, 2:2)               | Up to 14 ipm   |
| Copy Quality                                | Text, Text & Image, Photo, Text & Image (Best), Barcode  |
| Maximum Copies from Standalone              | Up to 999 copies   |
| Reduction / Enlargement                     | 25 – 400%, Auto Fit Function   |
| Maximum Copy Resolution                     | 600 x 1,200 dpi  |
| Maximum Copy Size                           | Legal  |
| Copy Paper Size (Flatbed)                   | Legal, Indian-Legal, 8.5x13in, Letter, A4, B5, A5, B6, A6, 16K, 13x18cm, 16:9 Wide, 10x15cm, Envelopes: #10, DL, C4, C6  |
| <b>Scanning</b>                             |  |
| Scanner Type                                | Flatbed colour image scanner   |
| Sensor Type                                 | CIS x 2  |
| Optical Resolution                          | 1,200 x 2,400 dpi  |
| Maximum Scan Area                           | 216 x 297 mm (8.5" x 11.7")  |
| Scanner Bit Depth                           |  |
| Colour                                      | 48-bit input, 24-bit output  |
| Greyscale                                   | 16-bit input, 8-bit output   |
| Black & White                               | 16-bit input, 1-bit output   |
| Scan Destinations                           | Scan to Network Folder/FTP, Scan to Email, Scan to Memory Device, Scan to Computer (Document Capture Pro), Scan to Computer (WSD), Scan to Cloud (Epson Connect)                                 |
| Scanner Speed (Monochrome and Colour)       |  |
| 200 dpi Flatbed                             | 5.0 sec  |
| ADF (Simplex / Duplex)                      | 30 ppm / 60 ipm  |
| Scanner Compatibility                       | TWAIN, WIA, ICA  |
| <b>ADF Function</b>                         |  |
| Support Paper Thickness                     | 64 – 95 g/m <sup>2</sup>   |
| Paper Capacity                              | 50 sheets  |
| Automatic 2-sided Scan / Copy / Fax         | Yes (1-pass Duplex)  |
| <b>Fax Function</b>                         |  |
| Type of Fax                                 | Walk-up black-and-white and colour fax capability  |
| Receive Memore / Page Memory                | 6 MB, up to 550 pages (ITU-T No.1 chart)   |
| Communication Standards                     | CCITT/ITU G3, SuperG3 (V34)  |
| Error Correction Mode                       | ITU-T T.30   |
| Fax Speed (Data Transfer Rate)              | Up to 33.6kbps, Approx. 3 sec/page   |
| Fax Resolution                              | Up to 200 x 200 dpi  |
| Transmission Paper Size                     |  |
| Flatbed                                     | Half Letter, A5, Letter, A4  |
| ADF   | A5 to A4 / Legal   |
| Receiving Paper Size                        | A5, A4, B5, Letter, Legal  |
| Speed Dial / Group Dial                     | Up to 2,000 dials, 200 groups  |
| Fax Features                                | PC Fax (Transmission / Receive), Automatic Redial, Address Book, Transmit Reservation, Broadcast Fax (Mono only), Polling Reception, Fax Preview, Fax to E-mail, Memory Reception, Fax to Folder |
| <b>USB Host Function</b>                    |  |
| USB Host                                    | Yes  |
| Type of Direct Printing                     | Memory Devices   |
| Direct Print Paper Size                     | 10x15cm, 13x18cm, 16:9 Wide, A4, A5, A6, Legal, 8.5x13in, Indian-Legal, Letter, B5, B6, 16K, Envelopes: #10, C4, C6, DL  |
| <b>Paper Handling</b>                       |  |
| Paper Feed Method                           | Friction Feed  |
| Number of Paper Trays                       | 2 (Front: 1, Rear: 1)  |
| Paper Hold Capacity                         |  |
| Standard Input Capacity                     | Up to 330 sheets (80 g/m <sup>2</sup> )<br>(Paper Cassette 1: 250 sheets, Rear Tray: 80 sheets)  |
| Maximum Input Capacity                      | Up to 1,830 sheets (80 g/m <sup>2</sup> )<br>(Paper Cassette 1: 250 sheets, Paper Cassette 2 – 4: 500 sheets, Rear Tray: 80 sheets)  |
| Output Capacity                             | Plain Paper: Up to 150 sheets (80 g/m <sup>2</sup> ), Photo Paper: Up to 20 sheets   |

## SPECIFICATIONS

|   |  |            |
|---|--|------------|
| <b>Model Number</b>                             | <b>EM-C800</b>   |            |
| Supported Paper Size                            | Plain Paper  |            |
|   | A6, A5, A4, Half Letter, Executive, Letter, 8.5 x 13", Indian-Legal, Legal, B6, B5, 100 x 148, 16:9 wide, 16K                    |            |
|   | Photo Paper  |            |
|   | 3.5 x 5", 4 x 6", 5 x 7", 8 x 10"  |            |
|   | #10, DL, C6, C4 <sup>1</sup> (*Supported on Rear Tray only)  |            |
| Maximum Paper Size (Rear Tray)                  | 215.9 x 6,000 mm (8.5 x 236.2")  |            |
| Supported Paper Weight                          | 64 – 255 g/m <sup>2</sup>  |            |
| Print Margin                                    | 3mm top, left, right, bottom   |            |
| <b>Interface</b>                                |  |            |
| USB   | USB 2.0  |            |
| Network   | Ethernet (10Base-T/100Base-TX/1000Base-T), Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct (up to 8 devices)                                |            |
| Wi-Fi Security                                  | WEP (64bit/128bit), WPA2-PSK (TKIP/AES), WPA2-Enterprise, WPA3-SAE (AES), WPA3-Enterprise  |            |
| Network Protocol                                | TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD  |            |
| Network Management Protocols                    | SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD   |            |
| Security Functions                              | Access Control, LDAP Address Book, IPsec/IP Filtering, Panel Lock, Confidential Job, SSL/TLS, IEEE 802.1X Authentication         |            |
| <b>Mobile and Colour Printing</b>               |  |            |
| Mobile App                                      | Epson Smart Panel  |            |
| Epson Connect                                   | Epson Email Print, Remote Print Driver, Scan to Cloud, Fax to Cloud  |            |
| Driverless Solutions                            | Apple AirPrint, Mopria Print Service, Microsoft Universal Print, ChromeOS  |            |
| <b>Control Panel</b>                            |  |            |
| LCD Screen                                      | 4.3" TFT Colour LCD Touch Panel  |            |
| <b>Printer Software</b>                         |  |            |
| Supported Operating Systems                     | Windows 7 / 8 / 8.1 / 10 / 11, Windows Server 2008 / 2012 / 2016 / 2019 / 2022<br>Mac OS X 10.10.x or later, macOS 11.x or later |            |
| Supported Software Solutions                    | Epson Device Admin, Epson Remote Services (Embedded), Epson Print Admin, Document Capture Pro                                    |            |
| <b>Electrical Specifications</b>                |  |            |
| Rated Voltage                                   | AC 220 – 240V  |            |
| Rated Frequency                                 | 50 – 60 Hz   |            |
| Typical Electricity Consumption (TEC) Value     | 0.19 kW/h  |            |
| Power Consumption                               |  |            |
| Operating                                       | 30.0W  |            |
| Standby   | 13.8W  |            |
| Sleep   | 1.1W   |            |
| Power Off                                       | 0.2W   |            |
| <b>Noise Level</b>                              |  |            |
| PC Printing / Plain Paper Default <sup>14</sup> | 6.5 B(A) / 51 dB(A)  |            |
| PC Printing / PGPP Best Photo <sup>14</sup>     | 5.0 B(A) / 36 dB(A)  |            |
| <b>Consumables &amp; Options</b>                |  |            |
| Standard Capacity Black Ink Pack                | Page Yield <sup>15</sup>   | Order Code |
| Standard Capacity Cyan Ink Pack                 | 10,000 pages   | C13T12L100 |
| Standard Capacity Magenta Ink Pack              | } 5,000 pages  | C13T12L200 |
| Standard Capacity Yellow Ink Pack               |  | C13T12L300 |
|   |  | C13T12L400 |
| High Capacity Black Ink Pack                    | 50,000 pages   | C13T12M100 |
| High Capacity Cyan Ink Pack                     | } 20,000 pages   | C13T12M200 |
| High Capacity Magenta Ink Pack                  |  | C13T12M300 |
| High Capacity Yellow Ink Pack                   |  | C13T12M400 |
| Maintenance Box                                 | -  | C12C938211 |
| Paper Feed Roller for Cassette A                | -  | C12C938261 |
| Paper Feed Roller for Cassette B                | -  | C12C938281 |
| Optional Single Cassette - P2                   | -  | C12C937901 |
| Authentication Device Table - P2                | -  | C12C939531 |
| <b>Software Solutions</b>                       |  |            |
| Epson Print Admin                               | Order Code<br>7110574  |            |
| Epson Print Admin Advanced Workflows            | C12C938801   |            |
| Document Capture Pro Enhanced OCR               | C12C938761   |            |
| <b>Printer Options</b>                          |  |            |
| IP-Fax  | Order Code<br>C12C938841   |            |

<sup>1</sup> Print speed (Pages Per Minute) is calculated when printed on A4 plain paper in the fastest mode. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.

<sup>2</sup> The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.

<sup>3</sup> Epson recommends that the average number of printed pages per month not exceed the stated ranges for longer term print quality and reliability.

<sup>4</sup> Default mode in accordance with ISO7779 for MFPs.

<sup>5</sup> Yields based on ISO/IEC 24711/24712 tests in Default Mode printing continuously. Actual yields will be lower with higher density images, hot or dusty conditions, less frequent printing, or printing predominantly with one color. All ink colours are used for printing and printer/all-in-one maintenance, and all colours have to be installed for printing. For print quality, part of the ink from the included cartridges is used for printer startup and a variable amount of ink remains in the cartridges after the "replace cartridge" signal.

## Dimensions & Weight

**Weight:** 21.3kg (47.0 lb)  
(Excluding Consumables)



©2024 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited.

EPSON is a registered trademark of Seiko Epson Corporation.

All other product and company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Dealer's Stamp

Information correct at time of printing.  
Printed November 2024

Find out more at [www.epson.com.sg/enterpriseprinting](http://www.epson.com.sg/enterpriseprinting)

EpsonSingapore EpsonSingapore EpsonSoutheastAsia Epson Singapore EpsonSingapore

**Epson Singapore Pte Ltd** 438B Alexandra Road, Block B Alexandra Technopark, #04-01/04, Singapore 119968. Tel: (65) 6586-5500  
**Epson Customer Care Center** 100G Pasir Panjang Road, #01-09 Interlocal Centre, Singapore 118523. Epson Helpdesk: 800 120 5564. Please refer to [www.epson.com.sg/contact](http://www.epson.com.sg/contact) for opening hours.



# Switch to Epson Heat-Free Business Inkjet Printers

PrecisionCore is the next-generation inkjet printhead technology driving Epson's inkjet resolution. It merges advanced key component technologies, state-of-the-art MEMS<sup>^</sup> fabrication and high-precision assembly processes honed over decades.

Epson's proprietary Micro Piezo inkjet technology does not use heat in the ink ejection process. Instead, it relies on Heat-Free Technology, which sets our printers apart from the competition. This technology works by applying pressure to the Piezo element, causing it to flex backwards and forwards, thereby firing the ink from the printhead.

<sup>^</sup>MEMS (Micro Electro Mechanical Systems): Devices possessing mechanically driven elements, manufactured through the application of semiconductor processing technology.



## Save time with consistent fast speed printing

No heat is required for warm-up, allowing the printer to start printing immediately. This efficient design ensures that you can begin your tasks without delay, maintaining a consistent and fast printing speed throughout your jobs.



## Less power consumption saves energy and money

With no fuser unit to heat, reduce energy consumption by **up to 85%\*** compared to laser printers, resulting in cost savings for electricity bills.



## Fewer replacement parts, lower environmental impact

Uses **up to 59%** fewer replacement parts\*\* than laser printers. No heat damage to the printhead.



## Less intervention increases productivity

With fewer parts to replace and printheads that last longer, the amount of intervention is minimised, providing improved reliability and reduced downtime.



Amendment of the below clause is updated as of 1<sup>st</sup> November 2021.

\* Testing was commissioned by Epson and conducted by Keypoint Intelligence. One specific model was selected from color laser multi-function printers in the 65-70ppm class. Epson WorkForce Enterprise WF-C21000 with 100ppm (equivalent model in Europe was used during the evaluation). This data is as of September, 2020. Devices were tested in default mode as per Keypoint Intelligence's proprietary standard energy consumption test methods. Calculations were based on a weekday workload of 2 x 4 hours printing + 16 hours in sleep/standby mode, and weekend energy use of 48 hours in sleep/standby mode. A total of 69 pages of workload test pattern using DOC, XLS, PPT, HTML, PDF files and Outlook email messages were printed six times in each 4-hour printing period.

\*\* Testing was commissioned by Epson and conducted by Keypoint Intelligence. One competitor model was selected from worldwide best-selling vendor<sup>^</sup> in the 65ppm and 70ppm colour laser multi-function printer. Epson Work Force Enterprise WF-C20600 with 60ppm (equivalent model in Europe was used during the evaluation). Consumables and periodic replacement parts required to print 1M pages. The weight includes all used consumables, periodical replacement parts and their packaging. Test printed pattern used was ISO24712.

<sup>^</sup>Source: IDC's Worldwide Quarterly Hardcopy Peripherals Tracker 2020Q2, Units Share by Company.