INK TANK SYSTEM PRINTERS ECOTANK M200



AFFORDABLE LASER-LIKE MONO PRINTING.

The Epson M200 original ink tank system printer offers print speed of up to 34ppm, using pigment ink that allows you to print laser-quality text that are water and smudge-resistant. The printers are network-ready for sharing across workgroups, making them ideal for small offices and home offices, as well as 24-hour service stations such as hotels and hospitals that are looking to lower printing costs.





84444

High-Yield Ink Bottle



EPSON

Superb Savings and Page Yield

A bottle of 140ml of ink delivers an ultrahigh yield of up to 6,000 pages, providing excellent cost savings for the business.

Laser-Quality Prints and Speed

Printouts are water and smudge-resistant and printed at speeds of up to 34ppm for draft and 15ipm for standard quality.



Epson Warranty for Peace of Mind Enjoy warranty coverage of 4 years or 50,000 prints, whichever comes first.



Lower your business's printing costs with the M200 original ink tank system printers that deliver laser-quality prints.

Superb Savings and Page Yield

Epson's proven original ink tank system printers deliver reliable printing with unrivalled economy. You can enjoy ultra-high yield of 6,000 pages with each ink bottle, reducing the constant hassle of refilling. The M200 comes bundled with an initial starter kit of 2 bottles of inks (140ml and 70ml).



Laser-Quality Prints and Speed

Busy offices with high print volume will appreciate the fast print speeds of 34ppm for draft and 15ipm for standard prints. In addition, the M200 copies at a speed of up to 34ppm.

The Epson M200 uses pigment inks which allow you to print sharp texts that are water and smudge-resistant. You can enjoy low printing costs without sacrificing the quality of your printouts.





Epson Warranty for Peace of Mind

Enjoy warranty coverage of up to 4 years or 50,000 prints, whichever comes first, for maximum value from your printer. Epson's warranty includes coverage of printhead, which is most important for a printer designed for high volume printing.



Network Connectivity

The Epson M200 is enabled with Ethernet, ensuring superb connectivity so that you can easily share the printer within your workgroup for better use of resources.

Seamless Printing with Epson iPrint

The M200 supports Epson iPrint which is a mobile application that allows you to print from your mobile device over a wireless network. You can also scan documents or photos and save the scanned images locally on your mobile device, save it in an online cloud storage service, or attach it to an email.



≽ Google play

Available on the iPhone App Store



Heat-Free Technology

Increase productivity and reduce environmental impact without compromise as Epson Heat-Free Technology does not require heat in the ink ejection process. Instead pressure is applied to the Piezo element, which flexes backward and forward, firing the ink from the printhead.

Enjoy the following benefits with Epson EcoTank printers.

- Save time with consistent high speed printing
- Less power consumption saves energy and money
- · Fewer replacement parts, lower environment impact
- · Less intervention increases productivity

Enhanced Productivity

Automatic Document Feeder

The M200 is equipped with a 30-sheet ADF unit for convenient scanning and copying of multi-page documents.



LCD Screen

Experience easy set-up and PC-less operation with a built-in 2-line LCD screen on the M200.



Space-saving Design

The M200 ink tank system printer not only work well, but also fit comfortably in your office. They sport a compact design and footprint that can be easily integrated into small desktops.



SPECIFICATIONS

Product Name		M200
Printer Type		Print, Scan, Copy with ADF
Printing		
Print Method		On-demand ink jet (piezoelectric)
Nozzle Configuration		360 nozzles Black
Print Direction		Bi-directional printing, Uni-directional printing
Maximum Resolution		1440 dpi x 720 dpi (with Variable-Sized Droplet Technology)
Minimum Ink Droplet	Volume	3pl
Print Speed	- Chaine	
	ext*1 - Memo (A4)#1	Approx. 34 ppm (Draft)
ISO Default - ISO	. ,	Approx. 15 ipm
Double-sided Printing		Yes (Manual)
0		Yes
Collate (Yes/No) Control Panel		les
LCD Screen		2 Line LCD
		2 Line LCD
Copying		
Copy Speed		
Max Black Draft T		Approx. 34 ppm (Draft)
Reduction/Enlarge	ement	25 - 400%, Auto Fit Function
Copy Mode		Standard copy mode
Maximum Copies fror	n Standalone	99
Scanning		
Scanner Type		Flatbed colour image scanner
Sensor Type		CIS
Optical Resolution		1200 dpi x 2400 dpi
Compatibility		TWAIN, WIA, ICA
Maximum Scan Area		216 x 297 mm (8.5 x 11.7")
Scanner Bit Depth		
Colour		48-bit internal, 24-bit external
Grayscale		16-bit internal, 8-bit external
Black & White		16-bit internal, 1-bit external
Scan Speed		
Monochrome	300 dpi	2.2 msec/line
Colour		7.0 msec/line
	300 dpi	
Monochrome	600 dpi	2.4 msec/line
Colour	600 dpi	12.7 msec/line
Monochrome	1200 dpi	8.5 msec/line
Colour	1200 dpi	25.4 msec/line
ADF		
Maximum Document	Size	A4, US Letter, Legal size
Support Paper Type		Only support Plain Paper
Support Paper Thickr	less	64 - 95 g/m²
Capacity / Maximum	Number of Original	30 pages (64 g/m ²) or 3 mm (Letter, A4) / 10 sheets (Legal)
Printer Interface		
USB		Hi-Speed USB 2.0
Ethernet		100BASE-TX / 10BASE-T
Mobile Printing		Epson iPrint
Paper Handling		
Paper Feed Method		Friction Feed
Number of Paper Tray	/S	1
Paper Hold Capacity		
Input Capacity		100 sheets, A4 Plain Paper (75 g/m²)
Output Capacity		30 sheets, A4 Plain Paper (Default Text)
Paper Size		A4, A5, A6, B5, 10 x 15 cm (4 x 6"), 13 x 18 cm (5 x 7"), 9 x 13 cm (3½ x 5"),
		Letter (81/2 x 11"), Legal (81/2 x 14"), Half Letter (51/2 x 81/2"), 13 x 20 cm (5 x 8"),
		20 x 25 cm (8 x 10"), 16:9 wide size, 100 x 148 mm, Envelopes: #10 (41/8 x 91/2"),
		DL (110 x 220 mm), C6 (114 x 162 mm)
Maximum Paper Size		8.5 x 44"
Print Margin		3 mm top, left, right, bottom
Noise Level		
PC Printing / PGPP B	est Photo	
LwAd: B(A)		5.3 B(A)
LpAm: dB(A)		39 dB(A)
PC Printing / Plain Pa	per Default ⁻³	
LwAd: B(A)		6.4 B(A)
LpAm: dB(A)		50 dB(A)
Electrical Specificat	ions	
		AC 220 - 240 V
Rated Voltage		50 - 60 Hz
Rated Voltage Rated Frequency		50 - 60 Hz
Rated Voltage Rated Frequency Power Consumption		
Rated Voltage Rated Frequency Power Consumption Standalone Copyi	ing	10 W
Rated Voltage Rated Frequency Power Consumption Standalone Copyi Standby	ing	10 W Approx. 4.0 W
Rated Voltage Rated Frequency Power Consumption Standalone Copyi Standby Sleep	ing	10 W Approx. 4.0 W Approx. 1.8 W
Rated Voltage Rated Frequency Power Consumption Standalone Copyi Standby Sleep Power Off	ing	10 W Approx. 4.0 W
Rated Voltage Rated Frequency Power Consumption Standalone Copyi Standby Sleep Power Off Printer Software		10 W Approx. 4.0 W Approx. 1.8 W Approx. 0.3 W
Rated Voltage Rated Frequency Power Consumption Standalone Copyi Standby Sleep Power Off Printer Software		10 W Approx. 4.0 W Approx. 1.8 W Approx. 0.3 W Windows XP / XP Professional x64 Edition / Vista / 7 / 8 / 8.1 / 10
Rated Voltage Rated Frequency Power Consumption Standalone Copyi Standby Sleep Power Off Printer Software Operating System Co		10 W Approx. 4.0 W Approx. 1.8 W Approx. 0.3 W Windows XP / XP Professional x64 Edition / Vista / 7 / 8 / 8.1 / 10 Mac OS X 10.5.8 or later
Rated Voltage Rated Frequency Power Consumption Standalone Copyi Standby Sleep Power Off Printer Software Operating System Co On-line Guide		10 W Approx. 4.0 W Approx. 1.8 W Approx. 0.3 W Windows XP / XP Professional x64 Edition / Vista / 7 / 8 / 8.1 / 10 Mac OS X 10.5.8 or later Yes
Rated Voltage Rated Frequency Power Consumption Standalone Copyi Standby Sleep		10 W Approx. 4.0 W Approx. 1.8 W Approx. 0.3 W Windows XP / XP Professional x64 Edition / Vista / 7 / 8 / 8.1 / 10 Mac OS X 10.5.8 or later

Dimensions & Weight

Weight: 6.0kg / 13.2lb



*1 Print speed (Pages Per Minute) is calculated when printed on A4 plain paper in the fastest mode. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.

	12,000,00
P. 1.	
Market La	152.

#1 Black text

- *2 Determined in accordance with ISO/IEC 24734 showing the average of ESAT from the Office Category Test for default simplex. For full report see your country web site via www.epson.com
- *3 Default mode in accordance with ISO7779.
- *3 Default mode in accordance with ISO/7/9.
 *4 Quoted yields are extrapolated based on Epson original methodology from the print simulation of Test Patterns provided in ISO/IEC 19752. Quoted yields are NOT based on ISO/IEC2471. Quoted yields may vary depending on the images that you are printing, the paper type that you are using, the frequency of your prints and environmental conditions such as temperature.

© 2020 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Information correct as at October 2020