

## CONNECTIVITY, EFFICIENCY, FUNCTIONALITY – ALL-IN-ONE.



**IT'S ALL  
ABOUT  
THE INK**

Discover flexibility and convenience when you choose the L565 ink tank system printer. Enjoy a variety of functions from scanning, copying and faxing to connectivity applications such as Ethernet, Wi-Fi, Wi-Fi Direct and Epson Connect. Complete with high-yield and low-cost printing, unleash great versatility that will suit your office needs.



Fax



Ethernet



Wi-Fi  
Direct



Epson  
Connect



Ultra High  
Page Yield



2-Year  
Warranty



The Epson L565 is bundled with a starter kit of 4 X 70ml bottle of Epson genuine inks.

## ENGINEERED FOR BUSINESS

### All-in-One Capability

Enjoy low-cost colour printing with a whole host of connectivity applications and features, including fax capability.

### Cost-effective Efficiency

Save with each bottle of ink at just US\$5.50 and ultra-high yield of 7,500 pages for colour or 4,500 pages for black.

### Wireless Printing with Epson Connect

Integrated wireless connectivity allows easy and flexible printing from shared and mobile devices.

Get more out of your printer with the L565 ink tank printer. On top of its economical printing capability, you'll enjoy a diverse range of features such as scanning and faxing capabilities as well as Ethernet and Wi-Fi Direct connectivity. Tapping on Epson Connect to deliver even more connectivity options, the L565 is your ideal choice for a one-size-fits-all ink tank system printer.



### All-in-One Capability

Enjoy low-cost colour printing with integrated scanning, copying and faxing with built-in ADF, Ethernet, Wi-Fi and Epson Connect for seamless sharing. Business and SOHO users will appreciate the remarkable performance of the L565. Equipped with Ethernet, Wi-Fi and Wi-Fi Direct connectivity features, printing from your PC, laptop or mobile devices is quick and seamless.



The L565 includes a simplex 30-page automatic document feeder (ADF) for quick and easy multi-page scanning, copying and faxing.



Experience easy setup and PC-less operation with a 2.2" Mono LCD screen. Broadcast-fax and PC-fax functions let you send multiple documents simultaneously from your PC. A 100-page fax storage memory ensures that all incoming faxes will be received.



### Cost-effective Efficiency

Don't compromise on cost as you print. With Epson's original ink tank system, you'll be able to save costs as each bottle of ink costs only US\$5.50 and each set of ink has an ultra-high yield of 7,500 pages for colour or 4,500 for black. With a patented bottle tip design to allow easy and mess-free refills, tubes in the printer are also designed to be of optimum width to ensure smooth and reliable ink flow at all times.



## Wireless Printing with Epson Connect

### Wi-Fi and Wi-Fi Direct Connectivity

Experience a world of wireless convenience with access to easy and flexible shared printing and mobile printing. The added advantage of Wi-Fi Direct allows you to connect up to 4 devices to the printer without a router. The L565 also comes enabled with Ethernet, ensuring superb connectivity, allowing you to easily share your printer within your work group for better use of resources.



#### Epson Connect Enabled

- **Epson iPrint** - Print from and scan directly to your smart device or online cloud storage services.
  - **Epson Email Print** - Print to any Email Print enabled Epson printer from any devices or PC with email access.
  - **Remote Print Driver** - Print to a compatible Epson printer anywhere in the world via the Internet using a PC with Remote Print driver or from mobile devices via the Epson iPrint app.
  - **Scan to Cloud** - Share your scans through email or store them online in cloud storage services.
- Other mobile solutions:
- **Apple® AirPrint™** - Print directly from your Apple devices.
  - **Google Cloud Print™** - Print directly from an Android™ smartphone, tablet or PC using your Google account.
  - **Mopria™ Print Service** - Conveniently print across different brands of printers from mobile devices running Android OS 4.4 or later.

## Space-saving Design

Even with its multifunctional capability, the L565 features a streamlined design that takes up very little space compared to conventional designs, allowing you to fit it comfortably anywhere within your office or home.



### Epson Warranty for Peace of Mind

Enjoy warranty coverage of up to two years or 30,000 prints, whichever comes first, for maximum value from your printer. Epson's warranty includes coverage of printhead, a highly important component for a printer that's designed for high volume printing.



### Speed and Reliability for Better Productivity

Busy offices will appreciate the fast print speeds of up to 9.2ipm and draft print speeds of up to 33ppm. High volume users will benefit from Epson's original ink tank system, ensuring fast and reliable continuous printing performance.



### Unsurpassed Print Quality

An astoundingly high resolution of 5760 dpi delivers exceptionally high quality prints for all your personal and creative needs.

## Quality that Shines. Value that Lasts.

Epson genuine ink bottles are formulated to deliver outstanding high-volume print quality with L-series printers. Every bottle is individually sealed to ensure the purity of ink and comes with a smart tip designed for mess-free refills. Choose Epson genuine ink bottles to enjoy lasting quality with your L-series printer and low printing costs.



## PARTNERS IN PERFECTION



**EB-1776W Ultra-portable Projector**

Epson's slimmest 3LCD projector, at just 1.71kg and 44mm thick, with advanced features such as auto keystone correction.



**WorkForce DS-860 Scanner**

An ultra-fast and efficient scanner for document management, with speeds of up to 130ipm, Document Capture Pro software and scan-to-cloud functions.

# SPECIFICATIONS

## L565

**EPSON**  
EXCEED YOUR VISION

| MODEL NUMBER  | L565  |
|---|---|
| <b>Printing</b>                                     |   |
| Print Method  | On-demand inkjet  |
| Nozzle Configuration                                | 180 nozzles Black, 59 nozzles per colour (Cyan, Magenta, Yellow)  |
| Print Direction                                     | Bi-directional printing, Uni-directional printing   |
| Maximum Resolution                                  | 5760 x 1440 dpi (with Variable-Sized Droplet Technology)  |
| Minimum Ink Droplet Volume                          | 3 pl  |
| Print Speed <sup>*1</sup>                           |   |
| Max Draft Text - Memo (A4)                          | Approx. 33 ppm / 15 ppm (Black <sup>④</sup> / Colour <sup>④</sup> )   |
| ISO 24734, A4, Simplex                              | Approx. 9.2 ipm / 4.5 ipm (Black / Colour)  |
| Max Photo Draft - 10 x 15cm / 4 x 6" <sup>② ③</sup> | Approx. 27 sec per photo (W / Border)   |
| Photo Default - 10 x 15cm / 4 x 6" <sup>② ③</sup>   | Approx. 69 sec per photo (W / Border)   |
| <b>Copying</b>                                      |   |
| Copy Speed  |   |
| ISO 29183, A4, Simplex                              | Approx. 7.7 ipm / 3.8 ipm (Black / Colour)  |
| Maximum Copies from Standalone                      | 99 copies   |
| Reduction / Enlargement                             | 25 - 400%, Auto Fit Function  |
| Maximum Copy Size                                   | A4  |
| <b>Scanning</b>                                     |   |
| Scanner Type  | Flatbed colour image scanner  |
| Sensor Type   | CIS   |
| Optical Resolution                                  | 1200 x 2400 dpi   |
| Maximum Scan Area                                   | 216 x 297mm (8.5 x 11.7")   |
| Scanner Bit Depth                                   |   |
| Colour  | 48-bit input, 24-bit output   |
| Grayscale   | 16-bit input, 8-bit output  |
| Black & White                                       | 16-bit input, 1-bit output  |
| Scan Speed (Flatbed / ADF)                          |   |
| Monochrome  | 16 sec / 2.0 ppm  |
| Colour  | 34 sec / 2.0 ppm  |
| <b>Fax Function</b>                                 |   |
| Type of Fax   | Walk-up black-and-white and colour fax capability   |
| Receive Memory / Page Memory                        | Up to 100 pages (ITU-T No.1 chart)  |
| Error Correction Mode                               | CcITT / ITU Group3 fax with Error Correction Mode   |
| Fax Speed (Data Transfer Rate)                      | Up to 33.6kbps, Approx. 3 sec/page  |
| Fax Resolution                                      |   |
| Black & White                                       | Standard: 8 pels/mm x 3.85 lines/mm<br>Fine: 8 pels/mm x 7.7 lines/mm   |
| Colour  | Photo: 8 pels/mm x 7.7 lines/mm<br>Fine: 200 x 200 dpi<br>Photo: 200 x 200 dpi  |
| <b>Transmission Paper Size</b>                      |   |
| Flatbed   | Letter, A4  |
| ADF   | Letter, A4, Legal   |
| Receiving Paper Size                                | Letter, A4, Legal   |
| Speed Dial  | Up to 60 numbers  |
| Fax Features  | PC Fax (Transmission / Receive), Automatic redial, Address book, Group Dial, Delay Send, Broadcast Fax (Mono Only)  |
| <b>ADF Function</b>                                 |   |
| Support Paper Thickness                             | 64-95g/m <sup>2</sup>   |
| Paper Capacity                                      | 30 pages (64g/m <sup>2</sup> )  |
| <b>Paper Handling</b>                               |   |
| Paper Feed Method                                   | Friction feed   |
| Paper Hold Capacity                                 |   |
| Input Capacity                                      | 100 sheets, A4 Plain Paper (75gsm)<br>20 sheets, Premium Glossy Photo Paper<br>30 sheets, A4 Plain Paper  |
| Output Capacity                                     | 20 sheets, Premium Glossy Photo Paper   |
| Paper Size  | A4, A5, A6, B5, 10 x 15cm (4 x 6"), 13 x 18cm (5 x 7"), 9 x 13cm (3.5 x 5"), Letter, Legal, Half Letter (5.5 x 8.5"), 13 x 20cm (5 x 8"), 20 x 25cm (8 x 10"), 16.9 wide size, 100 x 148mm, Envelopes: #10 (4.125 x 9.5"), DL (110 x 220mm), C6 (114 x 162mm) |
| Maximum Paper Size                                  | 215.9 x 1117.6mm (8.5 x 44")  |
| Print Margin  | 3 mm top, left, right, bottom   |
| <b>Interface</b>                                    |   |
| USB   | Hi-Speed USB 2.0  |
| Ethernet  | 100BASE-TX / 10BASE-T   |
| Network   | Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct  |
| <b>Mobile and Cloud Printing</b>                    |   |
|   | Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Apple® AirPrint™, Google Cloud Print™, Mopria™ Print Service   |
| <b>Control Panel</b>                                |   |
| LCD Screen  | 2.2" Mono LCD   |
| <b>Printer Software</b>                             |   |
| Operating System Compatibility                      | Windows XP / XP Professional x 64 Edition / Vista / 7 / 8 / 8.1 / 10<br>Max OS X 10.6.8 or later  |
| <b>Electrical Specifications</b>                    |   |
| Rated Voltage                                       | AC 220 - 240V   |
| Rated Frequency                                     | 50 - 60Hz   |
| Power Consumption                                   |   |
| Operating   | 11W   |
| Standby   | 4.0W  |
| Sleep   | 1.6W  |
| Power off   | 0.3W  |
| <b>Noise Level</b>                                  |   |
| PC Printing / Premium Glossy                        | 5.1 B(A), 38 dB(A)  |
| Photo Paper Best Photo                              |   |
| PC Printing / Plain Paper Default <sup>①</sup>      | 5.8 B(A), 44 dB(A)  |
| <b>Epson Genuine Ink Bottle</b>                     |   |
| Black   | Page Yield <sup>④</sup><br>4,500 pages  |
| Cyan  |   |
| Magenta   |   |
| Yellow  | 7,500 pages (Composite Yield)   |
|   | Order Code<br>664<br>664<br>664<br>664  |

## Dimensions & Weight

### L565

Weight: 6.2kg (13.7 lb)



<sup>\*1</sup> Print speed (Pages Per Minute) is calculated when printed on A4 plain paper in the fastest mode, 10 x 15 cm photo print speed when printed on Epson Premium Glossy Photo Paper. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.



<sup>\*2</sup> When printed on Epson Premium Glossy Photo Paper.

<sup>\*3</sup> Default mode in accordance with ISO7779 for MFPS.

<sup>\*4</sup> Quoted yields are based on the ISO 24711/24712 patterns of mixed text and colour graphics with Epson methodology. Quoted yields are based on the replacement ink bottles purchased. For print quality, part of the ink from the included bottles is used for printer startup so yields could be lower than those of replacement ink bottles. Actual yields will vary due to reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. Ink is used for both printing and printhead maintenance. All inks are used for both black and colour printing.



© 2016 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Information correct as at August 2016. Please refer to our website for latest specifications.