



Fully featured to meet the demands of the office, the Epson L1455 allin-one ink tank system printer takes productivity bigger with the ability to print documents up to A3+ size at high speeds through Epson's PrecisionCore™ printhead technology and automatic duplex printing. Deliver high-quality documents, which are framed economically with the ability to yield 6,000 pages for black and 6,500 pages for colour through affordable inks. The L1455 integrates into any office through its complete suite of connectivity features.















2-Year Warranty











The Epson L1455 is bundled with a starter kit of 1 x 140ml bottle of black ink and 3 x 70ml bottle of

# IT'S IN THE DETAILS.

### **Supersized Productivity**

Print, scan and copy in duplex up to A3 size at high speeds with Epson PrecisionCore technology.

### **Superb Quality & Cost-Savings**

Print with impeccable quality at up to 4800dpi, with affordable quality inks that yield up to 6,000 pages for black and 6,500 for colour.

### **Convenient Connectivity**

The Epson L1455 comes equipped with a full suite of connectivity features that encompasses Ethernet, Wi-Fi, Wi-Fi Direct\* and USB 2.0.

Engineered for convenience, the L1455 presents PC-less operations via a 4.3" colour touchscreen LCD, media card slots, USB ports for Flash drives, as well as a full suite of wireless connectivity so you can print directly from your mobile devices. All of these, at an ultra-low A3 automatic duplex printing cost.



### **Supersized Productivity**

### Print up to A3+

Print larger and clearer documents, spreadsheets, diagrams and charts to bring out maximum detail and clarity at A3+ size. The multi-function L1455 supports copying and faxing up to A3 size as well.

# **High Speed Duplex Printing**

Enjoy print speeds of up to 18ipm for A4 & 10ipm for A3 sized documents with Epson PrecisionCore printheads. The breakthrough PrecisionCore technology is equipped with versatile, high-speed solutions for commercial, industrial and office printing. Offering a vast improvement from the conventional piezo printheads, this technology delivers professional output quality at blazing speeds. The L1455 also supports automatic duplex printing up to 8.7ipm for A4, reducing paper consumption.

#### **Duplex Automatic Document Feeder**

The L1455 is equipped with a 35-sheet duplex ADF unit for convenient scanning and copying of double-sided documents, even up to A3 size.





# Superb Quality & Cost-Savings

The L1455 prints black and white documents with razor sharp text that are water and smudge-resistant. You can also print lab-quality glossy photos on photo media paper at a high resolution output of 4800dpi. Each set of inks yields 6,000 pages for black and 6,500 pages for colour, offering ultra low-cost duplex printing on an A3 printer.

**High Capacity Ink Tanks** 



Water-Resistant Black Texts



## **Convenient Connectivity**

#### **Network Connectivity and Standalone Capability**

Equipped with Ethernet, Wi-Fi, and Wi-Fi Direct\*, the L1455 is perfect for office environments. Wi-Fi Direct acts as an access point, allowing up to four devices to connect directly to the printer at a time without a router.



\*Wi-Fi and Wi-Fi Direct cannot be used simultaneously.

#### **Epson Connect Enabled**

Wirelessly print your documents from anywhere in the world with Epson Connect's wide range of features:

- Epson iPrint
- Epson Email Print
- Remote Print Driver
- Scan to Cloud

#### Other Mobile Solutions:

Google Cloud Print™

For more information on Epson Connect, please visit http://www.epson.com.sg/connect

## Compatibility with Epson Device Admin

With Epson Device Admin, you can now manage, monitor and configure your Epson device fleet easily. It is compatible with a large range of networked printers and scanners, and views all information via one smart, intuitive interface



#### **Epson Device Admin Functions**

- Manage Epson devices in groups.
- Receive automatic alerts when the device runs out of consumables or faces an error for quick response.
- Generate reports automatically for cost-savings activities or implementing managed print services.
- Configure multiple devices efficiently with templates to simplify large deployments.

For more information, please refer to http://www.epson.com.sg/epsondeviceadmin

#### Ease of Use



#### **LCD Screen**

Experience easy setup and PC-less operation with a 4.3" touchscreen colour LCD.



#### **Dual 250 Sheets Input**

The L1455 comes equipped with dual 250-sheets input trays, allowing you to set 2 different paper sizes in separate trays, saving your time and effort in printing documents of different sizes.



#### Single Sheet Rear Feeder

A single sheet feeder lets you set labels, thick paper, envelopes and photo paper conveniently.



# Card Slots/USB Host Function

The L1455 comes with card slots (SD Card & Memory Stick) and USB port for printing, scanning and saving faxes directly with memory devices.

### **Epson Warranty for Peace of Mind**

Enjoy warranty coverage for up to two years or 80,000 prints, whichever comes first, for maximum value from your printer. Epson's warranty includes coverage of printhead, which is most important for a printer designed for high volume printing.

## Quality that Shines. Value that Lasts.

Epson genuine ink bottles are formulated to deliver outstanding high-volume print quality with L-series printers. Every bottle is individually sealed to ensure the purity of ink and comes with a smart tip designed for mess-free refills. Choose Epson genuine ink bottles to enjoy lasting quality with your L-series printer.



# **SPECIFICATIONS**

#### L1455



MODEL NUMBER	L1455
MODEL NUMBER Printer Type	L1455  Print, Scan, Copy, Fax with ADF
Printing Printing	THE SOLES SOLES THE PLANT
Printing Method	PrecisionCore™ Printhead
Nozzle Configuration	400 x 2 nozzles Black, 128 x 2 nozzles per colour (Cyan, Magenta, Yellow)
Print Direction	Bi-directional printing, Uni-directional printing
Maximum Resolution	4,800 x 2,400 dpi (with Variable-Sized Droplet Technology)
Minimum Ink Droplet Volume	2.8 pl
Print Speed"	11.1
Draft Text - Memo, A4 (Black#1 / Colour#2) ISO 24734, A4 (Black / Colour)	Up to 32 ppm / 20 ppm
ISO 24734.2, A3 (Black / Colour)	Simplex: Up to 18 ipm / 10 ipm, Duplex: 8.7 ipm / 6.0 ipm Simplex: Up to 10 ipm / 5.0 ipm, Duplex: 6.0 ipm / 3.7 ipm
Photo Default - 10 x 15 cm / 4 x 6 " "2#3	Approx. 42 sec per photo (Border)
Automatic 2-sided printing	Yes (up to A3)
Copying	
Copy Speed	
ISO 29183, A4 (Black / Colour)	Simplex: Up to 16 ipm / 8.8 ipm
Copy Quality	Normal / Best quality
Maximum Copies from Standalone	999 copies
Reduction / Enlargement	25 - 400 %, Auto Fit Function
Maximum Copy Resolution Maximum Copy Size	600 x 600 dpi A3
Scanning	_ 100
Scanner Type	Flatbed colour image scanner
Sensor Type	CIS
Optical Resolution	1200 x 2400 dpi
Maximum Scan Area	297.18 x 431.8 mm (11.7 x 17 *)
Scanner Bit Depth	
Colour	48-bit input, 24-bit output
Grayscale	16-bit input, 8-bit output
Black & White Scan Speed Flatbed / ADF (Simplex)	16-bit input, 1-bit output
Monochrome 200 dpi	6.0 sec / 8.3 ppm
Colour 200 dpi	12 sec / 4.8 ppm
Fax Function	_
Type of FAX	Walk-up black-and-white and colour fax capability
Receive Memory / Page Memory	6MB, Page memory
	Up to 550 pages (ITU-T No.1 chart)
Error Correction Mode	ITU Group3 fax with Error Correction Mode
FAX Speed (Data Transfer Rate) FAX Resolution	Up to 33.6 kbps, Approx. 3 sec/page
Transmission Paper Size	Up to 200 x 200 dpi
Flatbed	A5, Half Letter, B5 (JIS), Letter, A4, Legal, B4 (JIS), A3, 11 x 17 in
ADF	A5, B5 (JIS), Letter, A4, Legal, B4 (JIS), A3, 11 x 17 in
Receiving Paper Size	A5, Half Letter, B5 (JIS), Letter, A4, Legal, B4 (JIS), A3, 11 x 17 in
Speed Dial / Group Dial	Up to 200 numbers, 199 groups
Fax Features	PC Fax (Transmission / Receive), Automatic Redial, Address Book, Delay Send, Broadcast Fax (Mono Only), Transmit Reservation (200 case)
ADF Function	
Support Paper Thickness	64-95 g/m²
Paper Capacity	35 pages (75 g/m²)
Card Slot / USB Host Function USB Host	USB Host (Scan to memory device / Storage function)
Type of Direct Printing	Card Slots / USB Memory
Supported Memory Cards	SD Card, Memory Stick
Paper Handling	
Paper Feed Method	Friction feed
Number of Paper Trays	3 (Front 2, Rear 1)
Paper Hold Capacity	
Input Capacity	Cassette 1: 250 sheets, A4 Plain paper (80 g/m²), 20 sheets, Premium Glossy Photo Paper
	Cassette 2: 250 sheets, A4 Plain paper (80 g/m²)
Output Connects	Rear Slot: 1 sheet
Output Capacity Paper Size	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper
Output Capacity Paper Size Maximum Paper Size	
Paper Size	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7 *, 4 x 6 *, 3.5 x 5 *, Envelopes: #10, DL, C6, C4
Paper Size Maximum Paper Size	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7 *, 4 x 6 *, 3.5 x 5 *, Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47.24 *)
Paper Size  Maximum Paper Size  Print Margin	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7 *, 4 x 6 *, 3.5 x 5 *, Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47.24 *)
Paper Size Maximum Paper Size Print Margin Interface USB Network	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7*, 4 x 6*, 3.5 x 5*, Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47.24*) 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct
Paper Size Maximum Paper Size Print Margin Interface USB Network Network Protocol	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7 ", 4 x 6 ", 3.5 x 5 ", Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47.24 ") 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/PIP-4, TCP/IP-6, LPD, IPP, PORT9100, WSD
Paper Size Maximum Paper Size Print Margin Interface USB Network Network Protocol Network Management Protocols	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7 ", 4 x 6 ", 3.5 x 5 ", Envelopes: #10, DL, C6, C4 329 x 1200 mm (1295 x 47.24") 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/IPA+, TCP/IPA-6, LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD
Paper Size Maximum Paper Size Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7 ", 4 x 6 ", 3.5 x 5 ", Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47.24 ") 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/PIP-4, TCP/IP-6, LPD, IPP, PORT9100, WSD
Paper Size Maximum Paper Size Print Margin Interface USB Network Network Protocol Network Protocol Security Functions Mobile and Cloud Printing	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7 *, 4 x 6 *, 3.5 x 5 *, Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47.24 *) 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethemet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD LDAP Address Book, Panel Admin Mode
Paper Size Maximum Paper Size Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7 ", 4 x 6 ", 3.5 x 5 ", Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47.24 ") 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD LDAP Address Book, Panel Admin Mode  Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Paper Size Maximum Paper Size Print Margin Interface USB Network Network Protocol Network Protocol Security Functions Mobile and Cloud Printing	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7 *, 4 x 6 *, 3.5 x 5 *, Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47.24 *) 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethemet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD LDAP Address Book, Panel Admin Mode
Paper Size Maximum Paper Size Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7 ", 4 x 6 ", 3.5 x 5 ", Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47.24 ") 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD LDAP Address Book, Panel Admin Mode  Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud
Paper Size Maximum Paper Size Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7 *, 4 x 6 *, 3.5 x 5 *, Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47.24 *) 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, IPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD LDAP Address Book, Panel Admin Mode  Epson IPrint, Epson Email Print, Remote Print Driver, Scan to Cloud Google Cloud Print
Paper Size Maximum Paper Size Print Margin Interface USB Network Network Protocol Network Protocol Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7*, 4 x 6*, 3.5 x 5*, Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47.24*) 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD LDAP Address Book, Panel Admin Mode Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud Google Cloud Print  4.3 *TFT Colour LCD Windows XP/XP Profesional x 64 Edition/Vista/7/8/8.1/10
Paper Size Maximum Paper Size Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7*, 4 x 6*, 3.5 x 5*, Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47.24*) 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethemet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PINO, DDNS, mDNS, SNTP, SLP, WSD, LLTD LDAP Address Book, Panel Admin Mode  Epson Print, Epson Email Print, Remote Print Driver, Scan to Cloud Google Cloud Print  4.3 * TFT Colour LCD  Windows XP/XP Profesional x 64 Edition/Vista/7/8/8.1/10 Windows XP/XP Profesional x 64 Edition/2003 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016
Paper Size Maximum Paper Size Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7*, 4 x 6*, 3.5 x 5*, Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47.24*) 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD LDAP Address Book, Panel Admin Mode  Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud Google Gloud Print  4.3 *TFT Colour LCD  Windows XP/XP Profesional x 64 Edition/Vista/T/8/8.1/10 Windows Senver 2003/2003 x 64 Edition/2003 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS
Paper Size Maximum Paper Size Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7*, 4 x 6*, 3.5 x 5*, Envelopes: #10, DL, O6, C4 329 x 1200 mm (12.95 x 47.24*) 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethemet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PINO, DDNS, mDNS, SNTP, SLP, WSD, LLTD LDAP Address Book, Panel Admin Mode  Epson Print, Epson Email Print, Remote Print Driver, Scan to Cloud Google Cloud Print  4.3* TFT Colour LCD  Windows XP/XP Profesional x 64 Edition/Vista/7/8/8.1/10 Windows Server 2003/2003 x 64 Edition/2003 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016
Paper Size Maximum Paper Size Print Margin Interface USB Network Protocol Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility  Electrical Specifications	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7 *, 4 x 6 *, 3.5 x 5 *, Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47.24 *) 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD LDAP Address Book, Panel Admin Mode  Epson iPvint, Epson Email Pvint, Remote Pvint Driver, Scan to Cloud Google Cloud Pvint  4.3 *TFT Colour LCD  Windows XP/XP Profesional x 64 Edition/Vista/T/B/8.1/10 Windows XP/XP Profesional x 64 Edition/2003 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.8.8 or later
Paper Size Maximum Paper Size Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility  Electrical Specifications Rated Voltage	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7*, 4 x 6*, 3.5 x 5*, Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47.24*) 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethemet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD LDAP Address Book, Panel Admin Mode  Epson iPvint, Epson Email Print, Remote Print Driver, Scan to Cloud Google Cloud Print  4.3 *TFT Colour LCD  Windows XP/XP Profesional x 64 Edition/Vista/7/8/8.1/10 Windows XP/XP Profesional x 64 Edition/2003 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later  AC 100 - 240 V
Paper Size Maximum Paper Size Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility  Electrical Specifications Rated Voltage Rated Frequency	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7 *, 4 x 6 *, 3.5 x 5 *, Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47.24 *) 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD LDAP Address Book, Panel Admin Mode  Epson iPvint, Epson Email Pvint, Remote Pvint Driver, Scan to Cloud Google Cloud Pvint  4.3 *TFT Colour LCD  Windows XP/XP Profesional x 64 Edition/Vista/T/B/8.1/10 Windows XP/XP Profesional x 64 Edition/2003 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.8.8 or later
Paper Size Maximum Paper Size Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility  Electrical Specifications Rated Voltage	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7*, 4 x 6*, 3.5 x 5*, Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47.24*) 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethemet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD LDAP Address Book, Panel Admin Mode  Epson iPvint, Epson Email Print, Remote Print Driver, Scan to Cloud Google Cloud Print  4.3 *TFT Colour LCD  Windows XP/XP Profesional x 64 Edition/Vista/7/8/8.1/10 Windows XP/XP Profesional x 64 Edition/2003 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later  AC 100 - 240 V
Paper Size Maximum Paper Size Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility  Electrical Specifications Rated Voltage Rated Frequency Power Consumption	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7*, 4 x 6*, 3.5 x 5*, Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47.24*) 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, IPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD LDAP Address Book, Panel Admin Mode  Epson IPvint, Epson Email Print, Remote Print Driver, Scan to Cloud Google Cloud Print  4.3 *TFT Colour LCD  Windows XP/XP Profesional x 64 Edition/Vista/T/8/8.1/10 Windows XP/XP Profesional x 64 Edition/2003 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later  AC 100 - 240 V 50 - 60 Hz
Paper Size Maximum Paper Size Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7 *, 4 x 6 *, 3.5 x 5 *, Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47.24 *) 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, IPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD LDAP Address Book, Panel Admin Mode Epson IPvint, Epson Email Print, Remote Print Driver, Scan to Cloud Google Cloud Print 4.3 * TFT Colour LCD  Windows XP/XP Profesional x 64 Edition/Vista/T/8/8.1/10 Windows XP/XP Profesional x 64 Edition/2038 R2/2003 R2 x 64 Edition/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later  AC 100 - 240 V 50 - 60 Hz  20 W 8.9 W 1.9 W
Paper Size Maximum Paper Size Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sileep Power off	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7*, 4 x 6*, 3.5 x 5*, Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47.24*) 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BCOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD LDAP Address Book, Panel Admin Mode  Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud Google Cloud Print  4.3 *TFT Colour LCD  Windows XP/XP Profesional x 64 Edition/Vista/7/8/8.1/10 Windows XP/XP Profesional x 64 Edition/2003 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later  AC 100 - 240 V 50 - 60 Hz
Paper Size Maximum Paper Size Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standiby Sleep Power off Noise Level	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7*, 4 x 6*, 3.5 x 5*, Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47.24*) 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethemet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD LDAP Address Book, Panel Admin Mode  Epson iPvint, Epson Email Print, Remote Print Driver, Scan to Cloud Google Cloud Print  4.3 *TFT Colour LCD  Windows XP/XP Profesional x 64 Edition/Vista/7/8/8.1/10 Windows XP/XP Profesional x 64 Edition/2003 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later  AC 100 - 240 V 50 - 60 Hz  20 W 8.9 W 1.9 W 0.4 W
Paper Size Maximum Paper Size Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power off Noise Level PC Pinting / Premium Glossy	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7 *, 4 x 6 *, 3.5 x 5 *, Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47.24 *) 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, IPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD LDAP Address Book, Panel Admin Mode Epson IPvint, Epson Email Print, Remote Print Driver, Scan to Cloud Google Cloud Print 4.3 * TFT Colour LCD  Windows XP/XP Profesional x 64 Edition/Vista/T/8/8.1/10 Windows XP/XP Profesional x 64 Edition/2038 R2/2003 R2 x 64 Edition/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later  AC 100 - 240 V 50 - 60 Hz  20 W 8.9 W 1.9 W
Paper Size Maximum Paper Size Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Siseep Power off Noise Level PC Printing / Premium Glossy Photo Paper Best Photo	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7 *, 4 x 6 *, 3.5 x 5 *, Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47.24 *) 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD LDAP Address Book, Panel Admin Mode  Epson iPvint, Epson Email Pvint, Remote Pvint Driver, Scan to Cloud Google Cloud Pvint  4.3 *TFT Colour LCD  Windows XP/XP Profesional x 64 Edition/Vista7//8/8.1/10 Windows XP/XP Profesional x 64 Edition/2003 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.8.8 or later  AC 100 - 240 V 50 - 60 Hz  20 W 8.9 W 1.9 W 0.4 W 5.8 B(A), 44 dB(A)
Paper Size Maximum Paper Size Print Margin Interface USS Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power off Noise Level PC Printing / Premium Glossy Photo Paper Best Photo PC Printing / Plain Paper Default <sup>3</sup>	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7*, 4 x 6*, 3.5 x 5*, Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47.24*) 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethemet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD LDAP Address Book, Panel Admin Mode  Epson iPvint, Epson Email Print, Remote Print Driver, Scan to Cloud Google Cloud Print  4.3 *TFT Colour LCD  Windows XP/XP Profesional x 64 Edition/Vista/7/8/8.1/10 Windows XP/XP Profesional x 64 Edition/2003 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later  AC 100 - 240 V 50 - 60 Hz  20 W 8.9 W 1.9 W 0.4 W
Paper Size Maximum Paper Size Print Margin Interface USB Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power off Noise Level PC Printing / Premium Glossy Photo Poper Pinting / Papen Paper Default <sup>3</sup> Consumables	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Fax 7*, 4 x 6*, 3.5 x 5*, Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47 24*) 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, I.PD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BQOTP, APIPA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD LDAP Address Book, Panel Admin Mode  Epson IPrint, Epson Email Print, Remote Print Driver, Scan to Cloud Google Cloud Print  4.3 * TFT Colour LCD  Windows XP/XP Profesional x 64 Edition/Vista/7/8/8.1/10 Windows XP/XP Profesional x 64 Edition/2003 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac CG X 10.6.8 or later  AC 100 - 240 V 50 - 60 Hz  20 W 8.9 W 1.9 W 0.4 W 5.8 B(A), 44 dB(A)
Paper Size Maximum Paper Size Print Margin Interface USS Network Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power off Noise Level PC Printing / Premium Glossy Photo Paper Best Photo PC Printing / Plain Paper Default <sup>3</sup>	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7*, 4 x 6*, 3.5 x 5*, Envelopes: #10, DL, C6, C4 329 x 1200 mm (12.95 x 47.24*) 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, SNTP; SLP, WSD, LLTD LDAP Address Book, Panel Admin Mode  Epson iPvint, Epson Email Pvint, Remote Pvint Driver, Scan to Cloud Google Cloud Pvint  4.3 *TFT Colour LCD  Windows XP/XP Profesional x 64 Edition/Vista7/8/8.1/10 Windows XP/XP Profesional x 64 Edition/2003 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later  AC 100 - 240 V 50 - 60 Hz  20 W 8.9 W 1.9 W 0.4 W 5.8 B(A), 44 dB(A)
Paper Size Maximum Paper Size Print Margin Interface USB Network Protocol Network Protocol Network Management Protocols Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sibeep Power off Noise Level PC Printing / Premium Glossy Photo Paper Best Photo PC Printing / Plain Paper Default <sup>13</sup> Consumables Epson Genuine Ink Bottle	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7*, 4 x 6*, 3.5 x 5*, Envelopes: #10, DL, C6, C4 329 x 1200 mrt (2.95 x 47 24*) 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, IzP0, IPP, PCHT9100, WSD SNMP, HTTP DHCP BOOTR APIPA, PiNG, DDNS, mDNS, SNTP, SLP, WSD, LLTD LDAP Address Book, Panel Admin Mode  Epson IPrint, Epson Email Print, Remote Print Driver, Scan to Cloud Google Cloud Print  4.3* TFT Colour LCD  Windows XP/XP Profesional x 64 Edition/Vistat/7/8/8.1/10 Windows XP/XP Profesional x 64 Edition/2003 R2/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later  AC 100 - 240 V 50 - 60 Hz  20 W 8.9 W 1.9 W 0.4 W  5.8 B/A), 44 dB/A)  Page Yield* Order Code
Paper Size Maximum Paper Size Print Margin Interface USB Network Network Protocol Network Protocol Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Stanacby Sicep Power off Noise Level PC Printing / Premium Glossy Photo Paper Best Photo PC Printing / Plain Paper Default <sup>3</sup> Consumables Epson Genuine Ink Bottle Ellack	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A3, A4, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7*, 4 x 6*, 3.5 x 5*, Envelopes: #10, DL, C6, C4 329 x 1200 mr (12.95 x 47.24*) 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethernet, Wi-Fi IEEE 802.11 b/g/n, Wi-Fi Direct TCP/IPv4, TCP/IPv6, LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIBA, PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD LDAP Address Book, Panel Admin Mode  Epson Print, Epson Email Print, Remote Print Driver, Scan to Cloud Google Cloud Print  4.3 *TFT Colour LCD  Windows XP/XP Profesional x 64 Edition/Vistar/7/8/8.1/10 Windows Server 2003/2003 x 64 Edition/Vistar/7/8/8.1/10 Windows Server 2003/2003 x 64 Edition/Vistar/7/8/8.1/10 Windows Server 2003/2003 x 64 Edition/Vistar/7/8/8.1/10 AC 100 - 240 V 50 - 60 Hz  20 W 8.9 W 1.9 W 0.4 W  5.8 B(A), 44 dB(A) 6.4 B(A), 48 dB(A)  Page Yield* Order Code 6000 774
Paper Size Maximum Paper Size Print Margin Interface USB Network Network Protocol Network Protocol Security Functions Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sieep Power off Noise Level PC Printing / Premium Glossy Photo Paper Best Photo PC Printing / Plain Paper Default <sup>-3</sup> Consumables Epson Genuine Ink Bottle Black Cyan	125 sheets, A4 Plain Paper, 20 sheets, Premium Glossy Photo Paper A3+, A5, A6, B4, B5, Legal, Letter, Half Letter, 5 x 7*, 4 x 6*, 3.5 x 5*, Envelopes: #10, DL, C6, C4 329 x 1200 mn (12.95 x 47.24*) 3 mm top, left, right, bottom via custom settings in printer driver  Hi-Speed USB 2.0 Ethernet, Wi-Fi IEEE 802.11 br/g/n, Wi-Fi Direct TCP/IPV4, TCP/IPV6, LPD, IPP, PORT9100, WSD SNNP, HTTP, DHCP, BODTR APIPA, PINC, DDNS, mDNS, SNTP, SLP, WSD, LLTD LDAP Address Book, Panel Admin Mode  Epson Print, Epson Email Print, Remote Print Driver, Scan to Cloud Google Cloud Print  4.3 * TFT Colour LCD  Windows XP/XP Profesional x 64 Edition/Vistar/7/8/8.1/10 Windows Server 2003/2003 x 64 Edition/2003 R2 x 64 Edition/2008/2008 R2/2012/2012 R2/2016 Only printing and scanning functions are supported for Windows Server OS Mac OS X 10.6.8 or later  AC 100 - 240 V 50 - 60 Hz  20 W 8.9 W 1.9 W 0.4 W  5.8 B/A), 44 dB/A)  6.4 B/A), 48 dB/A)  Page Yield* Order Code 6000 774

Dimensions & Weight

L1455

Weight: 23 kg (50.7 lb)



\*1 Print speed (Pages Per Minute) is calculated when printed on A4 plain paper in the fastest mode, 10 x 15 cm photo print speed when printed on Epson Premium Glossy Photo Paper. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.







#1 Black Text

#2 Black Text and graphics

(4 x 6 ")

- \*2 When printed on Epson Premium Glossy Photo Paper.
- \*3 Default mode in accordance with ISO7779.
- \*4 Quoted yields are based on the ISO 24711/24712 patterns of mixed text and colour graphics with Epson methodology. Quoted yields are based on the replacement ink bottles purchased. For print quality, part of the ink from the included bottles is used for printer startup so yields could be lower than those of replacement ink bottles. Actual yields will vary due to reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. Ink is used for both printing and printhead maintenance. All inks are used for both printing and printhead maintenance.

© 2019 Epson Singapore Pte Ltd. All Rights Reserved.
Reproduction in part or in whole, without the written
permission from Epson, is strictly prohibited. EPSON and
EXCEED YOUR VISION are registered trademarks of Seiko
Epson Corporation. All other products names and other
company names used herein are for identification purposes
only and are the trademarks or registered trademarks of
their respective owners. Epson disclaims any and all rights
in those marks. Print samples shown are simulations only.
Specifications and product availability are subject to change
without notice and may vary between countries. Please
check with local Epson offices for more information.
Angle, iPart and iPhone are trademarks of Apple Inc.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.