INK TANK SYSTEM PRINTER L565



## CONNECTIVITY, EFFICIENCY, FUNCTIONALITY – ALL-IN-ONE.



Discover flexibility and convenience when you choose the L565 ink tank system printer. Enjoy a variety of functions from scanning, copying and faxing to connectivity applications such as Ethernet, Wi-Fi, Wi-Fi Direct and Epson Connect. Complete with high-yield and low-cost printing, unleash great versatility that will suit your office needs.





The Epson L565 is bundled with a starter kit of 4 X 70ml bottle of Epson genuine inks.

## **ENGINEERED FOR BUSINESS**

All-in-One Capability

Enjoy low-cost colour printing with a whole host of connectivity applications and features, including fax capability.

#### **Cost-effective Efficiency**

Save with each bottle of ink at just US\$5.50 and ultra-high yield of 6,500 pages for colour or 4,000 pages for black. Wireless Printing with Epson Connect Integrated wireless connectivity allows easy and flexible printing from shared and mobile devices.

\* Standard warranty period is one year. Additional one-year warranty will be activated upon online warranty registration.

Get more out of your printer with the L565 ink tank printer. On top of its economical printing capability, you'll enjoy a diverse range of features such as scanning and faxing capabilities as well as Ethernet and Wi-Fi Direct connectivity. Tapping on Epson Connect to deliver even more connectivity options, the L565 is your ideal choice for a one-size-fits-all ink tank system printer.



## All-in-One Capability

Enjoy low-cost colour printing with integrated scanning, copying and faxing with built-in ADF, Ethernet, Wi-Fi and Epson Connect for seamless sharing. Business and SOHO users will appreciate the remarkable performance of the L565. Equipped with Ethernet, Wi-Fi and Wi-Fi Direct connectivity features, printing from your PC, laptop or mobile devices is quick and seamless.



The L565 includes a simplex 30-page automatic document feeder (ADF) for quick and easy multi-page scanning, copying and faxing.



Experience easy setup and PC-less operation with a 2.2" Mono LCD screen. Broadcast-fax and PC-fax functions let you send multiple documents simultaneously from your PC. A 100-page fax storage memory ensures that all incoming faxes will be received.



## **Cost-effective Efficiency**

Don't compromise on cost as you print. With Epson's original ink tank system, you'll be able to save costs as each bottle of ink costs

only US\$5.50 and each set of ink has an ultra-high yield of 6,500 pages for colour or 4,000 for black. With a patented bottle tip design to allow easy and mess-free refills, tubes in the printer are also designed to be of optimum width to ensure smooth and reliable ink flow at all times.



## Wireless Printing with Epson Connect

#### Wi-Fi and Wi-Fi Direct Connectivity

Experience a world of wireless convenience with access to easy and flexible shared printing and mobile printing. The added advantage of Wi-Fi Direct allows you to connect up to 4 devices to the printer without a router. The L565 also comes enabled with Ethernet, ensuring superb connectivity, allowing you to easily share your printer within your work group for better use of resources.





#### Epson Connect Enabled

- Epson iPrint Print from and scan directly to your smart device or online cloud storage services.
- Epson Email Print Print to any Email Print enabled Epson printer from any devices or PC with email access.
- Remote Print Driver Print to a compatible Epson printer anywhere in the world via the Internet using a PC with Remote Print driver or from mobile devices via the Epson iPrint app.
- Scan to Cloud Share your scans through email or store them online in cloud storage services.

Other mobile solutions:

- Apple<sup>®</sup> AirPrint<sup>™</sup> Print directly from your Apple devices.
- Google Cloud Print<sup>™</sup> Print directly from an Android<sup>™</sup> smartphone, tablet or PC using your Google account.
- Mopria<sup>™</sup> Print Service Conveniently print across different brands of printers from mobile devices running Android OS 4.4 or later.

#### PARTNERS IN PERFECTION



EB-1776W Ultra-portable Projector Epson's slimmest 3LCD projector, at just 1.71kg and 44mm thick, with advanced features such as auto keystone correction.

## Space-saving Design

Even with its multifunctional capability, the L565 features a streamlined design that takes up very little space compared to conventional designs, allowing you to fit it comfortably anywhere within your office or home.



## Epson Warranty for Peace of Mind

Enjoy warranty coverage of up to two years or 30,000 prints\*, whichever comes first, for maximum value from your printer.

Epson's warranty includes coverage of printhead, a highly important component for a printer that's designed for high volume printing.

\* Standard warranty period is one year. Additional one-year warranty will be activated upon online warranty registration.



# Speed and Reliability for Better Productivity

Busy offices will appreciate the fast print speeds of up to 9.2ipm and draft print

speeds of up to 33ppm. High volume users will benefit from Epson's original ink tank system, ensuring fast and reliable continuous printing performance.



#### **Unsurpassed Print Quality**

An astoundingly high resolution of 5760 dpi delivers exceptionally high quality prints for all your personal and creative needs.

## Quality that Shines. Value that Lasts.

Epson genuine ink bottles are formulated to deliver outstanding high-volume print quality with L-series printers. Every bottle is individually sealed to ensure the purity of ink and comes with a smart tip designed for mess-free refills. Choose Epson genuine ink bottles to enjoy lasting quality with your L-series printer and lowest printing costs\*\*.

\*\* As of 10 April 2015, the Epson L-series offers users the lowest cost per page (black and colour combined) for any printer using genuine branded supplies from its own manufacturer. This is based on the MSPP listed on the manufacturer's websites in 5 major ASEAN markets.





WorkForce DS-860 Scanner An ultra-fast and efficient scanner for document management, with speeds of up to 130ipm, Document Capture Pro software and scan-to-cloud functions.

#### **SPECIFICATIONS** L565



	L565
Printing Print Method	On-demand inkjet
Nozzle Configuration	180 nozzles Black, 59 nozzles per colour
Notifie Comigutation	(Cyan, Magenta, Yellow)
Print Direction	Bi-directional printing, Uni-directional printing
Maximum Resolution	5760 x 1440 dpi (with Variable-Sized Droplet Technology)
Minimum Ink Droplet Volume	3 pl
Print Speed <sup>1</sup>	<u>- F</u>
Max Draft Text - Memo (A4)	Approx. 33 ppm / 15 ppm (Black #1 / Colour #2)
ISO 24734, A4, Simplex	Approx. 33 ppm / 15 ppm (Black <sup>#1</sup> / Colour <sup>#2</sup> ) Approx. 9.2 ipm / 4.5 ipm (Black / Colour)
Max Photo Draft - 10 x 15cm / 4 x 6"	<sup>1243</sup> Approx, 27 sec per photo (W / Border)
Photo Default - 10 x 15cm / 4 x 6" "2 #	Approx. 69 sec per photo (W / Border)
Copying	
Copy Speed	
ISO 29183, A4, Simplex	Approx. 7.7 ipm / 3.8 ipm (Black / Colour)
Maximum Copies from Standalone	99 copies
Reduction / Enlargement	25 - 400%, Auto Fit Function
Maximum Copy Size	A4, Letter
Scanning	
Scanner Type	Flatbed colour image scanner
Sensor Type Optical Resolution	CIS 1200 x 2400 dpi
Maximum Scan Area	
Scanner Bit Depth	216 x 297mm (8.5 x 11.7")
Colour	48-bit input, 24-bit output
Grayscale	16-bit input, 24-bit output
Black & White	16-bit input, 8-bit output 16-bit input, 1-bit output
Scan Speed (Flatbed / ADF)	
Monochrome 300 dpi	16 sec / 2.0 ppm
Colour 300 dpi	34 sec / 2.0 ppm
Fax Function	
Type of Fax	Walk-up black-and-white and colour fax capability
Receive Memory / Page Memory	Up to 100 pages (ITU-T No.1 chart)
Error Correction Mode	Up to 100 pages (ITU-T No.1 chart) CCITU / ITU Group3 fax with Error Correction Mode
Fax Speed (Data Transfer Rate)	Up to 33.6kbps, Approx. 3 sec/page
Fax Resolution	
Black & White	Standard: 8 pels/mm x 3.85 lines/mm
	Fine: 8 pels/mm x 7.7 lines/mm
<u>.</u>	Photo: 8 pels/mm x 7.7 lines/mm
Colour	Fine: 200 x 200 dpi
Transmission Paper Size	Photo: 200 x 200 dpi
Flatbed	Letter A4
ADF	Letter, A4 Letter, A4, Legal
Receiving Paper Size	Letter, A4, Legal
Speed Dial	Up to 60 numbers
Fax Features	PC Fax (Transmission / Receive), Automatic redial, Address book,
	(Mono Only)
ADF Function	
Support Paper Thickness	64-95g/m <sup>2</sup>
Paper Capacity	30 pages (64g/m²)
Paper Handling	
Paper Feed Method	Friction feed
Paper Hold Capacity	100 sharts A4 Disis Danas (75 sam)
Input Capacity	100 sheets, A4 Plain Paper (75gsm)
Output Capacity	20 sheets, Premium Glossy Photo Paper
Output Gapacity	30 sheets, A4 Plain Paper 20 sheets, Bramium Glossy Photo Paper
Papar Siza	20 sheets, Premium Glossy Photo Paper A4, A5, A6, B5, 10 x 15cm (4 x 6*), 13 x 18cm (5 x 7*), 9 x 13cm ( 0 5 k) 40 x 00 x 10 x 10 x 10 x 10 x 10 x 10 x
Paper Size	A4, A5, A6, B5, 10 X 15cm (4 X 6 <sup>-</sup> ), 13 X 18cm (5 X 7 <sup>-</sup> ), 9 X 13cm ( 8.5"), 13 X 20cm (5 X 8"), 20 X 25cm (8 X 10"), 16:9 wide size, 100
	8.5 ), 13 x 20cm (5 x 8 ), 20 x 25cm (8 x 10 ), 16.9 wide size, 100 DL (110 x 220mm), C6 (114 x 162mm)
Maximum Paper Size	215.9 x 1117.6mm (8.5 x 44")
Maximum Paper Size Print Margin	3 mm top, left, right, bottom
Interface	- min top, ten, right, bottom
USB	Hi-Speed USB 2.0
Ethernet	···
	100BASE-1X / 10BASE-1
Network	100BASE-TX / 10BASE-T Wi-Fi JEFE 802.11b/g/n. Wi-Fi Direct
	100BASE-1X / 10BASE-1 Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct Epson [Print_Foson Email Print, Remote Print Driver, Scan to Clou
	Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Clou
Mobile and Cloud Printing	100BASE-1X / 10BASE-1 Wi-Fi IEEE 802.11b2/n, Wi-Fi Direct Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Clou Print™, Mopria™ Print Service
Mobile and Cloud Printing Control Panel	Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Clou Print™, Mopria™ Print Service
Mobile and Cloud Printing Control Panel LCD Screen	Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Clou
Mobile and Cloud Printing Control Panel LCD Screen Printer Software	Wi-Fi IEEE 802.111/g/n, Wi-Fi Direct Epson Pirint, Epson Email Pint, Remote Print Driver, Scan to Clou Print <sup>1M</sup> , Mopria <sup>1M</sup> Print Service 2.2* Mono LCD Windows XP / XP Profesional x 64 Edition / Vista / 7 / 8 / 8.1
Mobile and Cloud Printing Control Panel LCD Screen Printer Software Operating System Compatibility	Wi-Fi IEEE 802.111/g/n, Wi-Fi Direct Epson Pirint, Epson Email Pint, Remote Print Driver, Scan to Clou Print <sup>1M</sup> , Mopria <sup>1M</sup> Print Service 2.2* Mono LCD Windows XP / XP Profesional x 64 Edition / Vista / 7 / 8 / 8.1
Mobile and Cloud Printing Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications	Wi-Fi IEEE 802.110/g/n, Wi-Fi Direct Epson iPint, Epson Email Print, Remote Print Driver, Scan to Clou Print™, Mopria™ Print Service 2.2* Mono LCD Windows XP / XP Profesional x 64 Edition / Vista / 7 / 8 / 8.1 Max OS X 10.6.8 / 10.7 x / 10.8 x / 10.9 x
Mobile and Cloud Printing Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage	Wi-Fi IEEE 802.110/g/n, Wi-Fi Direct Epson IPint, Epson Emin Fint, Benorabe Print Driver, Scan to Clou Print <sup>™</sup> , Mopria <sup>™</sup> Print Service 2.2* Mono LCD Windows XP / XP Profesional x 64 Edition / Vista / 7 / 8 / 8.1 Max OS X 10.6.8 / 10.7.x / 10.8.x / 10.9.x AC 220 - 240V
Mobile and Cloud Printing Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency	Wi-Fi IEEE 802.110/g/n, Wi-Fi Direct Epson iPint, Epson Email Print, Remote Print Driver, Scan to Clou Print™, Mopria™ Print Service 2.2* Mono LCD Windows XP / XP Profesional x 64 Edition / Vista / 7 / 8 / 8.1 Max OS X 10.6.8 / 10.7 x / 10.8 x / 10.9 x
Mobile and Cloud Printing Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Votage Rated Votage Rated Prequency Power Consumption	Wi-Fi IEEE 802.110/g/n, Wi-Fi Direct           Epson IP/int, Epson Email Print, Bernote Print Driver, Scan to Clou           Print**, Mopria1** Print Service           2.2* Mono LCD           Windows XP / XP Profesional x 64 Edition / Vista / 7 / 8 / 8.1           Max OS X 10.6.8 / 10.7.x / 10.8.x / 10.9.x           AC 220 - 240V           50 - 60Hz
Mobile and Cloud Printing Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ope	Wi-Fi IEEE 802.110/g/n, Wi-Fi Direct Epson iPint, Epson EmiPint, Remote Print Driver, Scan to Clou Print™, Mopria™ Print Service 2.2* Mono LCD Windows XP / XP Profesional x 64 Edition / Vista / 7 / 8 / 8.1 Max OS X 10.6.8 / 10.7.x / 10.8.x / 10.9.x AC 220 - 240V 50 - 60Hz 11W
Mobile and Cloud Printing Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Votage Rated Votage Rated Prequency Operating Standby Standby	Wi-Fi IEEE 802.110/g/n, Wi-Fi Direct           Epson IP/int, Epson Email Print, Bennote Print Driver, Scan to Clou           Print**, Mopria** Print Service           2.2* Mono LCD           Windows XP / XP Profesional x 64 Edition / Vista / 7 / 8 / 8.1           Max OS X 10.6.8 / 10.7.x / 10.8.x / 10.9.x           AC 220 - 240V           50 - 60Hz           11W           4.0W
Mobile and Cloud Printing Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Violtage Rated Frequency Power Consumption Operating Standby Standby Steep	Wi-Fi IEEE 802.110/g/n, Wi-Fi Direct           Epson IPint, Epson Email Print, Bernote Print Driver, Scan to Clou           Print™, Mopria™ Print Service           2.2* Mono LCD           Windows XP / XP Profesional x 64 Edition / Vista / 7 / 8 / 8.1           Max OS X 10.68 / 10.7.x / 10.8.x / 10.9.x           AC 220 - 240V           50 - 60Hz           11W           4.0W           1.6W
Mobile and Cloud Printing Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Votage Rated Votage Rated Votage Rated Prover Consumption Operating Standby Sleep Power off	Wi-Fi IEEE 802.110/g/n, Wi-Fi Direct           Epson IP/int, Epson Email Print, Bennote Print Driver, Scan to Clou           Print**, Mopria** Print Service           2.2* Mono LCD           Windows XP / XP Profesional x 64 Edition / Vista / 7 / 8 / 8.1           Max OS X 10.6.8 / 10.7.x / 10.8.x / 10.9.x           AC 220 - 240V           50 - 60Hz           11W           4.0W
Mobile and Cloud Printing Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Prequency Power Consumption Operating Standby Standby Sleep Power off Noise Level	Wi-Fi IEEE 802.110/g/n, Wi-Fi Direct           Epson IPint, Epson Email Print, Bernote Print Driver, Scan to Clou           Print™, Mopria™ Print Service           2.2* Mono LCD           Windows XP / XP Profesional x 64 Edition / Vista / 7 / 8 / 8.1           Max OS X 10.6.8 / 10.7.x / 10.8.x / 10.9.x           AC 220 - 240V           50 - 60Hz           11W           4.0W           1.5W           0.3W
Mobile and Cloud Printing Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Votage Rated Votage Rated Votage Rated Prequency Power Consumption Operating Sleep Power off Noise Level Pownrd Poemium Glossy	Wi-Fi IEEE 802.110/g/n, Wi-Fi Direct           Epson IPint, Epson Email Print, Bernote Print Driver, Scan to Clou           Print™, Mopria™ Print Service           2.2* Mono LCD           Windows XP / XP Profesional x 64 Edition / Vista / 7 / 8 / 8.1           Max OS X 10.68 / 10.7.x / 10.8.x / 10.9.x           AC 220 - 240V           50 - 60Hz           11W           4.0W           1.6W
Mobile and Cloud Printing Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Violage Rated Frequency Power Consumption Operating Standby Sleep Power off Noise Level Pioto Panel Rest Pincto Pioto Pioto Panel Rest Pincto Pioto Pioto Panel Rest Pincto Pioto Pio	Wi-Fi IEEE 802.110/g/n, Wi-Fi Direct           Epson IPint, Epson Email Print, Bernote Print Driver, Scan to Clox           Print™, Mopria™ Print Service           2.2* Mono LCD           Windows XP / XP Profesional x 64 Edition / Vista / 7 / 8 / 8.1           Max OS X 10.6.8 / 10.7.x / 10.8.x / 10.9.x           AC 220 - 240V           50 - 60Hz           11W           4.0W           1.8W           0.3W           6.1 B(A), 38 dB(A)
Mobile and Cloud Printing Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Votage Rated Frequency Power Consumption Operating Standby Sleep Power of Power Olim Pane Dest Photo Paper Best Photo Printing / Perinting Alein Paper Deatt <sup>13</sup>	Wi-Fi IEEE 802.110/g/n, Wi-Fi Direct           Epson IP/int, Epson Email Print, Berndere Print Driver, Scan to Clou           Print**, Mopria** Print Service           2.2* Mono LCD           Windows XP / XP Profesional x 64 Edition / Vista / 7 / 8 / 8.1           Max OS X 10.6.8 / 10.7.x / 10.8.x / 10.9.x           AC 220 - 240V           50 - 60Hz           11W           4.0W           1.6W           0.3W           5.1 B(A), 38 dB(A)           5.8 B(A), 44 dB(A)
Standby Sleep Power off Poise Level PC Printing / Premium Glossy Photo Paper Best Photo PC Printing / Plain Paper Default "3 Epson Genuine Ink Bottle	Wi-Fi IEEE 802.110/g/n, Wi-Fi Direct           Epson IPint, Epson Email Print, Bernote Print Driver, Scan to Clox           Print**, Mopria** Print Service           2.2* Mono LCD           Windows XP / XP Profesional x 64 Edition / Vista / 7 / 8 / 8.1           Max OS X 10.6.8 / 10.7.x / 10.8.x / 10.9.x           AC 220 - 240V           50 - 60Hz           11W           4.0W           1.6W           0.3W           5.1 B(A), 38 dB(A) <b>5.8</b> [A), 44 dB(A) <b>Page Yiel</b> <sup>14*</sup> <b>Order Code</b>
Mobile and Cloud Printing Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Votage Rated Votage Rated Power Consumption Operating Standby Sleep Power Of Noise Level Pot Printing / Premium Glossy Photo Paper Best Photo Por Vinting / Pine Paper Default <sup>13</sup> Epson Genuine Ink Bottle Black	Wi-Fi IEEE 802.110/g/n, Wi-Fi Direct           Epson IP/int, Epson Email Print, Berndere Print Driver, Scan to Clou           Print**, Mopria** Print Service           2.2* Mono LCD           Windows XP / XP Profesional x 64 Edition / Vista / 7 / 8 / 8.1           Max OS X 10.6.8 / 10.7.x / 10.8.x / 10.9.x           AC 220 - 240V           50 - 60Hz           11W           4.000           5.1 B(A), 38 dB(A)           5.8 B(A), 44 dB(A)           Page Yield <sup>14</sup> 4.000 pages           To641
Mobile and Cloud Printing Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Standby Step Power off Noise Level Pc Printing / Pernium Glossy Photo Paper Bert Photo Pc Pinting / Penium Glossy Photo Paper Bert Photo Pc Pinting / Plain Paper Default " Epson Genue Ink Bottle Black Cyan	Wi-Fi IEEE 802.110/g/n, Wi-Fi Direct           Epson IPint, Epson Email Print, Bernote Print Driver, Scan to Clox           Print™, Mopria™ Print Service           2.2* Mono LCD           Windows XP / XP Profesional x 64 Edition / Vista / 7 / 8 / 8.1           Max OS X 10.6.8 / 10.7.x / 10.8.x / 10.9.x           AC 220 - 240V           50 - 60Hz           11W           4.0W           1.6.8 / 10.7.x / 10.8.x / 10.9.x           5.1 B(A), 38 dB(A)           5.8 B(A), 44 dB(A)           Page Yiel '4           Order Code           4.000 pages           T6642
Mobile and Cloud Printing Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Votage Rated Frequency Power Consumption Operating Steep Power Off Power Of	Wi-Fi IEEE 802.110/g/n, Wi-Fi Direct           Epson IP/int, Epson Email Print, Berndere Print Driver, Scan to Clou           Print**, Mopria** Print Service           2.2* Mono LCD           Windows XP / XP Profesional x 64 Edition / Vista / 7 / 8 / 8.1           Max OS X 10.6.8 / 10.7.x / 10.8.x / 10.9.x           AC 220 - 240V           50 - 60Hz           11W           4.000           5.1 B(A), 38 dB(A)           5.8 B(A), 44 dB(A)           Page Yield <sup>14</sup> 4.000 pages           To641

	L565
	On-demand inkjet
	180 nozzles Black, 59 nozzles per colour
	(Cyan, Magenta, Yellow)
	Bi-directional printing, Uni-directional printing 5760 x 1440 dpi (with Variable-Sized Droplet Technology)
	3 pl
	Approx. 33 ppm / 15 ppm (Black <sup>#</sup> / Colour <sup>#</sup> ) Approx. 9.2 ipm / 4.5 ipm (Black / Colour)
13	Approx. 27 sec per photo (W / Border)
	Approx. 69 sec per photo (W / Border)
	Approx. 7.7 ipm / 3.8 ipm (Black / Colour)
	99 copies
-	25 - 400%, Auto Fit Function A4, Letter
-	
	Flatbed colour image scanner
	CIS 1200 x 2400 dpi 120 x 2400 dpi 15 x 2072mm (6 5 x 11 72)
	216 x 297mm (8.5 x 11.7")
	48 bit input 34 bit output
	48-bit input, 24-bit output 16-bit input, 8-bit output
	16-bit input, 1-bit output
	16 sec / 2.0 ppm
	16 sec / 2.0 ppm 34 sec / 2.0 ppm
-	
	Walk-up black-and-white and colour fax capability Up to 100 pages (ITU-T No.1 chart)
	CCITU / ITU Group3 fax with Error Correction Mode
	Up to 33.6kbps, Approx. 3 sec/page
	Standard: 8 pels/mm x 3.85 lines/mm
	Fine: 8 pels/mm x 7.7 lines/mm
	Photo: 8 pels/mm x 7.7 lines/mm Fine: 200 x 200 dpi
	Photo: 200 x 200 dpi
	Letter, A4 Letter, A4, Legal
	Letter, A4, Legal
	Up to 60 numbers PC Fax (Transmission / Receive), Automatic redial, Address book, Group Dial, Delay Send, Broadcast Fax
	(Mono Only)
	64-95g/m <sup>2</sup> 30 pages (64g/m <sup>2</sup> )
-	
	Friction feed
	100 sheets, A4 Plain Paper (75gsm)
	20 sheets, Premium Glossy Photo Paper 30 sheets, A4 Plain Paper
	20 sheets, Premium Glossy Photo Paper
	A4, A5, A6, B5, 10 x 15cm (4 x 6"), 13 x 18cm (5 x 7"), 9 x 13cm (3.5 x 5"), Letter, Legal, Half Letter (5.5 x
	8.5"), 13 x 20cm (5 x 8"), 20 x 25cm (8 x 10"), 16:9 wide size, 100 x 148mm, Envelopes: #10 (4.125 x 9.5"), DL (110 x 220mm), C6 (114 x 162mm)
	215.9 x 1117.6mm (8.5 x 44")
	3 mm top, left, right, bottom
	Hi-Speed USB 2.0
	100BASE-TX / 10BASE-T
-	Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Apple® AirPrint™, Google Cloud
	Print™, Mopria™ Print Service
	2.2" Mono LCD
-	
	Windows XP / XP Profesional x 64 Edition / Vista / 7 / 8 / 8.1 Max OS X 10.6.8 / 10.7.x / 10.8.x / 10.9.x
	AC 220 - 240V
	50 - 60Hz
	11W
	4.0W
	1.6W 0.3W
-	
	5.1 B(A), 38 dB(A)
	5.8 B(A), 44 dB(A) Page Yield <sup>-4</sup> Order Code
	Page Yield *         Order Code           4,000 pages         T6641
	T6642
	6 500 pages (Composite Vield) T6643



\*1 Print speed (Pages Per Minute) is calculated when printed on A4 plain paper in the fastest mode, 10 x 15 cm photo print speed when printed on Epson Premium Glossy Photo Paper. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.



\*2 When printed on Epson Premium Glossy Photo Paper

- \*3 Default mode in accordance with ISO7779 for MFPs.
- \*4 In accordance with ISO 24711/24712. Actual yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. Part of the ink from the initial bottles is used for initialising the printer. Ink is used for both printing and printhead maintenance.



© 2015 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Selko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are herein are tor identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Information correct as at June 2015