SPECIFICATIONS

Model Number	WF-M21000
Noise Level	
PC Printing/ Plain Paper Default ^{'6}	7.5 B(A), 60 dB(A)
Consumables	Page Yield'4
Black ²	60,000 pages C13T04Q100
Maintenance Box Maintenance Roller (Main Unit)	- C13T671300 - C12C935961
Maintenance Roller (Paper Cassette)	- C12C935941
Staple Cartridge for Stapler Finisher	3 x 5,000 staples C12C935401
Staple Cartridge for Booklet Finisher	2 x 2,000 staples C12C935411
Options	Order Code
Finisher Bridge Unit / LX3FBU1	C12C935101
Staple Finisher / LX3SF1 Booklet Finisher / LX3BF1	<u>C12C935501</u> C12C935071
Saddle Unit / LX3SU1	C12C935821
2/4 Hole Punch Unit / LX3HPU1	C12C935171
2/3 Hole Punch Unit / LX3HPU2	C12C935181
High Capacity Tray / LXA3LPU1	C12C933041
EpsonNet 10/100/1000Base Tx Int. Super G3 Multi Faxboard	C12C934471 C12C934491
Paper Cassette Lock (set of 4)	C12C933231
Optional Paper Guide	C12C935901
Epson Print Admin	7110574
Epson Print Admin Serverless	7111310
Specs for Finisher Bridge Unit	
Dimensions & Weight	366 × 573 × 632 mm, 38.0 kg
Specs for Stapler Finisher	
Output Capacity	Stacker Tray: Up to 4,000 sheets ^{*3} (A4, 80g/m ²), 1,500 sheets (duplex / A3, 80g/m ²) Tray 2 (for Fax output only): up to 200 sheets (A4, 80g/m ²)
Finisher Functions	Shift Sorting, Staple
Staple Capability	up to 50 sheets*7 (60 - 90 g/m²)
Supported Paper Size for Staple	A5 - A3 / Legal / Letter
Supported Paper Weight	up to 250 g/m ²
Staple Functions Maximum Power Consumption	3 positions (Corner / Opposite Corner / 2 points on side) 170W
Dimensions & Weight	666 × 686 × 1,228 mm, 95.5 kg
Specs for Booklet Finisher	
Output Capacity	Stacker Tray: Up to 1,700 sheets*3 (A4, 80g/m ²), 1,500 sheets (duplex / A3, 80g/m ²)
	Tray 2 (for Fax output only): up to 200 sheets (80g/m ²)
Finisher Functions	Shift Sorting, Staple
Staple Capability Supported Paper Size for Staple	up to 50 sheets* ⁷ (60 - 90 g/m ²) A5 - A3 / Legal / Letter
Supported Paper Weight	up to 250 g/m ²
Staple Functions	3 positions (Corner / Opposite Corner / 2 points on side)
Dimensions & Weight	666 × 686 × 1,228 mm, 107.5 kg
Specs for Saddle Unit	
Output Capacity	Stacker Tray: Up to 7 booklets x 20 sheets (60 to 90 g/m²) / 10 sheets (91 to 105 g/
Finisher Functions	Fold, Saddle Stitch
Booklet Paper Size Supported Paper Weight	A3, B4, A4, Legal, Letter, 8.5×13" 60 - 105 g/m ²
Maximum Power Consumption	200W / 840W (with heater)
Dimensions & Weight	557 × 581 × 644 mm, 46.6 kg
2/4 Hole Punch Unit	
Supported Paper Size	A3, B4, A4, B5, Legal, Letter, 8.5×13"
Support Paper Weight	up to 250 g/m ²
Number of Holes	2 or 4 holes, 80mm intervals
2/3 Hole Punch Unit	
Supported Paper Size Support Paper Weight	A3, B4, A4, B5, Legal, Letter, 8.5×13" up to 250 g/m ²
Number of Holes	2 or 3 holes, 70mm intervals (U.S Specifications)
Specs for High Capacity Tray	
Input Capacity	Up to 3,000 sheets (80 g/m ²)
Support Paper Weight	60 - 160 g/m ²
Support Paper Size	A4, Letter
Maximum Power Consumption	21W or less
Dimensions & Weight	321 x 620 x 504 mm, 27.3 kg

Dimensions & Weight

WorkForce Enterprise (Main Unit only) Weight: 177.1kg / 390.4lb (Excluding Consumables)

> 1,243 mm (48.9 inch) 757 mm (29.8 inch) 674 mm (26.5 inch)

WorkForce Enterprise with Optional Staple Finisher and High Capacity Tray Weight: 337.9kg / 744.9lb (Excluding Consumables)



WorkForce Enterprise with Optional Booklet Finisher and High Capacity Tray Weight: 396.5kg / 874.1lb (Excluding Consumables



© 2021 PT Epson Indonesia. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Dealer's Stamp

Information correct at time of printing Printed April 2021

missioned by Epson to Keypoint Intelligence-Buyers Lab. Two comparison models were selected from colour laser multi-function printers in the 65-70 ppn Testing was con testing and ocharacteristic of poor to response the opport and opport and the opport of the opport of the opport class. Tests were conducted at the devices' default settings using Keypoint Intelligence-Buyers Lab standard energy consumption test methods. Calculations are based a weekday workload of 2 x 4 hours printing + 16 hours in sleep/standby mode, and weekend energy use of 48 hours in sleep/standby mode. A total of 69 pages of workload test pattern .doc, .xls, .ppt, .html, and Outlook files were printed 6 times in each 4-hour printing period.

¹ Testing was commissioned by Epson to Keypoint Intelligence-Buyers Lab, based on Epson WF-C20590. Two comparison models were selected from colour laser multi-function printers in the 65-70 ppm class. Calculations were based on the frequency and volume of consumables and replacement parts required to print 1 million pages (ISO/ function printers in the 65-70 ppm class. Calculat IEC 24712 test pattern) over a period of 5 years.

Black print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on system configuration, software, and page complexity. For more information, visit www.enson.co.id/printspeed

¹² With 2 black ink cartridges: up to 120 000 pages in black

³ For simplex printing only.

⁴ Replacement cartridge yields are based on ISO/IEC 24711 tests in Default Mode printing continuously. Cartridge yields vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. All ink colours are used for printing and printer maintenance, and all colours have to be installed for printing. For print quality, part of the ink from the included cartridges is used for printer setup and a variab amount of ink remains in the cartridges after the "replace cartridge" signal. For more information, visit www.epson.co.id/inkinfo.

¹⁵ Finisher Tray 2 for Fax output only.

¹⁶ Default mode in accordance with ISO7779

⁷ Up to 50 sheets for letter, A4 and B5 size. Up to 30 sheets for A3, B4, Legal and 8.5 x 13".

📕 Epson Indonesia 🔘 @EpsonIndonesia 🎔 @EpsonIndonesia 🕨 Epson Indonesia in Epson Indonesia 1-500-766 0812-12-37766 HOTLINE CALL (NATIONAL AREA)

For more information, visit https://www.epson.co.id/enterpriseprinting

A3 MONOCHROME MULTIFUNCTION PRINTER WORKFORCE ENTERPRISE WF-M21000

UNLOCK THE FUTURE OF BUSINESS PRINTING IN MONOCHROME.



Experience the prowess of the WF-M21000, part of the new WorkForce Enterprise series in monochrome. Increase your business productivity with print speed of up to 100 pages per minute and maximise performance with the new enhanced finishing options. Powered by Epson PrecisionCore Heat-Free Technology, the WorkForce Enterprise series consumes up to 85% less power than laser printers*, resulting in low running cost. Enjoy greater peace of mind for your business with fewer replacement parts and ultra high yield consumables that reduce impact on the environment.



Exceptional Performance

Maximum productivity with consistent high speed printing of up to 100 pages per minute with fast, dry pigment ink - DURABrite Pro Ink. **Enhanced Finishing** Enjoy greater flexibility with new finishing options capable of booklet printing and hole-punching.







Epson Connect



Wi-Fi Direct













Heat-Free Technology

Achieve high speed quality printing at lower power consumption with Epson PrecisionCore Heat-Free Technology.

Switch to Epson Heat-Free Printers to Enjoy Unrivalled Benefits

EPSON INKJET PRINTER



LASER PRINTER





Save time with consistent high speed printing

No heat is required to warm-up, allowing the printer to print immediately. Consistent high speed printing up to 100 pages per minute is possible, even for high coverage documents.



Shift-sorting

Stapling

Hole punching

(Option reauired)

Fewer replacement parts, lower environmental impact

Uses up to 59% fewer replacement parts** than laser printers. No heat damage to the printhead.



Less power consumption saves energy and money

With no fuser unit to heat, reduce energy consumption by up to 85%* compared to laser printers, resulting in cost savings for electricity bills.



Less intervention increases productivity

With fewer parts to replace and printheads that last longer, the amount of intervention is decreased, providing improved reliability and reduced downtime.

Enhanced Finishing Capability

Increase productivity with advanced finishing such as auto-stapling, hole punching and booklet printing.





Stapler finisher

Booklet finisher

High capacity tray

SPECIFICATIONS

odel Number	WF-M21000
inting inting Technology	PrecisionCore [™] Line Head Inkjet Technology
ozzle Configuration	8,676 nozzles (Black)
aximum Resolution	600 x 2,400 dpi
nimum Ink Droplet Volume int Speed (Black) ^{*1}	<u>3.5 pl</u>
ISO 24734, A4, Simplex / Duplex	Approx. 100 ipm / 100 ipm
ISO 24734.2, A3, Simplex / Duplex	Approx. 54 ipm / 36.3 ipm
First Page Out Time	Approx. 5.0 sec / 5.0 sec
inter Language inter Control Language Emulations	ESC/P-R, ESC/P-RJ, ESC/Page, ESC/Page-Colour, Po PCL5 / PCL6 / PostScript3 / PDF(ver1.7)
DD Capacity	320GB (Encrypted)
tomatic 2-sided printing	Yes
ppying	
ppy Speed (Black) ⁻¹ ISO 29183, A4, Simplex (Flatbed)	Approx. 100 ipm
ISO 24735, A4, Simplex (ADF 1:1)	Approx. 100 ipm
ISO 24735, A4, Duplex (ADF 1:2 / 2:2)	Approx. 100 ipm
aximum Copies from Standalone	9,999 copies
ax Copy Resolution eduction/Enlargement	600 x 1,200 dpi 25 - 400%, Auto Fit Function
ppy Paper Size (Flatbed)	A3, B4, Legal, Indian-Legal, 8.5x13in, Letter, A4, B5, A
aximum Copy Size	A3
anning	
anner Type Insor Type	Flatbed colour image scanner CIS
otical Resolution	600 x 600 dpi
aximum Scan Area	297 x 431.8 mm (11.7 x 17")
anner Bit Depth	48 bit input 04 bit enderst
Colour Grayscale	48-bit input, 24-bit output 16-bit input, 8-bit output
Black & white	16-bit input, 1-bit output
an Features	Scan to Memory Device, Scan to Network Folder/FTP,
an Spood (Monochrome and Colour)	Scan to Document Capture Pro Server, Scan to Comp
an Speed (Monochrome and Colour) Flatbed	200dpi A4 Landscape: 3.7 sec, A3: 4.7 sec
ADF (Simplex / Duplex)	A4: 60 ppm / 110 ipm
(ISO17991, Scan to Folder)	A3: 30 ppm / -
OF Function	
ipport Paper Thickness	38 - 128 g/m ²
per Capacity tomatic 2-sided Scan / Copy / Fax	150 pages (80 g/m²) Yes (1-pass)
x Function (Optional)	
pe of FAX	Walk-up black-and-white and colour fax capability
ceive Memory / Page Memory	6 MB, Page memory Up to 550 pages (ITU-T No.1 cha
ror Correction Mode X Speed (Data Transfer Rate)	ITU-T T.30 Up to 33.6kbps, Approx. 3sec/page
X Resolution	Op to 33.0kbps, Approx. 3sec/page
Black & White	Standard: 8pels/mm x 3.85lines/mm, Fine: 8pels/mm x
Colour	Fine: 200x200dpi, Photo: 8pels/mm x 7.7lines/mm
ansmission Paper Size Flatbed	A5 to A3 / Ledger
ADF	A5 to A3 / Ledger
ceiving Paper Size	HLT, A5, B5, A4, LT, LGL, B4, 11 x 17, A3
eed Dial / Group Dial x Features	Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Automatic Redial, One
	Polling Reception, Fax Preview, Fax to E-mail, Memory
per Handling	
per Feed Method	Friction feed
Imber of Paper Trays (Standard) Iper Hold Capacity	5 (Paper Cassettes: 4, MP Tray: 1)
Input Capacity	Up to 2,350 sheets (80 g/m ²) (Paper Cassettes 1 - 4: 5
Maximum input capacity	Up to 5,350 sheets (80 g/m ²) (Paper Cassettes 1 - 4: 5
Output Capacity	700 sheets (Tray 1: 550 sheets, Tray 2: 150 sheets'5)
per Size aximum Paper Size	A3+, A3, A4, B5, A5, A6, 5x7", 4x6", Legal, Letter, Env A3+, 330 x 1200mm (12.95 x 47.24")
inter Interface	
SB	USB 3.0
twork	Ethernet, Wi-Fi (802.11 b/g/n), Wi-Fi Direct
etwork Protocol	TCP/IPv4, TCP/IPv6
etwork Printing Protocol etwork Management protocols	LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mD
curity Features	Access Control Function, LDAP Address Book, IP Add
B Host Function	
pe of Direct Printing	Memory Devices
SB Host rect Print Paper Size	USB Host (Scan to memory device / Storage function) 10x15cm, 13x18cm, HV 16:9 Wide, A3, A4, A5, A6, Le
bbile and Remote Printing	10,100m, 10,100m, 11, 10,3 mde, A3, A4, A3, A0, Le
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver, S
Other Mobile Solutions	Mopria Print Service
ontrol Panel	
D Screen	9.0 inch / 22.7cm TFT Colour LCD
inter Software	
pported Operating System	Windows XP / Vista / 7 / 8 / 8.1 / 10, Windows Server
ectrical Specifications ted Voltage	100-240V Universal
ited Voltage ited Frequency	50 - 60 Hz
pical Electricity Consumption (TEC) Value	0.50 kWh
wer Consumption	170W
Operating Standby	170W 76W
Sleep	1.7W
Power off	0.1W

ostScript3
15, B6, A6, 16K, 8K, 13x18cm, HV 16:9 Wide, 10x15cm, Envelopes: #10, DL, C4, C6
Scan to Email, Scan to Computer (Document Capture Pro), uter (WSD)
art)
x 7.7lines/mm, Super Fine: 8pels/mm x 15.4lines/mm, Ultra Fine: 16pels/mm x 15.4lines/mm
e Touch Dial, Address Book, Transmit Reservation (50 cases), Broadcast Fax (Mono only),
y Reception, Fax to Folder
50 x 4 + MP Tray: 150 sheets) 50 x 4 + MP Tray: 150 sheets + High Capacity Feeder Unit: 3,000 sheets)
elopes: #10, DL, C6, C4
NNS, SNTP, SLP, WSD, LLTD
Iress Filtering, Panel Admin Mode, Confidential Job
, gal, Indian-Legal, Letter, B4, B5, B6, 8K, 16K, Envelopes: #10, C4, C6, DL, 8x13in
Scan to Cloud
2003 / 2008 / 2012 / 2016 / 2019, Mac OS X 10.6.8 or later