# COLOUR INKJET EXPRESSION HOME XP-245/XP-442



# YOUR COMPACT SOLUTION TO WIRELESS PRINTING.



Discover the freedom of space with Expression Home XP-245 and XP-442 all-in-one colour inkjet printers. Boasting a compact design and wireless capabilities, you can also create printing jobs from anywhere in the world, making them a right fit for all spaces and lifestyles.





Expression Home XP-245



Expression Home XP-442

# IT'S IN THE DETAILS.

Wi-Fi and Wi-Fi Direct Connectivity

Share your printer over a wireless network or print directly from your mobile devices without a router.

## **Exceptional Colour and Text**

Claria Home Ink delivers razor sharp black text on documents and superb glossy photos on Epson glossy photo paper.

## Epson Connect Enabled

Print and scan on the go with your mobile devices.

From photos and documents to your personal projects, the Expression Home XP-245 and XP-442 deliver exceptional colour and detail with enhanced connectivity enabled by Wi-Fi Direct\* and Epson Connect – all in a wonderfully compact design.



# Wi-Fi and Wi-Fi Direct Connectivity

Experience a world of wireless convenience with access to easy and flexible shared printing and mobile printing. What's more, the Expression Home XP-442 gives you the added advantage of Wi-Fi Direct, allowing you to connect up to 4 devices to the printer even without a router.



# **Exceptional Colour and Text**

Epson's Claria Home Ink is specially formulated to deliver razor sharp black text and superb glossy photos on Epson glossy photo paper. Together with our proven Micro Piezo™ printhead technology driving a stunning resolution of 5760 x 1440 dpi, the Expression Home series of printers are truly in a class of their own.



# **Epson Connect Enabled**

With Epson Connect, there are many ways to wirelessly print your documents and photos from anywhere in the world:

- Epson iPrint Print from and scan directly to your smart device or online cloud storage services.
- Epson Email Print Print to any Email Print-enabled Epson printer from any devices or PC with email access.
- **Remote Print Driver** Print to a compatible Epson printer anywhere in the world via the Internet using a PC with Remote Print driver or from mobile devices via the Epson iPrint app.
- Scan to Cloud\* Share your scans through email or store them online in cloud storage services.
- Epson Creative Print Get creative with your mobile device. Share & personalise your photos.

## **Facebook Printing**



Print 4"x 6" photos directly from your Facebook account and create personalised postcards. A QR code that links directly to the photo on your Facebook page can be added to the prints.

## Colouring Book



Use images from your mobile devices and adjust up to 5 levels of line thickness to create your own colouring projects.

#### Collage Printing



Use photos from your Device Memory or Instagram account to create a collage with 72 pre-defined templates and output it directly to a printer.

## Personal Stationery



Create personalised stationery such as Lined Paper, Writing Paper with Photo Background and Calendars easily with this app.

#### **Design Paper**



Print paper with patterns using the printer. This can be used as wrapping paper for gifts.

Other mobile solutions:

- Apple<sup>®</sup> AirPrint<sup>™\*</sup> Print directly from your Apple devices.
- Google Cloud Print<sup>™</sup> Print directly from an Android<sup>™</sup> smartphone, tablet or PC using your Google account.
- Mopria<sup>™</sup> Print Service\* Conveniently print across different brands of printers from mobile devices running Android OS 4.4 or later.

#### \* Only available for XP-442.

## Performance And Features That You Need



Scanning is fast and precise with up to 1200 dpi optical resolution. The XP-442 offers even greater productivity with high print speeds of up to 33ppm

for draft black-& white and 10ipm for standard black-&-white print quality.

For more convenience, the XP-442 is equipped with a large 2.7" LCD that allows easy access to your preferred print settings, and a memory card slot for direct printing.

# Small Footprint

The Expression Home series not only looks great, they also fit perfectly in your home or office. Both the XP-245 and XP-442 offer print, scan and copy functionality in a highly compact design so that you won't have to worry about finding space for them.

# **Epson Easy Photo Scan**

Easily scan, view, edit, save and transfer scanned documents with this downloadable software. Epson Easy Photo Scan provides 8 simple photo editing functions, such as Rotation, Auto and Manual Enhance, Soft Focus and Red Eye Correction, to allow you to enhance and correct your photos as desired. The preview mode and thumbnail mode allow you to easily choose, edit and preview your photos within the application.



Post-scan destinations, including local folder, Web Folder, email, Facebook, Picasa<sup>™</sup>, Evernote<sup>®</sup> and SugarSync<sup>®</sup>, are easily accessible through the software.



# **Epson Easy Photo Print**

Achieve photo lab quality prints in just 3 steps with this easy-to-use software.

· ····		+ +	-
1	* 1	蕭	-
	9		-
	14		-
	Party Party		
	-	100	-11





Step 1 Choose photo

Step 2 Choose size and media

Step 3 Print

Support for Epson Connect features varies across products. Please refer to the specifications in this brochure for the list of supported Epson Connect features for your printer. For more information on Epson Connect, please visit http://www.epson. com.sg/connect

## **SPECIFICATIONS EXPRESSION HOME XP-245/XP-442**



145mm (5.7")

Model Number	XP-245	XP-442	Dimensions & Weight
Printing			XP-245
Print Method	On-demand ink jet (piezoelectric)	Non Maganta Vallawi	Weight: 3.9kg (8.6lb)
Nozzle Configuration Print Direction	180 nozzles Black, 59 nozzles per colour (0	Jyan, Magenta, Yellow)	()
Maximum Resolution	Bi-directional printing, Uni-directional print 5760 x 1440 dpi (with Variable-Sized Dropl		
Minimum Ink Droplet Volume	3 pl	et rechnology)	
Print Speed <sup>1</sup>	<u>3 pi</u>		- I - Constant - Constant
Max Draft Text - Memo (A4)	Approx. 27ppm / 15ppm (Black*1/Colour*2)	Approx. 33ppm / 15ppm (Black#1/Colour#2)	PER
ISO 24734, A4, Simplex	Approx. 8.0ipm / 4.0ipm (Black/Colour)	Approx. 10ipm / 4.5ipm (Black/Colour)	
Photo Draft - 10x15cm/4x6" *2 #3	Approx. 27sec per photo (W/Border)	Approx. 27sec per photo (W/Border)	
	Approx. 38sec per photo (Borderless)	Approx. 38sec per photo (Borderless)	390mm
Photo Default - 10x15cm/4x6" "2 #3	Approx. 92sec per photo (Borderless)	Approx. 90sec per photo (Borderless)	(15.4")
Copying			ND 440
Copy Speed			XP-442
ISO 29183, A4, Simplex	Approx. 7.7ipm / 3.8ipm (Black/Colour)		Weight: 4.3g (9.5lb)
Copy Quality	Standard Copy Mode		
Maximum Copies from Standalone	20 copies	199 copies	
Reduction / Enlargement	N/A	25 - 400%, Auto Fit Function	
Maximum Copy Size	A4		1000
Scanning			and the second s
Scanner Type	Flatbed colour image scanner		+
Sensor Type	CIS		390mm
Optical Resolution	1200 x 2400 dpi		(15.4")
Maximum Scan Area	216 x 297 mm (8.5 x 11.7")		
Scanner Bit Depth			*1 Print speed (Pages Per Min when printed on A4 plain page
Colour	48-bit input, 24-bit output		when printed on A4 plain pa mode, 10 x 15 cm photo pr
Grayscale	16-bit input, 8-bit output		printed on Epson Premium
Black & White	16-bit input, 1-bit output		Print speed may vary deper
Scan Speed (Flatbed / ADF) 300 dpi Monochrome	11 000		configuration, print mode, d software, type of paper use
Colour	11 sec 28 sec		Print speed does not includ
	20 Sec		host computer.
Paper Handling			
Paper Feed Method	Friction feed		1007
Paper Hold Capacity	50 shasta A4 Disis same (75 sam)	100 shasts A4 Plain second (75 second	the state
Input Capacity	50 sheets, A4 Plain paper (75gsm) 10 sheets, Premium Glossy Photo Paper	100 sheets, A4 Plain paper (75gsm) 20 sheets, Premium Glossy Photo Paper	Birthing and a state of the sta
Output Capacity	30 sheets A4 Plain Paper		** TEREC
Output Capacity	30 sheets, A4 Plain Paper		** TERE
	30 sheets, A4 Plain Paper 20 sheets, Premium Glossy Photo Paper		Married World's
Output Capacity Paper Size	30 sheets, A4 Plain Paper 20 sheets, Premium Glossy Photo Paper A4, A5, A6, B5, 10x15 cm (4x6"), 13x18 cm Legal (8 1/2x14"), Half Letter (5 1/2x8 1/2").	- (5x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"),	#1 #2 Black Text Black Text
	30 sheets, A4 Plain Paper 20 sheets, Premium Glossy Photo Paper	- (5x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"),	#1 #2 Black Text Black Text and graphic
	30 sheets, A4 Plain Paper 20 sheets, Premium Glossy Photo Paper A4, A5, A6, B5, 10x15 cm (4x6"), 13x18 cm Legal (8 1/2x14"), Half Letter (5 1/2x8 1/2"), 16:9 wide size, 100x148 mm, Envelopes: # 215.9 x1,117.6 mm (8.5 x44")	, (5x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6	and graphic
Paper Size	30 sheets, A4 Plain Paper 20 sheets, Premium Glossy Photo Paper A4, A5, A6, B5, 10x15 cm (4x6"), 13x18 cm Legal (8 1/2x14"), Half Letter (5 1/2x8 1/2"), 16:9 wide size, 100x148 mm, Envelopes: #	, (5x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6	#1 #2 #2 Black Text Black Text Black Text and graphic *2 When printed on Epson Pre Photo Paper.
Paper Size Maximum Paper Size	30 sheets, A4 Plain Paper 20 sheets, Premium Glossy Photo Paper A4, A5, A6, B5, 10x15 cm (4x6"), 13x18 cm Legal (8 1/2x14"), Half Letter (5 1/2x8 1/2") 16.9 wide size, 100x148 mm, Envelopes: # 215.9 x 1,117.6 mm (8.5 x 44") 0mm top, left, right, bottom via custom set	, (5x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6	and graphic *2 When printed on Epson Pre
Paper Size Maximum Paper Size Print Margin	30 sheets, A4 Plain Paper 20 sheets, Premium Glossy Photo Paper A4, A5, A6, B5, 10x15 cm (4x6"), 13x18 cm Legal (8 1/2x14"), Half Letter (5 1/2x8 1/2") 16.9 wide size, 100x148 mm, Envelopes: # 215.9 x 1,117.6 mm (8.5 x 44") 0mm top, left, right, bottom via custom set	, (5x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 tings in printer driver	*2 When printed on Epson Pre Photo Paper.
Paper Size Maximum Paper Size Print Margin Interface	30 sheets, A4 Plain Paper 20 sheets, Premium Glossy Photo Paper A4, A5, A6, B5, 10x15 cm (4x6"), 13x18 cm Legal (8 1/2x14"), Half Letter (5 1/2x8 1/2"), 16:9 wide size, 100x148 mm, Envelopes: # 215.9 x1,117.6 mm (8.5 x44")	, (5x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6	and graphic *2 When printed on Epson Pre Photo Paper. *3 Default mode in accordance
Paper Size Maximum Paper Size Print Margin Interface USB	30 sheets, A4 Plain Paper 20 sheets, Premium Glossy Photo Paper A4, A5, A6, B5, 10x15 cm (4x6"), 13x18 cm Legal (8 1/2x14"), Half Letter (5 1/2x8 1/2") 16:9 wide size, 100x148 mm, Envelopes: # 215.9 x 1,117.6 mm (8.5 x 44") 0mm top, left, right, bottom via custom set Hi-Speed USB 2.0	(5x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 tings in printer driver [Wi-Fi, Wi-Fi Direct [SD Card Slot	*2 When printed on Epson Pre Photo Paper.
Paper Size Maximum Paper Size Print Margin Interface USB Network	30 sheets, A4 Plain Paper 20 sheets, Premium Glossy Photo Paper A4, A5, A6, B5, 10x15 cm (4x6°), 13x18 cm Legal (8 1/2x14°), Half Letter (5 1/2x8 1/2°), 16.9 wide size, 100x148 mm, Envelopes: # 215.9 x 1.117.6 mm (8.5 x 44°) 0mm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi	(6x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 tings in printer driver [Wi-Fi, Wi-Fi Direct [SD Card Slot [SD, SDHC, SDXC,	and graphic *2 When printed on Epson Pre Photo Paper. *3 Default mode in accordance *4 Via custom setting. Otherwir right, bottom. *5 In accordance with ISO 247
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots	30 sheets, A4 Plain Paper 20 sheets, Premium Glossy Photo Paper A4, A5, A6, B5, 10x15 cm (4x6"), 13x18 cm Legal (8 1/2x14"), Half Letter (5 1/2x8 1/2") 16.9 wide size, 100x148 mm, Envelopes: # 215.9 x 1,117.6 mm (8.5 x 44") 0mm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi M/A	(5x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 tings in printer driver Wi-Fi, Wi-Fi Direct SD Card Slot SD Card Slot SD, SDHC, SDXC, MinSD, MinSDHC, MicroSD, MicroSDHC,	<ul> <li>*2 When printed on Epson Pre Photo Paper.</li> <li>*3 Default mode in accordance</li> <li>*4 Via custom setting, Otherwirght, bottom.</li> <li>*5 In accordance with ISO 247 yields will vary considerably</li> </ul>
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards	30 sheets, A4 Plain Paper 20 sheets, Premium Glossy Photo Paper A4, A5, A6, B5, 10x15 cm (4x6"), 13x18 cm Legal (8 1/2x14"), Half Letter (5 1/2x8 1/2") 16.9 wide size, 100x148 mm, Envelopes: # 215.9 x 1,117.6 mm (8.5 x 44") 0mm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi M/A	(6x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 tings in printer driver [Wi-Fi, Wi-Fi Direct [SD Card Slot [SD, SDHC, SDXC,	<ul> <li>*2 When printed on Epson Pre Photo Paper.</li> <li>*3 Default mode in accordance</li> <li>*4 Via custom setting. Otherwir right, bottom.</li> <li>*5 In accordance with ISO 247 yields will vary considerably images printed, print setting</li> </ul>
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards Mobile and Cloud Printing	30 sheets, A4 Plain Paper 20 sheets, A4 Plain Paper A4, A5, A6, B5, 10x15 cm (4x6°), 13x18 cm Legal (8 1/2x14°), Half Letter (5 1/2x8 1/2″), 16.9 wide size, 100x148 mm, Ervelopes: # 215.9 x1,117.6 mm (8.5 x 44″) 0mm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi N/A N/A	(5x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 tings in printer driver <u>(Wi-Fi, Wi-Fi Direct</u> SD Card Slot SD, SDHC, SDXC, MiniSD, MiniSDHC, MicroSD, MicroSDHC, MicroSDXC (With Adapter)	and graphi *2 When printed on Epson Pre Photo Paper. *3 Default mode in accordance *4 Via custom setting. Otherwi right, bottom. *5 in accordance with ISO 247 yields will vary considerably images printed, print setting and humidity. Yields may be infequently or predominant
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards	30 sheets, A4 Plain Paper 20 sheets, Premium Glossy Photo Paper A4, A5, A6, B5, 10x15 cm (4x6"), 13x18 cm Legal (8 1/2x14"), Half Letter (5 1/2x8 1/2") 16.9 wide size, 100x148 mm, Envelopes: # 215.9 x 1,117.6 mm (8.5 x 44") 0mm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi N/A N/A Epson iPrint, Epson Email Print,	(5x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 tings in printer driver <u>Wi-Fi, Wi-Fi Direct</u> <u>SD Card Slot</u> SD, SDHC, SDXC, Min/SDHC, MicroSD, MicroSDHC, MicroSDC (With Adapter) [Epson iPrint, Epson Email Print,	and graphi *2 Whan printed on Epson Pre Photo Paper. *3 Default mode in accordance *4 V alva custom setting. Otherwi right, bottom. *5 In accordance with ISO 437 yields will way considerably inages printed, print setting and humidity. Yieldis may be infequently or predominant Part of the ink from the first
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards Mobile and Cloud Printing	30 sheets, A4 Plain Paper 20 sheets, A4 Plain Paper A4, A5, A6, B5, 10x15 cm (4x6°), 13x18 cm Legal (8 1/2x14°), Half Letter (5 1/2x8 1/2″), 16.9 wide size, 100x148 mm, Ervelopes: # 215.9 x1,117.6 mm (8.5 x 44″) 0mm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi N/A N/A	.(5x7"), 9x13 cm (3.6x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6           tings in printer driver <u>Wi-Fi, Wi-Fi Direct</u> SD, SDHC, SDKC,           SD, SDHC, SDKC,           MinriSD, MiniSDHC, MicroSD, MicroSDHC,           MicroSDXC (With Adapter)           [Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud,	and graphi *2 When printed on Epson Pre Photo Paper. *3 Default mode in accordance *4 Via custom setting. Otherwi right, bottom. *5 in accordance with ISO 247 yields will vary considerably images printed, print setting and humidity. Yields may be infequently or predominant Part of the ink from the first are used for initial ink chargi
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards Mobile and Cloud Printing Epson Connect	30 sheets, A4 Plain Paper 20 sheets, Premium Glossy Photo Paper A4, A5, A6, B5, 10x15 cm (4x6"), 13x18 cm Legal (8 1/2x14"), Half Letter (5 1/2x8 1/2"), 16.9 wide size, 100x148 mm, Envelopes: # 215.9 x 1,117.6 mm (8.5 x 44") Omm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi N/A N/A Epson iPrint, Epson Email Print, Remote Print Driver, Epson Creative Print	(5x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 <u>Wi-Fi, Wi-Fi Direct</u> <u>SD Card Stot</u> SD, SDHC, SDXC, MiniSD, MiniSDHC, MicroSD, MicroSDHC, MiniSD, MiniSDHC, MicroSD, MicroSDHC, Minore Print, Epson Email Print, Remote Print Driver, Scan to Cloud, Epson (Peative Print	and graphi *2 Whan printed on Epson Pre Photo Paper. *3 Default mode in accordance *4 V alva custom setting. Otherwi right, bottom. *5 In accordance with ISO 437 yields will way considerably inages printed, print setting and humidity. Yieldis may be infequently or predominant Part of the ink from the first
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards Mobile and Cloud Printing	30 sheets, A4 Plain Paper 20 sheets, Premium Glossy Photo Paper A4, A5, A6, B5, 10x15 cm (4x6"), 13x18 cm Legal (8 1/2x14"), Half Letter (5 1/2x8 1/2") 16.9 wide size, 100x148 mm, Envelopes: # 215.9 x 1,117.6 mm (8.5 x 44") 0mm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi N/A N/A Epson iPrint, Epson Email Print,	(6x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 tings in printer driver [Wi-Fi, Wi-Fi Direct SD, SDHC, SDXC, MiniSD, MiniSDHC, MicroSD, MicroSDHC, MicroSDXC (With Adapter) [Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Epson Creative Print Apple AirPrint, Google Cloud Print,	and graphi *2 Whan printed on Epson Pre Photo Paper. *3 Default mode in accordance *4 Via custom setting. Otherwir right, bottom. *5 In accordance with ISO 247 yields will way considerably in and purity viel y angle way on the infraquently viel y ready ben infraquently
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards Mobile and Cloud Printing Epson Connect Other Mobile Solutions	30 sheets, A4 Plain Paper 20 sheets, Premium Glossy Photo Paper A4, A5, A6, B5, 10x15 cm (4x6"), 13x18 cm Legal (8 1/2x14"), Half Letter (5 1/2x8 1/2"), 16.9 wide size, 100x148 mm, Envelopes: # 215.9 x 1,117.6 mm (8.5 x 44") Omm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi N/A N/A Epson iPrint, Epson Email Print, Remote Print Driver, Epson Creative Print	(5x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 <u>Wi-Fi, Wi-Fi Direct</u> <u>SD Card Stot</u> SD, SDHC, SDXC, MiniSD, MiniSDHC, MicroSD, MicroSDHC, MiniSD, MiniSDHC, MicroSD, MicroSDHC, Minore Print, Epson Email Print, Remote Print Driver, Scan to Cloud, Epson (Peative Print	and graphi *2 Whan printed on Epson Pre Photo Paper. *3 Default mode in accordance *4 Via custom setting. Otherwir right, bottom. *5 In accordance with ISO 247 yields will way considerably in and purity view providerably in and purity View and year printed, print setting and humridity. Yieldis may be infraquently or predominant Part of the infrom the first are used for initial ink chargi beth printing and print head
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel	30 sheets, A4 Plain Paper 20 sheets, A4 Plain Paper A4, A5, A6, B5, 10x15 cm (4x6"), 13x18 cm Legal (8 1/2x14"), Half Letter (5 1/2x8 1/2"), 16:9 wide size, 100x148 mm, Envelopes: # 215.9 x 1,117.6 mm (8.5 x 44") 0mm top, left, right, bottom via custom self Hi-Speed USB 2.0 Wi-Fi N/A 	(5x7"), 9x13 cm (3.5x5"), Letter (6 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 tings in printer driver <u>Wi-Fi, Wi-Fi Direct</u> <u>SD Card Slot</u> <u>SD, SDHC, SDXC,</u> <u>MinSD, MinSDHC, MicroSD, MicroSDHC,</u> <u>MicroSDXC (With Adapter)</u> [Epson IPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Epson Creative Print Apple AirPrint, Google Cloud Print, Mopria Print Service	and graphi *2 Whan printed on Epson Pre Photo Paper. *3 Default mode in accordance *4 Via custom setting. Otherwir right, bottom. *5 In accordance with ISO 247 yields will way considerably in and purity view providerably in and purity View and year printed, print setting and humridity. Yieldis may be infraquently or predominant Part of the infrom the first are used for initial ink chargi beth printing and print head
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen	30 sheets, A4 Plain Paper 20 sheets, Premium Glossy Photo Paper A4, A5, A6, B5, 10x15 cm (4x6"), 13x18 cm Legal (8 1/2x14"), Half Letter (5 1/2x8 1/2"), 16.9 wide size, 100x148 mm, Envelopes: # 215.9 x 1,117.6 mm (8.5 x 44") Omm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi N/A N/A Epson iPrint, Epson Email Print, Remote Print Driver, Epson Creative Print	(6x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 tings in printer driver [Wi-Fi, Wi-Fi Direct SD, SDHC, SDXC, MiniSD, MiniSDHC, MicroSD, MicroSDHC, MicroSDXC (With Adapter) [Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Epson Creative Print Apple AirPrint, Google Cloud Print,	and graphi *2 Whan printed on Epson Pre Photo Paper. *3 Default mode in accordance *4 Via custom setting. Otherwir right, bottom. *5 In accordance with ISO 247 yields will way considerably in and purity view providerably in and purity View and year printed, print setting and humridity. Yieldis may be infraquently or predominant Part of the infrom the first are used for initial ink chargi beth printing and print head
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software	30 sheets, A4 Plain Paper 20 sheets, A4 Plain Paper 24, A5, A6, B5, 10x15 cm (4x6"), 13x18 cm Legal (8 1/2x14"), Half Letter (5 1/2x8 1/2"), 16.9 wide size, 100x148 mm, Envelopes: # 215.9 x 1,117.6 mm (8.5 x 44") 0mm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi N/A N/A Epson iPrint, Epson Email Print, Remote Print Driver, Epson Creative Print N/A N/A	(5x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 <u>Wi-Fi, Wi-Fi Direct</u> <u>SD Card Slot</u> <u>SD, SDHC, SDXC, MicroSD, MicroSDHC, MiriSD, MiniSDHC, MicroSD, MicroSDHC, MicroSDHC, MicroSDHC, MicroSDKC (With Adapter)</u> <u>Epson IPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Epson Creative Print Apple AirPrint, Google Cloud Print, <u>Mopria Print Service</u> <u>[2,7" Colour LCD</u></u>	and graphi *2 Whan printed on Epson Pre Photo Paper. *3 Default mode in accordance *4 Via custom setting. Otherwir right, bottom. *5 In accordance with ISO 247 yields will way considerably in and purity view providerably in and purity View and year printed, print setting and humridity. Yieldis may be infraquently or predominant Part of the infrom the first are used for initial ink chargi beth printing and print head
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen	30 sheets, A4 Plain Paper 20 sheets, A4 Plain Paper A4, A5, A6, B5, 10x15 cm (4x8°), 13x18 cm Legal (8 1/2x1°), Haft Letter (5 1/2x8 1/2°), 16:9 vide size, 100x148 mm, Envelopes: # 215.9 x 1,117.6 mm (8.5 x 44°) 0mm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi N/A N/A Epson iPrint, Epson Email Print, Remote Print Driver, Epson Creative Print N/A N/A N/A N/A Windows XP / XP Profesional x64 / Vista /	(5x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 <u>Wi-Fi, Wi-Fi Direct</u> <u>SD Card Slot</u> <u>SD, SDHC, SDXC, MicroSD, MicroSDHC, MiriSD, MiniSDHC, MicroSD, MicroSDHC, MicroSDHC, MicroSDHC, MicroSDKC (With Adapter)</u> <u>Epson IPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Epson Creative Print Apple AirPrint, Google Cloud Print, <u>Mopria Print Service</u> <u>[2,7" Colour LCD</u></u>	and graphi *2 Whan printed on Epson Pre Photo Paper. *3 Default mode in accordance *4 Via custom setting. Otherwir right, bottom. *5 In accordance with ISO 247 yields will way considerably in and purity view providerably in and purity View and year printed, print setting and humridity. Yieldis may be infraquently or predominant Part of the infrom the first are used for initial ink chargi beth printing and print head
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility	30 sheets, A4 Plain Paper 20 sheets, A4 Plain Paper 24, A5, A6, B5, 10x15 cm (4x6"), 13x18 cm Legal (8 1/2x14"), Half Letter (5 1/2x8 1/2"), 16.9 wide size, 100x148 mm, Envelopes: # 215.9 x 1,117.6 mm (8.5 x 44") 0mm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi N/A N/A Epson iPrint, Epson Email Print, Remote Print Driver, Epson Creative Print N/A N/A	(5x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 <u>Wi-Fi, Wi-Fi Direct</u> <u>SD Card Slot</u> <u>SD, SDHC, SDXC, MicroSD, MicroSDHC, MiriSD, MiniSDHC, MicroSD, MicroSDHC, MicroSDHC, MicroSDHC, MicroSDKC (With Adapter)</u> <u>Epson IPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Epson Creative Print Apple AirPrint, Google Cloud Print, <u>Mopria Print Service</u> <u>[2,7" Colour LCD</u></u>	and graphi *2 Whan printed on Epson Pre Photo Paper. *3 Default mode in accordance *4 Via custom setting. Otherwir right, bottom. *5 In accordance with ISO 247 yields will way considerably in and purity view providerably in and purity View and year printed, print setting and humridity. Yieldis may be infraquently or predominant Part of the infrom the first are used for initial ink chargi beth printing and print head
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications	30 sheets, A4 Plain Paper 20 sheets, A4 Plain Paper A4, A5, A6, B5, 10x15 cm (4x6°), 13x18 cm Legal (8 1/2x14°), Half Letter (5 1/2x8 1/2″) 163 wide size, 100x148 mm, Envelopes: # 215.9 x 1,117.6 mm (8.5 x 44″) 0mm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi N/A N/A N/A N/A N/A N/A N/A N/A	(5x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 <u>Wi-Fi, Wi-Fi Direct</u> <u>SD Card Slot</u> <u>SD, SDHC, SDXC, MicroSD, MicroSDHC, MiriSD, MiniSDHC, MicroSD, MicroSDHC, MicroSDHC, MicroSDHC, MicroSDKC (With Adapter)</u> <u>Epson IPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Epson Creative Print Apple AirPrint, Google Cloud Print, <u>Mopria Print Service</u> <u>[2,7" Colour LCD</u></u>	and graphi *2 When printed on Epson Pre- Photo Paper. *3 Default mode in accordance *4 Va custom setting. Otherwir right, bottom. *5 In accordance with ISO 247 yields will vary considerably images printed, print setting and provide and the setting and the setting of the setting of the setting and the setting of the setting of the setting and the setting of the setting of the setting of the setting and the setting of the setting
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage	30 sheets, A4 Plain Paper 20 sheets, A4 Plain Paper A4, A5, A6, B5, 10x15 cm (4x6°), 13x18 cm Legal (8 1/2x14°), Half Letter (5 1/2x8 1/2°), 16:9 vide size, 100x148 mm, Envelopes: # 215.9 x 1,117.6 mm (8.5 x 44″) 0mm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi N/A N/A Epson iPrint, Epson Ernail Print, Remote Print Driver, Epson Creative Print N/A N/A N/A N/A Windows XP / XP Profesional x64 / Vista / Mac OS X 10.6.8 or later AC 100 - 240 V Universal	(5x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 <u>Wi-Fi, Wi-Fi Direct</u> <u>SD Card Slot</u> <u>SD, SDHC, SDXC, MicroSD, MicroSDHC, MiriSD, MiniSDHC, MicroSD, MicroSDHC, MicroSDHC, MicroSDHC, MicroSDKC (With Adapter)</u> <u>Epson IPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Epson Creative Print Apple AirPrint, Google Cloud Print, <u>Mopria Print Service</u> <u>[2,7" Colour LCD</u></u>	and graphi *2 Whan printed on Epson Pre Photo Paper. *3 Default mode in accordance *4 Via custom setting. Otherwir right, bottom. *5 In accordance with ISO 247 yields will way considerably in and purity view providerably in and purity View and year printed, print setting and humridity. Yieldis may be infraquently or predominant Part of the infrom the first are used for initial ink chargi beth printing and print head
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency	30 sheets, A4 Plain Paper 20 sheets, A4 Plain Paper A4, A5, A6, B5, 10x15 cm (4x6°), 13x18 cm Legal (8 1/2x14°), Half Letter (5 1/2x8 1/2″) 163 wide size, 100x148 mm, Envelopes: # 215.9 x 1,117.6 mm (8.5 x 44″) 0mm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi N/A N/A N/A N/A N/A N/A N/A N/A	(5x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 <u>Wi-Fi, Wi-Fi Direct</u> <u>SD Card Slot</u> <u>SD, SDHC, SDXC, MicroSD, MicroSDHC, MiriSD, MiniSDHC, MicroSD, MicroSDHC, MicroSDHC, MicroSDHC, MicroSDKC (With Adapter)</u> <u>Epson IPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Epson Creative Print Apple AirPrint, Google Cloud Print, <u>Mopria Print Service</u> <u>[2,7" Colour LCD</u></u>	and graphi *2 When printed on Epson Pre- Photo Paper. *3 Default mode in accordance *4 Via custom satting- Otherwi right, bottom. *5 In accordance with ISO 247 yields Wil way considerably images printed, print esting and humidky. Yields may be infrequently or predominant Part of the ink from the first are used for hittil ink chargi both printing and print head are used for both black and © 2019 Epson Singapore Ple L1 Reproduction in part or in whole permission from Epson, is strict
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Soreen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption	30 sheets, A4 Plain Paper 20 sheets, A4 Plain Paper A4, A5, A6, B5, 10x15 cm (4x8°), 13x18 cm Legal (8 1/2x14°), Hall Letter (5 1/2x8 1/2°), 16:9 wide size, 100x148 mm, Envelopes: # 215.9 x 1,117.6 mm (8.5 x 44′) 0mm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi N/A N/A Epson iPrint, Epson Email Print, Remote Print Driver, Epson Creative Print N/A N/A N/A Windows XP / XP Profesional x64 / Vista / Mac OS X 10.6.8 or later AC 100 - 240 V Universal 50 - 60 Hz	(5x7"), 9x13 cm (3.5x5"), Letter (6 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 tings in printer driver [Wi-Fi, Wi-Fi Direct SD Card Slot SD, SDHC, SDXC, Min/SD, Min/SDHC, MicroSD, MicroSDHC, MicroSDXC (With Adapter) [Epson IPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Epson Creative Print Apple Ai/Fint, Google Cloud Print, Mopria Print Service [2.7" Colour LCD 7 / 8 / 8.1 / 10	and graphic *2 When printed on Epson Pre- Photo Paper. *3 Default mode in accordance *4 Va custom setting, Otherwi right, bottom. *5 In accordance with ISO 247 yields will vary considerably images printed, print setting and humidity. Yields may be infequentid, print setting and humidity. Yields may be infequentid, print setting both printing and print head are used for hold hick and © 2019 Epson Singapore Pe LL I Reproduction in part or in whole permission from Epson, is strictly EPSON and QCEED VOLR W
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating	30 sheets, A4 Plain Paper 20 sheets, A4 Plain Paper 20 sheets, Premium Glossy Photo Paper A4, A5, A6, B5, 10x15 cm (4x8°), 13x18 cm Legal (8 1/2x4°), Half Letter (5 1/2x8 1/2″)) 16.9 wide size, 100x148 mm, Envelopes: # 215.9 x 1,117.6 mm (8.5 x 44″) 0mm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi N/A N/A Epson iPrint, Epson Email Print, Remote Print Driver, Epson Creative Print N/A N/A N/A Windows XP / XP Profesional x64 / Vista / Mac OS X 10.6.8 or later AC 100 - 240 V Universal 50 - 60 Hz 12W	(5x7"), 9x13 cm (3.6x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 tings in printer driver <u>Wi-FI, Wi-FI Direct</u> <u>SD Card Slot</u> <u>SD, SDHC, SDXC,</u> MiniSD, MinISDHC, MicroSD, MicroSDHC, MicroSDXC (With Adapter) [Epson iPrint, Epson Email Print, Remote Print, Google Cloud Print, Apple Air/Print, Google Cloud Print, Mopria Print Service [2.7" Colour LCD 7 / 8 / 8.1 / 10	and graphi *2 When printed on Epson Pre- Photo Paper. *3 Default mode in accordance *4 Via custom setting. Otherwir right, bottom. *5 In accordance with ISO 947 yields will way considerably intrages printed, print setting and humidity. Yields may be infrequently or predominant Part of the ink from the first are used for hittil ink chargi both printing and print hada are used for both black and #4 2019 Epson Singapore Pie L1 Reproduction in part or in whole permission from Epson. Is stroll FPSON and DXCEED YOLR Vid Endown
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Voltage Pated Frequency Power Consumption Operating Standby	30 sheets, A4 Plain Paper 20 sheets, A4 Plain Paper 20 sheets, Premium Glossy Photo Paper A4, A5, A6, B5, 10X15 cm (4x8°), 13x18 cm Legal (8 1/2x14°), Half Letter (5 1/2x8 1/2″) 163 wide size, 100x148 mm, Envelopes: # 215.9 x 1.117.6 mm (8.5 x 44″) 0mm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi N/A N/A N/A N/A N/A N/A N/A N/A	(5x7"), 9x13 cm (3.5x5"), Letter (6 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 tings in printer driver [Wi-Fi, Wi-Fi Direct SD Card Slot SD, SDHC, SDXC, Min/SD, Min/SDHC, MicroSD, MicroSDHC, MicroSDXC (With Adapter) [Epson IPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Epson Creative Print Apple Ai/Fint, Google Cloud Print, Mopria Print Service [2.7" Colour LCD 7 / 8 / 8.1 / 10	and graphi *2 When printed on Epson Pre- Photo Paper. *3 Default mode in accordance *4 Via custom setting. Otherwir right, bottom. *5 In accordance with ISO 437 yields will way considerably indage printed, print setting and humidity. Yields may be infequently or predominant Pari of the ink from the first are used for hittil ink charg both printing and print head are used for both black and © 2010 Epson Singapore Pte L1 Reproduction in part or in whole permission for Epson, is strictly EPSON and DXCEED VOLR Wit trademarks of Select Epson Con- products names and other comp herein are for identification puper
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards  Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep	30 sheets, A4 Plain Paper 20 sheets, A4 Plain Paper A4, A5, A6, B5, 10x15 cm (4x6°), 13x18 cm Legal (8 1/2x4°), Half Letter (5 1/2x8 1/2″), 16:9 vide size, 100x148 mm, Envelopes: # 215.8 x 1,117.6 mm (8.5 x 44″) 0mm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi N/A N/A Epson iPrint, Epson Email Print, Remote Print Driver, Epson Creative Print N/A N/A N/A N/A N/A Vindows XP / XP Profesional x64 / Vista / Mac OS X 10.6.8 or later AC 100 - 240 V Universal 50 - 60 Hz 12W 4.0W	(5x7"), 9x13 cm (3.6x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 tings in printer driver <u>Wi-FI, Wi-FI Direct</u> <u>SD Card Slot</u> <u>SD, SDHC, SDXC,</u> MiniSD, MinISDHC, MicroSD, MicroSDHC, MicroSDXC (With Adapter) [Epson iPrint, Epson Email Print, Remote Print, Google Cloud Print, Apple Air/Print, Google Cloud Print, Mopria Print Service [2.7" Colour LCD 7 / 8 / 8.1 / 10	and graphic *2 When printed on Epson Pre- Photo Paper. *3 Default mode in accordance *4 Via custom setting. Otherwi right, bottom. *5 In accordance with ISO 247 yields will vary considerably images printed, print setting and humidity. Yields may be infequented, print setting and humidity. Yields may be are used for both black and © 2019 Epson Singapore Pe LL PROV and VCEED VOLR VV trademarks of Selos Epson Cor products names and other core here in are for identification purpor here in a for identification purpor here in are for identification purpor here in a for identification purpor here in are for identification purpor here in are for identification purpor here in are for identification purpor he
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Soreen Printer Software Operating System Compatibility Electrical Specifications Rated Frequency Power Consumption Operating Standby Sleep Power Off	30 sheets, A4 Plain Paper 20 sheets, A4 Plain Paper 20 sheets, Premium Glossy Photo Paper A4, A5, A6, B5, 10X15 cm (4x8°), 13x18 cm Legal (8 1/2x14°), Half Letter (5 1/2x8 1/2″) 163 wide size, 100x148 mm, Envelopes: # 215.9 x 1.117.6 mm (8.5 x 44″) 0mm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi N/A N/A N/A N/A N/A N/A N/A N/A	(5x7"), 9x13 cm (3.6x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 tings in printer driver <u>Wi-FI, Wi-FI Direct</u> <u>SD Card Slot</u> <u>SD, SDHC, SDXC,</u> MiniSD, MinISDHC, MicroSD, MicroSDHC, MicroSDXC (With Adapter) [Epson iPrint, Epson Email Print, Remote Print, Google Cloud Print, Apple Air/Print, Google Cloud Print, Mopria Print Service [2.7" Colour LCD 7 / 8 / 8.1 / 10	and graphi *2 When printed on Epson Pre Photo Paper. *3 Default mode in accordance *4 Via custom setting. Otherwir right, bottom. *5 In accordance with ISO 437 yields will way considerably indage printed, print setting and humitiky. Yieldis may be infrequently or predominant Pari of the ink from the first are used for hittil ink charg both printing and print head are used for both black and ************************************
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power Off Noise Level	30 sheets, A4 Plain Paper 20 sheets, A4 Plain Paper A4, A5, A6, B5, 10x15 cm (4x6°), 13x18 cm Legal (8 1/2x14°), Half Letter (5 1/2x8 1/2°), 16:9 wide size, 100x148 mm, Envelopes: # 215.9 x 1,117.6 mm (8.5 x 44′) 0mm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi N/A N/A Epson iPrint, Epson Email Print, Remote Print Driver, Epson Creative Print N/A N/A N/A N/A Windows XP / XP Profesional x64 / Vista / Mac OS X 10.6.8 or later AC 100 - 240 V Universal 50 - 60 Hz 12W 4.0W 1.6W 0.3W	(5x7"), 9x13 cm (3.5x5"), Letter (6 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 tings in printer driver [Wi-Fi, Wi-Fi Direct SD, SDHC, SDXC, MiniSD, MiniSDHC, MicroSD, MicroSDHC, MicroSDXC (With Adapter) [Epson IPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Epson Creative Print Apple Ai/Fint, Google Cloud Print, Mopria Print Service [2.7" Colour LCD 7 / 8 / 8.1 / 10	and graphic *2 When privated on Epson Pre Photo Paper. *3 Default mode in accordance *4 Va custom setting. Otherwir right, battom. *5 In accordance with ISO 947 yields will way considerably indrages printed, print setting and humidity. Yieldis may be infrequently or predominant Pari of the inf k north of first are used for hoth black and #4 2019 Epson Singapore Pfe L1 Reproduction in part or in whole, permission from Epson, a shotp EPSON and SociED YCLA With trademarks or registred frame there in the first of the first of the first trademarks or registred frame trademarks or registred frame respective ownes. Epson dida in those marks. Print samples at only. Specification and productions and products
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards  Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Frequency Power Consumption Operating Standby Sleep Power Off Noise Level Po Printing / Premium Glossy Photer	30 sheets, A4 Plain Paper 20 sheets, A4 Plain Paper A4, A5, A6, B5, 10x15 cm (4x6°), 13x18 cm Legal (8 1/2x14°), Half Letter (5 1/2x8 1/2°), 16:9 wide size, 100x148 mm, Envelopes: # 215.9 x 1,117.6 mm (8.5 x 44′) 0mm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi N/A N/A Epson iPrint, Epson Email Print, Remote Print Driver, Epson Creative Print N/A N/A N/A N/A Windows XP / XP Profesional x64 / Vista / Mac OS X 10.6.8 or later AC 100 - 240 V Universal 50 - 60 Hz 12W 4.0W 1.6W 0.3W	(5x7"), 9x13 cm (3.6x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 tings in printer driver <u>Wi-FI, Wi-FI Direct</u> <u>SD Card Slot</u> <u>SD, SDHC, SDXC,</u> MiniSD, MinISDHC, MicroSD, MicroSDHC, MicroSDXC (With Adapter) [Epson iPrint, Epson Email Print, Remote Print, Google Cloud Print, Apple Air/Print, Google Cloud Print, Mopria Print Service [2.7" Colour LCD 7 / 8 / 8.1 / 10	and graphic *2 When printed on Epson Pre- Photo Paper. *3 Default mode in accordance *4 Via custom setting. Otherwi right, bottom. *5 In accordance with ISO 247 yields will vary considerably images printed, print setting and humidity. Yields may be infequents or mallaink charge both printing and print heat are used for both black and #4 Coll 9 Epson Singapore Pie LL Paperoduction in part or in wholk permission from Epson, is strictly EPSON and OCCED VOLINE Volume are of identification purpor here taken or meases and other comp here in are for identification purpor here in are in a for identification purpor here in a for identification purpor here in a for identification purpor here in a for i
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power Off Noise Level PC Printing / Premium Glossy Photo Paper Best Photo	30 sheets, A4 Plain Paper 20 sheets, A4 Plain Paper A4, A5, A6, B5, 10x15 cm (4x8°), 13x18 cm Legal (8 1/2x14°), Half Letter (5 1/2x8 1/2°), 16:9 wide size, 100x148 mm, Envelopes: # 215.9 x 1.117.6 mm (8.5 x 44′) 0mm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi N/A N/A Epson iPrint, Epson Email Print, Remote Print Driver, Epson Creative Print N/A N/A N/A Windows XP / XP Profesional x64 / Vista / Mac OS X 10.6.8 or later AC 100 - 240 V Universal 50 - 60 Hz 12W 4.0W 1.6W 0.3W 5.4 B(A), 41 dB(A)	(5x7"), 9x13 cm (3.5x5"), Letter (6 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 tings in printer driver (Wi-Fi, Wi-Fi Direct SD, SDHC, SDXC, MiniSD, MiniSDHC, MicroSD, MicroSDHC, MicroSDXC (With Adapter) (Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Epson Oreative Print Apple AirPrint, Google Cloud Print, Mopria Print Service [2.7" Colour LCD 7 / 8 / 8.1 / 10	and graphic *2 When prized on Epson Pre Photo Paper. *3 Default mode in accordance *4 Va custom setting. Otherwir right, bottom. *5 In accordance with ISO 947 yields wile you considerably ind august the you considerably ind august you considerably and humitally. Yealds may be ind frequently or predominant Pari of the inf from the first are used for hold his charg both printing and print head are used for both black and PSON and SCEED YOLM Voltage PSON and SCEED YOLM Voltage trademarks or registered tra- respective ownes. Epson dida in those marks. Print samples at only. Specifications and product noice between countries. Rease dida
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sileep Power Off Noise Level PoC Printing / Plain Paper Default 3	30 sheets, A4 Plain Paper 20 sheets, A4 Plain Paper A4, A5, A6, B5, 10x15 cm (4x6°), 13x18 cm Legal (8 1/2x4°), Half Letter (5 1/2x8 1/2″), 16:9 vide size, 100x148 mm, Envelopes: # 215.8 x 1,117.6 mm (8.5 x 44″) 0mm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi N/A N/A Epson iPrint, Epson Email Print, Remote Print Driver, Epson Creative Print N/A N/A N/A N/A N/A Windows XP / XP Profesional x64 / Vista / Mac OS X 10.6.8 or later AC 100 - 240 V Universal 50 - 60 Hz 12W 4.0W 1.6W 0.3W 5.4 B(A), 41 dB(A) 6.0 B(A), 47 dB(A)	(5x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6           tings in printer driver           [Wi-Fi, Wi-Fi Direct           SD, SDHC, SDXC,           MinisD, MinSDHC, MicroSD, MicroSDHC,           MicroSDXC (With Adapter)           [Epson iPrint, Epson Email Print, Apple AirPrint, Google Cloud Print, Apple AirPrint, Google Cloud Print, Mopria Print Service           [2.7" Colour LCD           7 / 8 / 8.1 / 10           [5.0 B(A), 37 dB(A)           [5.7 B(A), 44 dB(A)	and graphic *2 When printed on Epson Pre Photo Paper. *3 Default mode in accordance *4 Via custom setting. Otherwi right, bottom. *5 In accordance with ISO 247 yields will vary considerably images printed, print setting and humidity. Yields may be infequents of predominant pre-sused for hill ink charg both printing and print head are used for hold hick charg both printing and print head are used for both black and © 2019 Epson Singapore Pe LL I Reproduction in part or in whole permission from Epson. Is strictly EPSON and SCEED VOLR VK trademarks of Selos Epson Gos products rames and other comp here in are for identification, purp the trademarks or registered traces in those marks. Print samples at only, Specifications and product subject to charge without notice between countries. Please chaed officials for information.
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Soreen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power Off Noise Level PoC Printing / Premium Glossy Phote Paper Best Photo PC Printing / Plain Paper Default <sup>31</sup> Epson Clarin Home InK	30 sheets, A4 Plain Paper           20 sheets, A4 Plain Paper           20 sheets, A5, A6, B5, 10x15 cm (4x6°), 13x18	(5x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6           tings in printer driver           Wi-Fi, Wi-Fi Direct           SD, Card Slot           SD, SDHC, SDXC, Min/SD, Min/SDHC, MicroSD, MicroSDHC, MicroSDXC (With Adapter)           [Epson iPrint, Epson Email Print, Reprote Print Driver, Scan to Cloud, Epson Creative Print           [Apple AirPrint, Google Cloud Print, Mopria Print Service           [2.7" Colour LCD           7 / 8 / 8.1 / 10           [5.0 B(A), 37 dB(A)           [5.7 B(A), 44 dB(A)           Order Code	and graphic *2 When printed on Epson Pre- Photo Paper. *3 Default mode in accordance *4 Via custom setting. Otherwir right, bottom. *5 In accordance with ISO 947 yields will way considerably index graphic printed, print setting and humidity. Yieldis may be infrequently or predominant Pari of the ink from the first are used for hotil hick charg both printing and print head are used for both black and © 2019 Epson Singapore Pie L1 Reproduction in part or in whole, proposed to a state of the state of the state are used for both black and © 2019 Epson Singapore Pie L1 Reproduction in part or in whole, proposed to a state of the state respective owness. Epson dide in those marks. Print samples at only. Specifications and product statemarke of and Phore are taked of the state of the state of the state of the state of the state in those marks. Print samples at only. Specifications and product noise between occurities. Rease Add and Phore are taked of the state of the and Phore are taked of the state of and Phore are taked and Phore are taked and Phore are taked phore taked and Phore are taked phore and Phore are taked and Phore are taked phore are taked phore and Phore are taked phore are taked phore
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Screen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sileep Power Off Noise Level PC Printing / Premium Glossy Phote Paper Best Photo PC Printing / Plain Paper Default 3 Epson Claria Home Ink Black	30 sheets, A4 Plain Paper 20 sheets, A4 Plain Paper A4, A5, A6, B5, 10x15 cm (4x6°), 13x18 cm Legal (8 1/2x4°), Half Letter (5 1/2x8 1/2″), 16:9 vide size, 100x148 mm, Envelopes: # 215.8 x 1,117.6 mm (8.5 x 44″) 0mm top, left, right, bottom via custom set Hi-Speed USB 2.0 Wi-Fi N/A N/A Epson iPrint, Epson Email Print, Remote Print Driver, Epson Creative Print N/A N/A N/A N/A N/A Windows XP / XP Profesional x64 / Vista / Mac OS X 10.6.8 or later AC 100 - 240 V Universal 50 - 60 Hz 12W 4.0W 1.6W 0.3W 5.4 B(A), 41 dB(A) 6.0 B(A), 47 dB(A)	(5x7"), 9x13 cm (3.5x5"), Letter (6 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6 tings in printer driver [Wi-Fi, Wi-Fi Direct SD, SDHC, SDXC, MiniSD, MiniSDHC, MicroSD, MicroSDHC, MicroSDXC (With Adapter) [Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud, Epson Creative Print Apple Ai/Fint, Google Cloud Print, Mopria Print Service [2.7" Colour LCD 7 / 8 / 8.1 / 10 [13W] 4.6W [5.0 B(A), 37 dB(A)] [5.7 B(A), 44 dB(A) Order Code C131364190	and graphic *2 When printed on Epson Pre Photo Paper. *3 Default mode in accordance *4 Via custom setting. Otherwi right, bottom. *5 In accordance with ISO 247 yields will vary considerably images printed, print setting and humidity. Yields may be infequents of predominant pre-sused for hill ink charg both printing and print head are used for hold hick charg both printing and print head are used for both black and © 2019 Epson Singapore Pe LL I Reproduction in part or in whole permission from Epson. Is strictly EPSON and SCEED VOLR VK trademarks of Selos Epson Gos products rames and other comp here in are for identification, purp the trademarks or registered traces in those marks. Print samples at only, Specifications and product subject to charge without notice between countries. Please chaed officials for information.
Paper Size Maximum Paper Size Print Margin Interface USB Network Card Slots Supported Memory Cards Mobile and Cloud Printing Epson Connect Other Mobile Solutions Control Panel LCD Soreen Printer Software Operating System Compatibility Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Standby Sleep Power Off Noise Level PoC Printing / Premium Glossy Phote Paper Best Photo PC Printing / Plain Paper Default <sup>31</sup> Epson Clarin Home InK	30 sheets, A4 Plain Paper           20 sheets, A4 Plain Paper           20 sheets, A5, A6, B5, 10x15 cm (4x6°), 13x18	(5x7"), 9x13 cm (3.5x5"), Letter (8 1/2x11"), 13x20 cm (5x8"), 20x25 cm (8x10"), 10, DL, C6           tings in printer driver           Wi-Fi, Wi-Fi Direct           SD, Card Slot           SD, SDHC, SDXC, Min/SD, Min/SDHC, MicroSD, MicroSDHC, MicroSDXC (With Adapter)           [Epson iPrint, Epson Email Print, Reprote Print Driver, Scan to Cloud, Epson Creative Print           [Apple AirPrint, Google Cloud Print, Mopria Print Service           [2.7" Colour LCD           7 / 8 / 8.1 / 10           [5.0 B(A), 37 dB(A)           [5.7 B(A), 44 dB(A)           Order Code	and graphic *2 When phase. *3 Default mode in accordance *4 Va custom setting. Otherwi right, bottom. *5 In accordance with ISO 247 yields will vary considerably images printed, print setting and humidity. Yields may be infergunity or preformanic are used for hittil ink charg both printing and print head are used for both black and © 2019 Epson Singapore Pie LL Reproduction in part or in whole permission from Epson, is strokly EPSON and SKCEED VOLRW trademarks of Selko Epson Gisca in these marks. Phirt samples at or in classification purpor here in are for identification purpor here in are for identifications and product subject to here information. Apple, Pad and Phone are tradi- registered in the US and others

300mm (11.8") 390mm (15.4") 442 ight: 4.3g (9.5lb) 146mm



trint speed (Pages Per Minute) is calculated when printed on A4 plain paper in the fastest node, 10 x 15 cm photo print speed when rinted on Epson Premium Glossy Photo Paper. rint speed may avy depending on system onfiguration, print mode, document complexity, offware, type of paper used and connectivity. rint speed does not include processing time on out computer. ost computer.



hen printed on Epson Premium Glossy noto Paper.

efault mode in accordance with ISO7779.

a custom setting. Otherwise 3mm top. left. ht, bottom.

accordance with ISO 24711/24712 Actual elds will vary considerably for reasons including hages printed, print settings, temperature nd humidity. Yields may be lower when printing frequently or predominantly with one ink colour. inequently or predominantly with one ink colour. 'art of the ink from the first set of ink cartridges re used for initial ink charging. Ink is used for oth printing and print head maintenance. All inks re used for both black and colour printing.

19 Epson Singapore Pte Ltd. All Rights Reserved. or cluster of an advised to the LLC Air hights Reserver oduction in part or in whole, without the written lission from Epson, is strictly prohibited. ON and EXCEED YOUR VISION are registered marks of Seiko Epson Corporation. All other ucts names and other company names used huis fairles and one company frames used rademarks or registered trademarks of their ective owners. Epson disclaims any and all rights ose marks. Print samples shown are simulations Specifications and product availability are act to change without notice and may vary een countries. Please check with local Epson as for more information.

e, iPad and iPhone are trademarks of Apple Inc., ered in the U.S and other countries. App Store is vice mark of Apple Inc.

oid is a trademark of Google Inc.

Information correct as at June 2019