EPSON

A3 COLOUR MULTIFUNCTION PRINTERS

WORKFORCE ENTERPRISE AM-C4000/C5000/C6000





For a more sustainable office with high efficiency and cost-saving solutions.

Designed for excellence, the Epson WorkForce Enterprise printers AM-C4000/C5000/C6000 are powered by Heat-Free Technology, delivering consistent and reliable high-speed printing with up to 85% less power consumption* versus laser printers. Ideal for compact offices that require a print speed of 40-60ppm, these eco-conscious business inkjet printers help minimise running costs with fewer replacement parts and consumables. Along with high productivity and new finishing options and solutions, these multifunction business printers offer excellent scalability for your business.




















minute, even in duplex mode.



it requires lesser power to operate and fewer frequent parts replacements are needed.



Increase efficiency in the office with our multi-functional Inner Finisher that helps with stapling, shift sorting, and more.

New Mid-range Business Inkjet Line Up Offices can maximise productivity with high-speed printing of 40-60 pages per

Thanks to Epson Heat-Free Technology,

*Testing was commissioned by Epson and conducted by Keypoint Intelligence. One specific model was selected from color laser multi-function printers in the 65-70ppm class. Epson WorkForce Enterprise WF-C21000 with 100ppm lequivalent model in Europe was used during the evaluation). This data is as of September, 2020. Devices were tested in default mode as per Keypoint Intelligence's proprietary standard energy consumption test methods. Calculations were based on a weekday workload of 2 x 4 hours printing + 16 hours in sleep/standby mode, and weekend energy use of 48 hours in sleep/standby mode. A total of 69 pages of workload test pattern using DOC, XLS, PPT, HTML, PDF files and Outlook email messages were printed six times in each 4-hour printing period.

Find out more at www.epson.com.sg/enterpriseprinting

F EpsonSingapore EpsonSingapore EpsonSoutheastAsia in Epson Singapore EpsonSingapore


Level Up on Eco-Consciousness with Epson Business Inkjet Printers

Not all printers are the same. Laser and inkjet printers may look the same on the outside, but it is what's on the inside that counts.

The laser printing process is complicated and comprises many steps such as preheating, charging, exposure, development, transfer and fusing. Fine toner powder is transferred to a sheet of paper through contact and fused with a combination of heat and pressure.

In contrast, Epson's inkjet printers are simple, non-contact systems. They deposit ink droplets on the media, without the use of heat.

EPSON INKJET PRINTER









Switch to Epson Heat-Free Inkjet Printers to Enjoy Advanced Customer Benefits



Save time with consistent high speed printing

No heat is required to warm-up, allowing the printer to print immediately. Consistent high speed printing up to 60 pages per minute is possible, even for high coverage documents.



Less power consumption saves energy and money

With no fuser unit to heat, reduce energy consumption by up to 85%* compared to laser printers, resulting in cost savings for electricity bills.



Fewer replacement parts, lower environmental impact

Uses up to 59% fewer replacement parts** than laser printers. No heat damage to the printhead.



Less intervention increases productivity

With fewer parts to replace and printheads that last longer, the amount of intervention is decreased, providing improved reliability and reduced downtime.



PrecisionCore Heat-Free Technology

PrecisionCore is the next-generation inkjet printhead technology driving Epson's inkjet resolution. It merges advanced key component technologies, state-of-the-art MEMS* fabrication and high-precision assembly processes honed over decades.

Epson's proprietary Micro Piezo inkjet technology doesn't use heat in the ink ejection process, and it's this Heat-Free Technology that separates our printers from the competition. Epson's Heat-Free printers does not require heat in the ink ejection process. Instead pressure is applied to the Piezo element, which flexes backwards and forwards firing the ink from the printhead.

*MEMS (Micro Electro Mechanical Systems): Devices possessing mechanically driven elements, manufactured through the application of semiconductor processing technology.

PrecisionCore MicroTFP Print Chip

MicroTFP print chips are the core element of PrecisionCore Heat-Free Technology. By achieving higher precision and greater miniaturization in Epson's advanced thin film piezo (TFP) technology, the basic performance of this printhead module has been radically improved, and application to a wider range of uses made possible.

The thin film piezo element that drives ink ejection is approximately 1 micron thin (one-hundredth the thickness of a human hair). By closely controlling the voltage applied to such piezo elements, it is possible to fire up to 50,000 shots of ink per second from a single nozzle, to precise positions and in the necessary quantities.

PrecisionCore Linehead

By optimally arraying 30 of these MicroTFP print chips in a diagonal configuration, Epson has developed a compact linehead that boasts about 28,000 active nozzles. This size-conscious core device contributes to reduced space requirements of the product itself, and successfully enables high-speed performance of printing up to 60 pages per minute, within a compact design.

Amendment of the below clause is updated as of 1st November 2021.

- * Testing was commissioned by Epson and conducted by Keypoint Intelligence. One specific model was selected from color laser multi-function printers in the 65-70ppm class. Epson WorkForce Enterprise WF-C21000 with 100ppm (equivalent model in Europe was used during the evaluation). This data is as of September, 2020. Devices were tested in default mode as per Keypoint Intelligence's proprietary standard energy consumption test methods. Calculations were based on a weekday workload of 2 x 4 hours printing + 16 hours in sleep/standby mode, and weekend energy use of 48 hours in sleep/standby mode. A total of 69 pages of workload test pattern using DOC, XLS, PPT, HTML, PDF files and Outlook email messages were printed six times in each 4-hour printing period.
- ** Testing was commissioned by Epson and conducted by Keypoint Intelligence. One competitor model was selected from worldwide best-selling vendor[^] in the 65ppm and 70ppm colour laser multi-function printer. Epson Work Force Enterprise WF-C20600 with 60ppm (equivalent model in Europe was used during the evaluation). Consumables and periodic replacement parts required to print 1M pages. The weight includes all used consumables, periodical replacement parts and their packaging. Test registed patters used was 1502/712.

^Source: IDC's Worldwide Quarterly Hardcopy Peripherals Tracker 2020Q2, Units Share by Company

Cutting-edge Innovation To Achieve Miniaturisation of Footprint

New Paper Path Design for Consistent High-speed Printing in Compact Footprint

The new A3 colour Linehead Inkjet printer series realises a simpler C-shaped paper route path to deliver efficient and consistent high-speed printing. It can print up to 60 pages per minute in both simplex and duplex printing while keeping a compact printer design.

Previous model WF-C20600 with S-path paper route design



New models AM-C4000/ C5000/C6000 with C-path paper route design



Simpler C-Path route delivers quicker printing in a compact printer body.



Superb Print Quality with Lower Cost, Save Time on Maintenance

Achieve vibrant, water- and smudge-resistant prints with pigment inks.

Save on printing costs and reduce downtime with high capacity ink cartridges. Print up to 50,000 pages in black or 30,000 pages in colour without interruption.

Periodic parts are available for user self maintenance to achieve maximum up time.




-		
DUI	RABrite -	
	Pro	
	INK •	_

Consumables	Danie Viald*	Order code for	
	Page Yield*	AM-C4000	AM-C5000/C6000
Black	50,000 pages	C13T08F100	C13T08E100
Cyan	30,000 pages	C13T08F200	C13T08E200
Magenta	30,000 pages	C13T08F300	C13T08E300
Yellow	30,000 pages	C13T08F400	C13T08E400
Paper Feed Roller for Cassette	300,000 pages	C12C937321	
Paper Feed Roller for Paper Tray	100,000 pages	C12C937361	
Paper Feed Roller for ADF	200,000 pages	C12C937341	
Staple Cartridge for Stapler Finisher	3 x 5,000 staples	C12C935401	
Staple Cartridge for Inner Finisher / Saddle	2 x 5,000 staples	C12C937001	
Maintenance Box	-	C12C937181	

*Replacement cartridge yields are bas on ISO/IEC 24711 tests in Default Mode printing continuously. Cartridge yields vary considerably for reasons includin images printed, print settings, temperature and humidily. Yields may lower when printing infrequently or predominantly with one ink colour. All colours are used for printing and print maintenance, and all colours have to binstalled for printing. For print quality, part of the ink from the included cartridges is used for printer setup an variable amount of ink remains in the cartridges after the "replace cartridge signal. For more information, visit www.epson.com.sg/inkinfo.

Reduce Power Consumption By Switching to Epson Heat-Free Printers


Epson Heat-Free Technology uses less power than laser technology because it does not use heat during the printing process. As Epson inkjet printers have no fuser unit to heat, this results in significantly less energy consumption.



Save Energy And Money With Low Power Consumption

In today's offices, only central air conditioning and lighting consume more energy than office automation equipment, In fact, printers and MFPs account for as much as 10% of electric consumption. Replacing laser printers with Epson WorkForce Enterprise can cut printing-related energy significantly. Lower energy consumption also reduces environmental impact because it reduces CO₂ emissions.

How power is consumed at the office**



Amendment of the below clause is updated as of 1st November 2021.

^{*}Testing was commissioned by Epson and conducted by Keypoint Intelligence. One specific model was selected from color laser multi-function printers in the 65-70pm class. Epson WorkForce Enterprise WF-C21000 with 100ppm (equivalent model in Europe was used during the evaluation). This data is as of September, 2020. Devices were tested in default mode as per Keypoint Intelligence's proprietary standard energy consumption test methods. Calculations were based on a weekday workload of 2 x 4 hours printing + 16 hours in sleep/standby mode, and weekend energy use of 48 hours in sleep/standby mode. A total of 69 pages of workload test pattern using DOC, XLS, PPT, HTML, PDF files and Outlook email messages were printed six times in each 4-hour printing period.

^{**}Epson research based on data from a commissioned survey conducted in March 2018 by SOMPO Risk Management & Health Care Inc.

Deliver an Efficient, User-friendly and Eco-conscious Operation

Fewer Replacement Parts, **Lower Environmental Impact**

Thanks to Heat-Free Technology, Epson inkjet printers use fewer parts that need replacing than in a laser printer, and our printheads are not a consumable. This reduces the environmental burden of manufacturing and recycling the additional resources.

Inkiet **Printers** less replacement parts*** Up to **VS Laser Printers**













Comparison of supplies and packaging waste after 1 million prints.

Certified Environmental Performance







Epson is committed to developing environmentally conscious products, which means that sustainability is considered from conception to completion. Our Epson WorkForce Enterprise Printers comply with some of the world's most stringent environmental certification standards.

We offer sustainable innovations because we recognise that the choices we make as organisations, individuals or a society will be essential to our shared success.

*Singapore Green Label and Blue Angel Mark application is on-going for AM-C4000/C5000/C6000.

**Japan Eco Mark has been approved for AM-C4000/C5000/C6000.

Less Intervention Increases Productivity

The Heat-Free structure of Epson inkjet printers means that there are fewer parts that can fail, which reduces the amount of intervention required. As a result, Epson inkjet printers offer improved reliability and significantly reduced downtime.















Note: Images represent periodic replacement parts of a standard laser printer. Actual type and number of parts vary by model.

Amendment of the below clause is updated as of 1st November 2021.

Comparison of periodic

Note: After printing out more than 1.2 million sheets, other replacement parts will be required in

replacement parts

addition to paper feed rollers.

Epson WorkForce Enterprise printer

Stress-Free Operability

Epson WorkForce Enterprise printers are perfect for the office, reliably delivering prints at high speeds of up to 60ppm while occupying minimal space. The printers come with space and user-friendly configurations such as a hassle-free front-loading design, transparent ink window, and customisable layout.



Enjoy impressive scan speeds of up to 60ppm (Simplex) / 120ipm (Duplex). The dual CIS technology allows convenient duplex scanning in a single pass.



Easy front access door to the printer's ink cartridges makes replacement fast and hassle-free.



Fasy front access to maintenance box allows maximum printer uptime.



Easy refill of paper with these cassette trays that can be opened smoothly and effortlessly.



The intuitive 10.1" tiltable TFT colour touchscreen panel with a user-friendly interface makes it simple to operate the printer.



wider opening from the right side of the printer for quick removal of jammed paper.

Robust Security Features

Confidential Job

Prevent unattended prints by sending print jobs with a PIN for release in the panel.

IP Address Filter

Secure the printer by preventing unauthorised devices from connecting to it.

Panel Admin Mode

Prevent unauthorised users from changing the printer settings by setting a password for the administrator.

Access Control

Limit the use of the MFP features by account control. Up to 10 user accounts can be set.

LDAP Address Book

Reduce the risk of information leakage due to mistakes in the target recipient's email address.

Connectivity Features

Standard Connectivity

The device is equipped with USB 3.0 and Ethernet network connectivity as standard allowing users to share it.



Additional Ethernet Option

Reduce security risks by connecting external devices that need to use the MFP with a separate network.

Wi-Fi Option

Enables flexible placement of the MFP with Wi-Fi connectivity. It also allows up to 8 devices to connect directly to the printer by Wi-Fi direct.

Fax Option

Enable fax capability with the fax option. Up to 3 fax options can be installed to expand the line capability.

Storage Feature with HDD

Improve convenience by storing print data in the internal HDD for convenient reprinting and distribution. Stored data can be downloaded or forwarded to various destinations without the use of additional software.



For information on Foson Connect. please visit http://www.epson.com.sg/connect

^{***} Testing was commissioned by Epson and conducted by Keypoint Intelligence. One competitor model was selected from worldwide best-selling vendor^ in the 65ppm and 70ppm colour laser multi-function printer. Epson Work Force Enterprise WF-C20600 with 60ppm (equivalent model in Europe was used during the evaluation). Consumables and periodic replacement parts required to print 1M pages. The weight includes all used consumables, periodical replacement parts and their packaging. Test printed

[^]Source: IDC's Worldwide Quarterly Hardcopy Peripherals Tracker 2020Q2, Units Share by Company.

Enhanced Finishing Options and Solutions

Enhanced Finishing Capability

Increase productivity with advanced finishing such as stapling, hole punching, folding and booklet making.



Scalable For The Business Requirements

The unit can be upgraded with various options to suit many types of office space and work requirement.





 Place the printer on a movable platform



Inner Tray-P1

• To sort incoming faxes with an upper tray

• Up to 100 sheets capacity



· Increases capacity of

paper handling with

2x 500 sheets tray

Optional Dual Cassette-P1

Authentication Device Table-P1

 To place and secure an authentication card reader



High-Capacity Tray-P1

Options

Caster Table-P1

Saddle Unit-P1

Inner Finisher-P1

Staple Finisher-P1

Optional Dual Cassette-P1

Staple Finisher Bridge Unit A-P1

Staple Finisher Bridge Unit B-P1

Inner Finisher Bridge Unit-P1

High-Capacity Tray-P1

Super G3 Multi Faxboard

OCR Unit-P1

Stabiliser-P1

HDD-P1

Wireless LAN Interface-P1

Authentication Device Table-P1

Paper Cassette Lock-P1 (set of 2)

2/3 Hole Punch Unit-P2 for Inner Finisher

2/4 Hole Punch Unit-P2 for Inner Finisher

EpsonNet 10/100/1000Base TX Int.

2/3 Hole Punch Unit-P1 for Staple Finisher C12C936821

2/4 Hole Punch Unit-P1 for Staple Finisher C12C936811

· Increases capacity of paper handling with 3,000 sheets tray



Paper Cassette Lock-P1

- To lock the paper cassettes Inner Tray-P1 • Set of 2
- Padlock is not included



 Reduce downtime by mirroring the HDD • 320GB capacity



by improving the stability

• Prevents the printer from falling

Epson Solution Suite

Take advantage of remote management, customise print options and enjoy seamless compatibility with the Epson WorkForce Enterprise. Integrate these into your existing IT infrastructure to improve productivity and increase efficiency. For more information, please visit www.epson.com.sg/software-solutions.

Epson Solutions Suite

Fleet Management

Epson Device Admin

Monitor the status and simplify the task of configuration, maintenance and updating Epson devices in the network with a single tool. Receive alerts automatically when the devices indicated warning or error messages.

Epson Remote Service (ERS)

Remotely access and monitor the device status and consumable levels, enabling IT managers and service partners to manage registered devices conveniently. Receive automatic alerts when devices encounter issues. providing accurate data to minimise downtime and generate usage reports for billing and expenditure tracking

Print Management

Epson Print Admin Secure the device with authetication

function. Print & distribute documents securely ay a device near you. Set up cost & page quota and audit the usage to boost security, and cost savings.

Epson Print Admin – Advanced Workflows

Enable advanced document processing workflow features within Epson Print Admin. Convert documents into Searchable PDF with built-in OCR and automate processes by various job separation methods.

Epson Print Admin Serverless

Secure the usage of the device by authentication without a server. Print and distribute documents securely, track each usage for accountability.

Document Capture Pro

Document Management

Scan, edit and process documents with automatic workflows. Convert documents into Searchable PDF or editable Office documents with built-in OCR and upload them to popular cloud storage. Automate processes by various job separation methods. Locate documents and improve security with index logs and securing

Document Capture Pro – Enhanced OCR

Expand the capability of OCR functions in Document Capture Pro with wider language support and improved accuracy. Capture data from forms with advanced indexing functions.

Document Capture Pro Server

network scanners with a password.

Centralise scanning and document workflow supporting up to 1,000 scanning devices with a single server. Automate processes with OCR and Barcode detection capability. Improve security and document tracing with reports and indexing.

Epson Open Platform

Epson Open Platforms make the devices compatible with a wide variety of solutions in the market, making it possible to integrate Epson devices with enterprise applications and workflows based on the customer's needs.

Printer Options

Erase Red Colour

Order Code

C12C936871

C12C936851

C12C936751

C12C937401

C12C937881

C12C936831

C12C936961

C12C937421

C12C936981

C12C936971

C12C936761

C12C936781

C12C934471

C12C934491

C12C937011

C12C936801

C12C936791

C12C937381

C12C936771

C12C937221

Removes red coloured objects in the results of scanned image or copy



	20	
10	50	
1		
1		
branched polyether		PP34
polymeric diphenylmethane disocyanate		PB 05
blowing agent hydrocarbon		BA 123
1		
the Therefore they must	t he street at all time	es in sector dissert
		tor in-coming mate
	blowing agent hydroca tive. Therefore they mus the separate data sheet	polymeric diphenylmethane disocyanate

Print or copy documents of various quantities for distribution to different groups and number of members.

OCR Option

Enable built-in OCR functionality directly on the device for Scan to Folder and Email without the need to install software. This option also requires the OCR Unit-P1 option.



Enables sending and receiving fax thru IP address. This option also requires at least 1 Super G3/G3 Multi Fax Board option installed.

Software Solutions Options	Order Code	
Epson Print Admin	7110574	
Epson Print Admin – Advanced Workflows	C12C938801	
Epson Print Admin Serverless	7111310	
Document Capture Pro – Enhanced OCR	C12C938761	

Cloud and Mobile Solutions

Mobile App



Epson Smart Panel

Control the MFP to print and scan directly from your smart device with access to popular cloud storage services.

Epson Connect Services



Epson Email Print

Send a print job to any Email Print-enabled Epson printer from any device that can send an email.

Remote Print Driver

Print to an Email Print-enabled printer anywhere in

the world via the internet with advanced settings from a PC or the Epson iPrint app.



Send documents through the cloud service directly from the device panel to an email address or to popular cloud storage services without a PC or email server.

Other solutions:

Order Code		
C12C938771		
C12C938781		
C12C938791		
C12C938841		

Model Number Printing Printing Technology Nozzle Configuration	AM-C4000 (C11CJ43502)			
Printing Technology Nozzle Configuration	ANI-C4000 (C11C343502)	AM-C5000 (C11CJ42502)	AM-C6000 (C11CJ91502)	
Nozzle Configuration				
	PrecisionCore™ Line Head Inkjet Technology			
Maximum Resolution	7,230 nozzles each colour (Black, Cyan, Magenta, Yellow) 600 x 2,400 dpi			
Minimum Ink Droplet Volume	3.8 pl			
Print Speed (Black and Colour) *1				
ISO 24734, A4, Simplex / Duplex	Approx. 40 ipm / 40 ipm	Approx. 50 ipm / 50 ipm	Approx. 60 ipm / 60 ipm	
ISO 24734.2, A3, Simplex / Duplex	Approx. 23 ipm / 11 ipm	Approx. 30 ipm / 15 ipm	Approx. 36 ipm / 20 ipm	
First Page Out Time	Approx. 7.6 sec / 7.6 sec	Approx. 6.7 sec / 6.7 sec	Approx. 6.1 sec / 6.1 sec	
Printer Language Printer Control Language Emulations	ESC/P-R, ESC/Page PCL5 / PCL6 / PostScript3 / PDF 1.7			
Maximum Monthly Duty Cycle *2	384,000 pages per month			
Recommended Monthly Duty Cycle	60,000 pages per month			
Memory Capacity	8,192MB (Total RAM size)			
HDD Capacity	320GB (Encrypted)			
Automatic 2-sided printing	Yes			
Copying				
Copy Speed (Black and Colour) 11	America 40 in m	. A 50 i	1.4 00:	
ISO 29183, A4, Simplex (Flatbed) ISO 24735, A4, Simplex (ADF 1:1)	Approx. 40 ipm Approx. 40 ipm	Approx. 50 ipm Approx. 50 ipm	Approx. 60 ipm Approx. 60 ipm	
ISO 24735, A4, Duplex (ADF 1:2 / 2:2)	Approx. 40 ipm	Approx. 50 ipm	Approx. 60 ipm	
Maximum Copies from Standalone	9,999 copies	/Approx. oo ipiii	/ pprox. so ipin	
Max Copy Resolution	600 x 1,200 dpi			
Reduction/Enlargement	25 - 400%, Auto Fit Function			
Copy Paper Size (Flatbed)	A3, B4, Legal, Indian-Legal, 8.5 x 13in, L	etter, A4, B5, A5, B6, A6, 16K, 8K, 13 x 18cm, HV	16:9 Wide, 10 x 15cm, Envelopes: #10, DL, C4, C6	
Maximum Copy Size	A3			
Scanning Scanner Tree	Flathard anlays image account			
Scanner Type Sensor Type	Flatbed colour image scanner Colour CIS x 2			
Optical Resolution	600 x 600 dpi			
Maximum Scan Area	297 x 431.8 mm (11.7 x 17")			f
Scanner Bit Depth	, , , ,			Ī
Colour	30-bit input, 24-bit output			
Grayscale	10-bit input, 8-bit output			
Black & white	10-bit input, 1-bit output			
Scan Features		Email, Scan to Memory Device, Scan to Comput		
Scan Speed (Monochrome and Colour)	Document Capture Pro Server), Scan to	o Computer (WSD), Scan to Computer (WSD), S	can to Cloud (Epson Connect)	
200 dpi Flatbed	A4 Landscape: 3.0 sec, A3: 4.0 sec			
ADF (Simplex / Duplex)	A4 Landscape: 3.0 sec, A3: 4.0 sec A4: 60 ppm / 120 ipm			
(ISO17991, Scan to Folder)	A3: 30 ppm / –			
ADF Function				
Support Paper Thickness	52 - 128 g/m²			
Paper Capacity	150 pages (80 g/m²)			
Automatic 2-sided Scan / Copy / Fax	Yes (1-pass)			
Fax Function (Optional) Type of FAX	Walk-up black-and-white and colour fa	y canability		
Receive Memory / Page Memory	6 MB, Page memory Up to 550 pages (
Communication Standards	CCITT/ITU G3, SuperG3 (V34)	iro i ito.i onary		
Error Correction Mode	ITU-T T.30			
	Up to 33.6kbps, Approx. 3sec/page			
FAX speed (data transfer rate)				
FAX Resolution				
		ine: 8pels/mm x 7.7lines/mm, Super Fine: 8pels	/mm x 15.4lines/mm,	
FAX Resolution Black & White	Ultra Fine: 16pels/mm x 15.4lines/mm		/mm x 15.4lines/mm,	
FAX Resolution Black & White Colour			/mm x 15.4lines/mm,	
FAX Resolution Black & White Colour Transmission Paper Size	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d		/mm x 15.4lines/mm,	
FAX Resolution Black & White Colour	Ultra Fine: 16pels/mm x 15.4lines/mm		/mm x 15.4lines/mm,	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger	lpi	/mm x 15.4lines/mm,	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups	, A3	/mm x 15.4lines/mm,	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom	, A3 atic Redial, One Touch Dial, Address Book,	/mm x 15.4lines/mm,	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom	, A3 atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview,	/mm x 15.4lines/mm,	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom	, A3 atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview,	/mm x 15.4lines/mm,	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom Transmit Reservation, Broadcast Fax (t Fax to E-mail, Memory Reception, Fax	, A3 atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview,	/mm x 15.4lines/mm,	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom Transmit Reservation, Broadcast Fax (t Fax to E-mail, Memory Reception, Fax Friction feed	, A3 atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview,	/mm x 15.4lines/mm,	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom Transmit Reservation, Broadcast Fax (t Fax to E-mail, Memory Reception, Fax	, A3 atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview,	/mm x 15.4lines/mm,	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard)	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom Transmit Reservation, Broadcast Fax (t Fax to E-mail, Memory Reception, Fax Friction feed	, A3 atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview,	/mm x 15.4lines/mm,	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom Transmit Reservation, Broadcast Fax (If Fax to E-mail, Memory Reception, Fax Friction feed 3 (Paper Cassettes: 2, MP Tray: 1)	, A3 atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview, to Folder	/mm x 15.4lines/mm,	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom Transmit Reservation, Broadcast Fax (Fax to E-mail, Memory Reception, Fax Friction feed 3 (Paper Cassettes: 2, MP Tray: 1) Up to 1,150 sheets (80 g/m²) (Paper Cassettes 1 - 2: 500 x 2 + MP T Up to 5,150 sheets (80 g/m²)	atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview, to Folder		
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom Transmit Reservation, Broadcast Fax (t Fax to E-mail, Memory Reception, Fax Friction feed 3 (Paper Cassettes: 2, MP Tray: 1) Up to 1,150 sheets (80 g/m²) (Paper Cassettes 1 - 2: 500 x 2 + MP T Up to 5,150 sheets (80 g/m²) (Paper Cassettes 1 - 4: 500 x 4 + MP T	, A3 atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview, to Folder		
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom Transmit Reservation, Broadcast Fax (Fax to E-mail, Memory Reception, Fax Friction feed 3 (Paper Cassettes: 2, MP Tray: 1) Up to 1,150 sheets (80 g/m²) (Paper Cassettes 1 - 2: 500 x 2 + MP T Up to 5,150 sheets (80 g/m²)	atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview, to Folder		
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom Transmit Reservation, Broadcast Fax (I Fax to E-mail, Memory Reception, Fax Friction feed 3 (Paper Cassettes: 2, MP Tray: 1) Up to 1,150 sheets (80 g/m²) (Paper Cassettes 1 - 2: 500 x 2 + MP T Up to 5,150 sheets (80 g/m²) (Paper Cassettes 1 - 4: 500 x 4 + MP T Up to 500 sheets (80 g/m²)	A3 atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview, to Folder ray: 150 sheets) ray: 150 sheets + High Capacity Feeder Unit: 3,	000 sheets)	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Plain Paper	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom Transmit Reservation, Broadcast Fax (f Fax to E-mail, Memory Reception, Fax Friction feed 3 (Paper Cassettes: 2, MP Tray: 1) Up to 1,150 sheets (80 g/m²) (Paper Cassettes 1 - 2: 500 x 2 + MP T Up to 5,150 sheets (80 g/m²) (Paper Cassettes 1 - 4: 500 x 4 + MP T Up to 500 sheets (80 g/m²) A6, A5, A4, A3, B6, B5, B4, Half Letter,	atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview, to Folder	000 sheets)	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Plain Paper Envelop	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom Transmit Reservation, Broadcast Fax (Fax to E-mail, Memory Reception, Fax Friction feed 3 (Paper Cassettes: 2, MP Tray: 1) Up to 1,150 sheets (80 g/m²) (Paper Cassettes 1 - 2: 500 x 2 + MP T Up to 5,150 sheets (80 g/m²) (Paper Cassettes 1 - 4: 500 x 4 + MP T Up to 500 sheets (80 g/m²) A6, A5, A4, A3, B6, B5, B4, Half Letter, #10, DL, C6, C5, C4	A3 atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview, to Folder ray: 150 sheets) ray: 150 sheets + High Capacity Feeder Unit: 3,	000 sheets)	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Plain Paper Envelop Maximum Paper Size	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom Transmit Reservation, Broadcast Fax (f Fax to E-mail, Memory Reception, Fax Friction feed 3 (Paper Cassettes: 2, MP Tray: 1) Up to 1,150 sheets (80 g/m²) (Paper Cassettes 1 - 2: 500 x 2 + MP T Up to 5,150 sheets (80 g/m²) (Paper Cassettes 1 - 4: 500 x 4 + MP T Up to 500 sheets (80 g/m²) A6, A5, A4, A3, B6, B5, B4, Half Letter,	A3 atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview, to Folder ray: 150 sheets) ray: 150 sheets + High Capacity Feeder Unit: 3,	000 sheets)	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Plain Paper Envelop	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom Transmit Reservation, Broadcast Fax (Ir Fax to E-mail, Memory Reception, Fax Friction feed 3 (Paper Cassettes: 2, MP Tray: 1) Up to 1,150 sheets (80 g/m²) (Paper Cassettes 1 - 2: 500 x 2 + MP T Up to 5,150 sheets (80 g/m²) (Paper Cassettes 1 - 4: 500 x 4 + MP T Up to 500 sheets (80 g/m²) A6, A5, A4, A3, B6, B5, B4, Half Letter, #10, DL, C6, C5, C4 297 x 1,200mm	A3 atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview, to Folder ray: 150 sheets) ray: 150 sheets + High Capacity Feeder Unit: 3,	000 sheets)	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Plain Paper Envelop Maximum Paper Size Support Paper Weight	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom Transmit Reservation, Broadcast Fax (Ir Fax to E-mail, Memory Reception, Fax Friction feed 3 (Paper Cassettes: 2, MP Tray: 1) Up to 1,150 sheets (80 g/m²) (Paper Cassettes 1 - 2: 500 x 2 + MP T Up to 5,150 sheets (80 g/m²) (Paper Cassettes 1 - 4: 500 x 4 + MP T Up to 500 sheets (80 g/m²) A6, A5, A4, A3, B6, B5, B4, Half Letter, #10, DL, C6, C5, C4 297 x 1,200mm	A3 atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview, to Folder ray: 150 sheets) ray: 150 sheets + High Capacity Feeder Unit: 3,	000 sheets)	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Output Capacity Paper Size Plain Paper Envelop Maximum Paper Size Support Paper Weight Printer Interface USB Network	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom Transmit Reservation, Broadcast Fax (If Fax to E-mail, Memory Reception, Fax Friction feed 3 (Paper Cassettes: 2, MP Tray: 1) Up to 1,150 sheets (80 g/m²) (Paper Cassettes 1 - 2: 500 x 2 + MP T Up to 5,150 sheets (80 g/m²) (Paper Cassettes 1 - 4: 500 x 4 + MP T Up to 500 sheets (80 g/m²) A6, A5, A4, A3, B6, B5, B4, Half Letter, #10, DL, C6, C5, C4 297 x 1,200mm 52 - 300 g/m² USB 3.0 Ethernet	A3 atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview, to Folder ray: 150 sheets) ray: 150 sheets + High Capacity Feeder Unit: 3,	000 sheets)	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Plain Paper Envelop Maximum Paper Size Support Paper Weight Printer Interface USB Network Network Protocol	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom Transmit Reservation, Broadcast Fax (f Fax to E-mail, Memory Reception, Fax Friction feed 3 (Paper Cassettes: 2, MP Tray: 1) Up to 1,150 sheets (80 g/m²) (Paper Cassettes 1 - 2: 500 x 2 + MP T Up to 5,150 sheets (80 g/m²) (Paper Cassettes 1 - 4: 500 x 4 + MP T Up to 500 sheets (80 g/m²) A6, A5, A4, A3, B6, B5, B4, Half Letter, #10, DL, C6, C5, C4 297 x 1,200mm 52 - 300 g/m² USB 3.0 Ethernet TCP/IPv4, TCP/IPv6	A3 atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview, to Folder ray: 150 sheets) ray: 150 sheets + High Capacity Feeder Unit: 3,	000 sheets)	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Plain Paper Envelop Maximum Paper Size Support Paper Weight Printer Interface USB Network Network Protocol	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom Transmit Reservation, Broadcast Fax (Ir Fax to E-mail, Memory Reception, Fax Friction feed 3 (Paper Cassettes: 2, MP Tray: 1) Up to 1,150 sheets (80 g/m²) (Paper Cassettes 1 - 2: 500 x 2 + MP T Up to 5,150 sheets (80 g/m²) (Paper Cassettes 1 - 4: 500 x 4 + MP T Up to 500 sheets (80 g/m²) A6, A5, A4, A3, B6, B5, B4, Half Letter, #10, DL, C6, C5, C4 297 x 1,200mm 52 - 300 g/m² USB 3.0 Ethernet TCP/IPv4, TCP/IPv6 LPD, IPP, PORT9100, WSD	A3 atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview, to Folder ray: 150 sheets) ray: 150 sheets + High Capacity Feeder Unit: 3, Executive, 16K, Indian-Legal, Letter, 8.5 x 13in	000 sheets)	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Plain Paper Envelop Maximum Paper Size Support Paper Weight Printer Interface USB Network Network Protocol Network Management protocols	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom Transmit Reservation, Broadcast Fax (t Fax to E-mail, Memory Reception, Fax Friction feed 3 (Paper Cassettes: 2, MP Tray: 1) Up to 1,150 sheets (80 g/m²) (Paper Cassettes 1 - 2: 500 x 2 + MP T Up to 5,150 sheets (80 g/m²) (Paper Cassettes 1 - 4: 500 x 4 + MP T Up to 500 sheets (80 g/m²) A6, A5, A4, A3, B6, B5, B4, Half Letter, #10, DL, C6, C5, C4 297 x 1,200mm 52 - 300 g/m² USB 3.0 Ethernet TCP/IPv4, TCP/IPv6 LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA,	atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview, to Folder ray: 150 sheets) ray: 150 sheets + High Capacity Feeder Unit: 3, Executive, 16K, Indian-Legal, Letter, 8.5 x 13in	000 sheets) , Legal, 8K, US B 11 x 17in, 12 x 18in	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Plain Paper Envelop Maximum Paper Size Support Paper Weight Printer Interface USB Network Network Printing Protocol Network Management protocols Security Features	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom Transmit Reservation, Broadcast Fax (t Fax to E-mail, Memory Reception, Fax Friction feed 3 (Paper Cassettes: 2, MP Tray: 1) Up to 1,150 sheets (80 g/m²) (Paper Cassettes 1 - 2: 500 x 2 + MP T Up to 5,150 sheets (80 g/m²) (Paper Cassettes 1 - 4: 500 x 4 + MP T Up to 500 sheets (80 g/m²) A6, A5, A4, A3, B6, B5, B4, Half Letter, #10, DL, C6, C5, C4 297 x 1,200mm 52 - 300 g/m² USB 3.0 Ethernet TCP/IPv4, TCP/IPv6 LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA,	A3 atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview, to Folder ray: 150 sheets) ray: 150 sheets + High Capacity Feeder Unit: 3, Executive, 16K, Indian-Legal, Letter, 8.5 x 13in	000 sheets) , Legal, 8K, US B 11 x 17in, 12 x 18in	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Plain Paper Envelop Maximum Paper Size Support Paper Weight Printer Interface USB Network Network Protocol Network Protocol Network Management protocols Security Features USB Host Function	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom Transmit Reservation, Broadcast Fax (I) Fax to E-mail, Memory Reception, Fax Friction feed 3 (Paper Cassettes: 2, MP Tray: 1) Up to 1,150 sheets (80 g/m²) (Paper Cassettes 1 - 2: 500 x 2 + MP T Up to 5,150 sheets (80 g/m²) (Paper Cassettes 1 - 4: 500 x 4 + MP T Up to 500 sheets (80 g/m²) A6, A5, A4, A3, B6, B5, B4, Half Letter, #10, DL, C6, C5, C4 297 x 1,200mm 52 - 300 g/m² USB 3.0 Ethernet TCP/IPv4, TCP/IPv6 LPD, IPP, PORT91100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, Access Control Function, LDAP Addres	atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview, to Folder ray: 150 sheets) ray: 150 sheets + High Capacity Feeder Unit: 3, Executive, 16K, Indian-Legal, Letter, 8.5 x 13in	000 sheets) , Legal, 8K, US B 11 x 17in, 12 x 18in	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Plain Paper Envelop Maximum Paper Size Support Paper Weight Printer Interface USB Network Network Printing Protocol Network Management protocols Security Features	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 d A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom Transmit Reservation, Broadcast Fax (t Fax to E-mail, Memory Reception, Fax Friction feed 3 (Paper Cassettes: 2, MP Tray: 1) Up to 1,150 sheets (80 g/m²) (Paper Cassettes 1 - 2: 500 x 2 + MP T Up to 5,150 sheets (80 g/m²) (Paper Cassettes 1 - 4: 500 x 4 + MP T Up to 500 sheets (80 g/m²) A6, A5, A4, A3, B6, B5, B4, Half Letter, #10, DL, C6, C5, C4 297 x 1,200mm 52 - 300 g/m² USB 3.0 Ethernet TCP/IPv4, TCP/IPv6 LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA,	atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview, to Folder ray: 150 sheets) ray: 150 sheets + High Capacity Feeder Unit: 3, Executive, 16K, Indian-Legal, Letter, 8.5 x 13in	000 sheets) , Legal, 8K, US B 11 x 17in, 12 x 18in	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Output Capacity Paper Size Plain Paper Envelop Maximum Paper Size Support Paper Weight Printer Interface USB Network Network Protocol Network Printing Protocol Network Management protocols Security Features USB Host Function Type of Devices	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 c A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom Transmit Reservation, Broadcast Fax (It Fax to E-mail, Memory Reception, Fax Friction feed 3 (Paper Cassettes: 2, MP Tray: 1) Up to 1,150 sheets (80 g/m²) (Paper Cassettes: 1 - 2: 500 x 2 + MP T Up to 5,150 sheets (80 g/m²) (Paper Cassettes: 1 - 4: 500 x 4 + MP T Up to 500 sheets (80 g/m²) A6, A5, A4, A3, B6, B5, B4, Half Letter, #10, DL, C6, C5, C4 297 x 1,200mm 52 - 300 g/m² USB 3.0 Ethernet TCP/IPv4, TCP/IPv6 LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, Access Control Function, LDAP Addres Memory Devices USB Host (Scan to Memory Device / Si	atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview, to Folder ray: 150 sheets) ray: 150 sheets + High Capacity Feeder Unit: 3, Executive, 16K, Indian-Legal, Letter, 8.5 x 13in	000 sheets) , Legal, 8K, US B 11 x 17in, 12 x 18in e, Confidential Job	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Plain Paper Envelop Maximum Paper Size Support Paper Weight Printer Interface USB Network Network Protocol Network Printing Protocol Network Management protocols Security Features USB Host Function Type of Devices Function	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 c A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom Transmit Reservation, Broadcast Fax (It Fax to E-mail, Memory Reception, Fax Friction feed 3 (Paper Cassettes: 2, MP Tray: 1) Up to 1,150 sheets (80 g/m²) (Paper Cassettes: 1 - 2: 500 x 2 + MP T Up to 5,150 sheets (80 g/m²) (Paper Cassettes: 1 - 4: 500 x 4 + MP T Up to 500 sheets (80 g/m²) A6, A5, A4, A3, B6, B5, B4, Half Letter, #10, DL, C6, C5, C4 297 x 1,200mm 52 - 300 g/m² USB 3.0 Ethernet TCP/IPv4, TCP/IPv6 LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, Access Control Function, LDAP Addres Memory Devices USB Host (Scan to Memory Device / Si	atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview, to Folder ray: 150 sheets) ray: 150 sheets + High Capacity Feeder Unit: 3, Executive, 16K, Indian-Legal, Letter, 8.5 x 13in PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD as Book, IP Address Filtering, Panel Admin Modelorage function)	000 sheets) , Legal, 8K, US B 11 x 17in, 12 x 18in e, Confidential Job	
FAX Resolution Black & White Colour Transmission Paper Size Flatbed ADF Receiving Paper Size Speed Dial / Group Dial Fax Features Paper Handling Paper Feed Method Number of Paper Trays (Standard) Paper Hold Capacity Input Capacity Maximum Input Capacity Output Capacity Paper Size Plain Paper Envelop Maximum Paper Size Support Paper Weight Printer Interface USB Network Network Network Protocol Network Management protocols Security Features USB Host Function Type of Devices Function Direct Print Paper Size	Ultra Fine: 16pels/mm x 15.4lines/mm Fine: 200 x 200 dpi, Photo: 200 x 200 c A5 to A3 / Ledger A5 to A3 / Ledger HLT, A5, B5, A4, LT, LGL, B4, 11 x 17" Up to 2,000 numbers, 200 groups PC Fax (Transmission/Receive), Autom Transmit Reservation, Broadcast Fax (It Fax to E-mail, Memory Reception, Fax Friction feed 3 (Paper Cassettes: 2, MP Tray: 1) Up to 1,150 sheets (80 g/m²) (Paper Cassettes: 1 - 2: 500 x 2 + MP T Up to 5,150 sheets (80 g/m²) (Paper Cassettes: 1 - 4: 500 x 4 + MP T Up to 500 sheets (80 g/m²) A6, A5, A4, A3, B6, B5, B4, Half Letter, #10, DL, C6, C5, C4 297 x 1,200mm 52 - 300 g/m² USB 3.0 Ethernet TCP/IPv4, TCP/IPv6 LPD, IPP, PORT9100, WSD SNMP, HTTP, DHCP, BOOTP, APIPA, Access Control Function, LDAP Addres Memory Devices USB Host (Scan to Memory Device / Si	atic Redial, One Touch Dial, Address Book, Mono only), Polling Reception, Fax Preview, to Folder ray: 150 sheets) ray: 150 sheets + High Capacity Feeder Unit: 3, Executive, 16K, Indian-Legal, Letter, 8.5 x 13in PING, DDNS, mDNS, SNTP, SLP, WSD, LLTD as Book, IP Address Filtering, Panel Admin Mod corage function) tter, B4, B5, B6, 8K, 16K, 8x13in, Envelopes: #1 Remote Print Driver, Scan to Cloud	000 sheets) , Legal, 8K, US B 11 x 17in, 12 x 18in e, Confidential Job	

Model Number	AM-C4000 (C11CJ43502)	AM-C5000 (C11CJ42502)	AM-C6000 (C11CJ91502)	
Control Panel				
LCD Screen	10.1 inch / 25.7 cm TFT Colour LCD			
Printer Software				
Supported Operating System				
Windows Mac	Windows 7 / 8 / 8.1 / 10 / 11, Window Mac OS X 10.9.5 or later, macOS 11.x		2022	
Chrome OS	Chrome OS ver 89 or later (Printing an			
Electrical Specifications	Official CO VCI SO OF later (i finding an	a coarming orny)		
Rated Voltage	100 – 240V Universal			
Rated Frequency	50 - 60 Hz			
Typical Electricity Consumption	0.22 kWh	0.23 kWh	0.25 kWh	
(TEC) Value		.		
Power Consumption	11014	latew		
Operating Standby	110W 46W	115W		
Sleep	1.0W			
Power off	0.1W			
Noise Level (Colour / Mono)				
Sound Power/ PC Printing/	6.8B(A) / 6.8B(A)	7.1B(A) / 7.0B(A)	7.2B(A) / 7.2B(A)	
Plain Paper Default *3				
Sound Pressure/ PC Printing/	53dB(A) / 52dB(A)	55dB(A) / 54dB(A)	57dB(A) / 56dB(A)	
Plain Paper Default *3 Inner Finisher-P1				
Output Capacity	Up to 500 sheets (A4, 80g/m²)			
Finisher Functions	Stacking, Shift Sorting, Staple, Hole P	unch (requires option)		
Staple Capability	A4 or smaller: up to 50 sheets (60 - 90		ets (60 - 90 g/m²)	
Staple Positions	Corner / Opposite Corner / 2 points or	n side		
Supported Paper Size for Staple	A3, B4, A4, B5, Ledger, Letter			
Power Consumption	200W			
Dimensions & Weight (W x D x H) Staple Finisher-P1	466 × 512 × 210 mm, 13kg			
Output Capacity	Stacker Tray: Up to 4 000 sheets (A4	80a/m²) up to 3 000 sheets when Sa	addle Unit-P1 is installed	
Sulput Supusity	Stacker Tray: Up to 4,000 sheets (A4, 80g/m²), up to 3,000 sheets when Saddle Unit-P1 is installed Tray 2 (for Fax output only): up to 200 sheets (A4, 80g/m²)			
Finisher Functions	Stacking, Shift Sorting, Staple, Manua		n)	
Staple Capability	A4 or smaller: up to 50 sheets (60 - 90	g/m²); Larger than A4: up to 30 shee	ets (60 - 90 g/m²)	
Staple Positions	Corner / Opposite Corner / 2 points or	n side		
Supported Paper Size for Staple	A3, B4, A4, B5, Ledger, Letter			
Power Consumption Dimensions & Weight (W x D x H)	220W 681 × 669 × 1,062 mm, 42kg			
Saddle Unit-P1	661 × 669 × 1,062 IIIII, 42kg			
Output Capacity	Stacker Tray: Up to 20 booklets (base	d on 2 - 5 sheets each booklet)		
Finisher Functions	Half-fold, Tri-fold, Saddle stitch			
Folding / Tri-fold Capability	3 sheets (60 to 90 g/m²) / 1 sheets (91	to 105 g/m²)		
Saddle Stitch Capability	20 sheets (60 to 90 g/m²) / 10 sheets (91 to 105 g/m²) / Cover sheet (106 to	250 g/m²)	
Booklet Paper Size	A4, A3, B4, Letter, Legal, 8K, 11×17"			
Supported Paper Weight	60 - 105 g/m ²			
Power Consumption Dimensions & Weight (W x D x H)	220W 517 x 407 x 374 mm, 22kg			
Inner Tray-P1	317 X 407 X 374 11111, 22kg			
Output Capacity	Up to 100 sheets (80g/m²)			
Supported Paper Size	A5, A4, A3, B5, B4, Letter, Legal, 11x17"			
Supported Paper Weight	60 - 90 g/m²			
2/4 Hole Punch Unit-P1				
Supported Paper Size Support Paper Weight	A3, B4, A4, B5, Ledger, Letter			
Support Paper Weight Number of Holes	60 – 250 g/m² 2 or 4 holes, 80mm intervals			
2/3 Hole Punch Unit-P1	2 of 4 Holos, committee vals			
Supported Paper Size	A3, B4, A4, B5, Ledger, Letter			
Support Paper Weight	60 – 250 g/m²			
Number of Holes	2 or 3 holes, 70mm intervals (US Spec	ifications)		
2/4 Hole Punch Unit-P2	10.01.11.00			
Supported Paper Size	A3, B4, A4, B5, Ledger, Letter			
Support Paper Weight Number of Holes	60 – 250 g/m ² 2 or 4 holes, 80mm intervals			
2/3 Hole Punch Unit-P2	2 of 4 holes, sommin intervals			
Supported Paper Size	A3, B4, A4, B5, Ledger, Letter			
Support Paper Weight	60 – 250 g/m²			
Number of Holes	2 or 3 holes, 70mm intervals (US Spec	ifications)		
High-Capacity Tray-P1				
Input Capacity	Up to 3,000 sheets (80 g/m²)			
Support Paper Weight	60 – 160 g/m²			
Support Paper Size Power Consumption	A4, B5, Letter 18W			
Dimensions & Weight (W x D x H)	351 x 585 x 465 mm, 25kg			
HDD-P1	501 X 500 X 400 Hill, 25Kg			
Storage Capacity	320GB (Encrypted)			
Wireless LAN Interface-P1				
Network	y			
Network Protocol	twork Protocol TCP/IPv4, TCP/IPv6			

- Black and colour print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on system configuration, software, and page complexity.
 For more information, visit www.epson.com.sg/printspeed.

 The maximum number of printed pages per month is based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.
 Default mode in accordance with ISO7779.

Dimension & Weight WorkForce Enterprise (Main Unit only) Weight: 102.1kg (225.1lb)



WorkForce Enterprise (With Optional Dual Cassette-P1, Inner Finisher-P1 and Hole Punch Unit-P2)



WorkForce Enterprise (With Optional Staple Finisher-P1, Saddle Unit-P1 and High-Capacity Tray-P1)



©2024 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON is a registered trademark of Seiko Epson

All other product and company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Dealer's Stamp

Information correct at time of printing Printed May 2024