## **Switch to Epson Heat-Free Business Inkjet Printers**

PrecisionCore is the next-generation inkjet printhead technology driving Epson's inkjet resolution. It merges advanced key component technologies, state-of-the-art MEMS<sup>^</sup> fabrication and high-precision assembly processes honed over decades.

Epson's proprietary Micro Piezo inkjet technology does not use heat in the ink ejection process. Instead, it relies on Heat-Free Technology, which sets our printers apart from the competition. This technology works by applying pressure to the Piezo element, causing it to flex backwards and forwards, thereby firing the ink from the printhead.

^MEMS [Micro Electro Mechanical Systems]: Devices possessing mechanically driven elements, manufactured through the application of semiconductor processing technology



### Save time with consistent high speed printing

No heat is required for warm-up, allowing the printer to print immediately. With the use of Line Inkjet technology, high-speed printing of up to 55 pages per minute is possible even for duplex printing.



### **Less power consumption** saves energy and money

With no fuser unit to heat, reduce energy consumption by up to 85%\* compared to laser printers, resulting in cost savings for electricity bills.



### Fewer replacement parts, lower environmental impact

Uses **up to 59%** fewer replacement parts\*\* than laser printers. No heat damage to the printhead.



### **Less intervention** increases productivity

With fewer parts to replace and printheads that last longer, the amount of intervention is minimised, providing improved reliability and reduced downtime.




Amendment of the below clause is updated as of 1st November 2021.

- \* Testing was commissioned by Epson and conducted by Keypoint Intelligence. One specific model was selected from color laser multi-function printers in the 65-70ppm class. Epson WorkForce Enterprise WF-C21000 with 100ppm (equivalent model in Europe was used during the evaluation). This data is as of September, 2020. Devices were tested in default mode as per Keypoint Intelligence's proprietary standard energy consumption test methods. Calculations were based on a weekday workload of 2 x 4 hours printing + 16 hours in sleep/standby mode, and weekend energy use of 48 hours in sleep/standby mode. A total of 69 pages of workload test pattern using DOC, XLS, PPT, HTML, PDF files and Outlook email messages were printed six times in each 4-hour printing period.
- \*\* Testing was commissioned by Epson and conducted by Keypoint Intelligence. One competitor model was selected from worldwide best-selling vendor<sup>^</sup> in the 65ppm and 70ppm colour laser multi-function printer. Epson Work Force Enterprise WF-C20600 with 60ppm (equivalent model in Europe was used during the evaluation). nables and periodic replacement parts required to print 1M pages. The weight includes all used consumables, periodical replacement parts and their packaging. Test printed pattern used was ISO24712.

^Source: IDC's Worldwide Quarterly Hardcopy Peripherals Tracker 2020Q2, Units Share by Company.

### **A4 COLOUR MULTIFUNCTION PRINTER WORKFORCE ENTERPRISE AM-C400/C550**



### Efficient A4 printing solutions for modern workplaces.

The Epson WorkForce Enterprise AM-C400/C550 printers with advanced Heat-Free Technology, deliver fast and reliable A4 printing which uses less power compared to laser printers. Ideal for offices with limited space yet needing up to 55 pages per minute, these inkjet printers reduce operational costs by reducing part and consumable replacements. With superior productivity features, these multifunction printers meet the diverse printing needs of modern workplaces efficiently.







High Yield











### New A4 Business Inkjet Line Up

ENGINEERED FOR GOOD

Maximise productivity with high-speed A4 printing, delivering up to 55 pages per minute, including efficient duplex printing.

### **Heat-Free Printing**

Thanks to Epson Heat-Free Technology, it requires lesser power to operate and fewer frequent parts replacements are needed.

### Stress-Free Operation

The AM-C400/C550 is compact and brimming with new features that boost usability, including an intuitive user interface and high-capacity ink cartridges.

# **A4 Mid-Range Printing Redefined** for Exceptional Compactness and Speed.

The WorkForce Enterprise AM-C400/C550 models redefine office printing as Epson's first-ever A4 linehead inkjet models, boasting remarkable print speeds of 40ppm and 55ppm respectively. These compact printers are designed to deliver reliable, high-speed printing while occupying minimal space, making them perfect for office environments. They come equipped with user- and space-friendly features, including a hassle-free front-loading design, a transparent ink window, and a customisable layout, ensuring efficiency and convenience in every print task.



**Expandable Paper Capacity** Expand the paper handling capacity up to 2,100 sheets by adding additional trays.



**Easy Maintenance** Perform maintenance easily by accessing just one side of the printer to remove jammed paper.



### **Efficient Document Digitisation**

Efficiently scan both sides of a document with dual CIS allowing scan speeds up to 50ppm (Simplex) / 100ipm (Duplex).scanning in a single pass.



### **Access Control**

Prevent unauthorised usage of the printer by setting up to 10 user accounts to control access to each function.



### **User-friendly**

The intuitive 10.1" tiltable TFT colour touchscreen panel with a user-friendly interface makes it simple to easy replacement of operate the printer.



### **Reduce Downtime**

Fuss-free frontal access to ink cartridges and maintenance box for consumables.



## **Built for the Environment**

The WorkForce Enterprise AM-C400/C550 printers not only consume less power but also require fewer replacement parts and consumables compared to similar laser printer models, thereby minimising their environmental impact without sacrificing output quality. Additionally, unlike traditional laser copiers/printers, these models produce no heat, thanks to Epson's PrecisionCore Heat-Free printhead technology, further enhancing their environmental benefits.



### **EPSON INKJET PRINTER**











#### WORKFORCE ENTERPRISE AM-C400/C550

# **Cutting-edge Innovation To Achieve Miniaturisation of Footprint**

## **New Paper Path Design for Consistent High-speed Printing in Compact Footprint**

The new A4 colour linehead inkjet printer series realises a simpler C-shaped paper route path to deliver efficient and consistent high-speed printing. It can print up to 55 pages per minute in both simplex and duplex printing while keeping a compact printer design.

Print up to

31,500 Pages in Black

28,000° Pages in Colour



## **Superb Print Quality with Lower Cost, Save Time** on Maintenance

Achieve vibrant, water- and smudge-resistant prints with pigment inks. Save on printing costs and reduce downtime with high capacity ink cartridges. Print up to 31,500 pages in black or 28,000 pages in colour without interruption. Periodic parts are available for user self maintenance to achieve maximum up time.

\*Replacement cartridge yields are based on ISO/IEC 24711 tests in Default Mode printing continuously. Cartridge yields vary considerably for reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. All ink colours are used for printing and printer maintenance, and all colours have to be installed for printing. For print quality, part of the ink from the included cartridges is used for printer setup and a variable amount of ink remains in the cartridges after the "replace

### **Upgrade Options Tailored to Your Business Needs**

The unit can be upgraded with various options to suit many types of office spaces and work requirements.



Optional Single Cassette-P1 Increases capacity of paper handling with 500 sheets tray.



Optional Dual Cassette-P2 Increases capacity of paper handling with 2x 500 sheets



Wireless LAN Interface-P1 Enables Wi-Fi and Wi-Fi direct connectivity.



Super G3/G3 Multi Fax Board Enables fax function. Up to 1 fax option can be installed.



Authentication Device Table-P1 To place and secure an authentication card reader.



Paper Cassett Lock-P1 To lock the paper cassettes (Set of 2. Padlock is not included)



**Expansion Board-P1 (OCR)** Enables built-in OCR function in the main unit. OCR license is also required.



Stabiliser-P1 Prevents the printer from falling by improving the stability.

# **Seamless Software Solutions** for Enhanced Efficiency and Integration

Take advantage of remote management, customise print options and enjoy seamless compatibility with the Epson WorkForce Enterprise. Integrate these into your existing IT infrastructure to improve productivity and increase efficiency. For more information, please visit www.epson.com.sq/software-solutions.

## Solutions Suite

### Fleet Management

#### **Epson Device Admin**

Streamline the installation, configuration and management of networked devices. Automatically discover, monitor and update devices across the network. Setup automatic alerts and customised reports to minimise downtime and optimise printing cost.

#### **Epson Remote Service (ERS)**

Remotely access and monitor the device status and consumable levels, enabling IT managers and service partners to manage registered devices conveniently. Receive automatic alerts when devices encounter issues, providing accurate data to minimise downtime and generate usage reports for billing and expenditure

### **Epson Open Platform**

Expand the capability of the printer by integrating with embedded solutions. Allows ISV to integrate printers into their software for customised solutions.

### **Printer Options**

### **Erase Red Colour**

Removes objects with a red coloration from the scanned image or copy results.

#### **Print Sets**

tracking.

Print or copy documents of various quantities for distribution to different groups and number of members.

Enable built-in OCR functionality directly on the device for Scan to Folder and Email without the need to install software. This option also requires the OCR Unit-P1 option.



### IP-Fax

Enables sending and receiving fax through IP address. This choice also requires installation of Super G3/G3 Multi Fax Board option.

### **Print and Scan Management**

#### **Epson Print Admin**

Enhance document security thru authentication with a server for controlling prints and preventing misuse. Improve convenience by releasing print jobs on any available printer and distributing documents automatically by each user's account. Reduce printing cost by setting printing rules and quotas. Various reports can be generated for cost management and tracing.

#### Epson Print Admin - Advanced Workflows

Apply detailed settings to scan function, convert documents to searchable PDF, automate document processing with job separation & indexing and support scan to Enterprise Cloud storage Microsoft OneDrive, SharePoint Online and Google Drive.

#### **Epson Print Admin Serverless**

Secure the printer with on-device authentication function to prevent unauthorised usage and misuse. Account for the usage of each user by generating reports.

### **Document Management**

#### **Document Capture Pro**

Simplify the process of scanning, editing, and managing documents with automatic workflows. Create customised scan jobs and apply OCR to make documents searchable by keywords or convert them into editable formats like DOCX, XLSX, and PPTX. Sort documents into folders and by file naming by various methods and allows users to locate and track documents with indexing function.

### **Document Capture Pro - Enhanced OCR**

Improve the OCR capabilities of MFPs with Kofax OCR engine and extends character recognition to support up to 29 languages, including Asian language characters. It also enables a Userdefined Indexing function, which allows users to capture multiple areas of a document and export the data to a file.

#### **Document Capture Pro Server**

Centralise scanning and manage a fleet of up to 1,000 scanning devices on a single server without the need to install drivers on individual computers. Create searchable PDF files and sort documents automatically into different files and folders using various detection methods. Prevent document leaks by protecting documents with a password.

### **Cloud & Mobile Solutions**

### Mobile App



### **Epson Smart Panel**

Control the MFP to print and scan directly from your smart device with access to popular cloud storage services.

### **Epson Connect Services**



### **Epson Email Print**

Send a print job to any Email Print-enabled Epson printer from any device that can send an email.



### **Remote Print Driver**

Print to an Email Print-enabled printer anywhere in the world via the internet with advanced settings from a PC or the Epson Smart Panel mobile app.



#### Scan to Cloud

Send documents through the cloud service directly from the popular cloud storage services without a PC or email server.

### **Driverless Solutions:**

Apple AirPrint
 Mopria<sup>™</sup> Print
 Microsoft Universal Print

### **SPECIFICATIONS**

SPECIFICATIONS		
Model Number	AM-C400	AM-C550
SKU Code	C11CJ93502	C11CJ92502
Printer Type	Print, Scan, Copy with ADF	
Printing		
Printing Technology	PrecisionCore <sup>™</sup> Line Head Inkjet Technology	
Nozzle Configuration	5,784 nozzles each colour (Black, Cyan, Magenta, Yello	w)
Maximum Resolution	600 x 2,400 dpi	
Maximum Ink Droplet Volume	3.8 pl	
Print Speed (Black / Colour) <sup>1</sup>		
ISO 24734, A4 Simplex/Duplex	Approx. 40 ipm / 40 ipm	
First Page Out Time	Approx. 6.4 sec / 6.4 sec	Approx. 5.9 sec / 5.9 sec
Printer Language	ESC/P-R	
Emulation	PCL5/PCL6, Compatible with PostScript Level 3	
Maximum Monthly Duty Cycle <sup>2</sup>	Up to 384,000 pages / month	
Recommended Monthly Duty Cycle <sup>*3</sup>	Up to 30,000 pages / month	
Memory Capacity	8,192 MB (Total RAM size)	
HDD Capacity Automatic 2-sided Printing	320 GB (Encrypted) Yes (up to Legal)	
Copying	res (up to Legal)	
Flatbed Copy Speed (Black / Colour)		
ISO 29183, A4	40 ipm	55 ipm
ADF Copy Speed (Black / Colour)	40 Ipin	
ISO 24735, A4 (1:1, 1:2, 2:2)	40 ipm	55 ipm
Original Type	Text, Text & Image, Photo, Barcode	
Maximum Copies from Standalone	Up to 999 copies	
Reduction / Enlargement	25 – 400%, Auto Fit Function	
Maximum Copy Resolution	600 x 1,200 dpi	
Maximum Copy Size	A4, Legal	
Copy Paper Size (Flatbed)	A4, A5, A6, B5, B6, Half Letter, Executive, 16K, Indian-L	egal, Letter, 8.5x13in, Legal, 100 x 148 mm, 20 x 25 cm, User Defined,
	Envelopes #10, DL, C4, C5, C6	
Scanning		
Scanner Type	Flatbed colour image scanner	
Sensor Type	Mono CIS	
Optical Resolution	600 x 600 dpi	
Maximum Scan Area	215.9 x 355.6 mm (8.5" x 14")	
Scanner Bit Depth	00 1 " 1 04 1 " 1 1	
Colour	30-bit input, 24-bit output	
Grayscale Black & White	10-bit input, 8-bit output	
Scan Features	10-bit input, 1-bit output Scan to Network Folder/FTP Scan to Email Scan to Me	emory Device, Scan to Computer (Document Capture Pro / Document Capture
Scarr eatures	Pro Server) Scan to Computer (WSD), Scan to Computer	
Scanner Speed	110 Server) Scar to Computer (WSD), Scar to Computer	(WOD), Scar to Gloud (Epson Connect)
(Flatbed / ADF Simplex / ADF Duplex)		
Monochrome 200 dpi	3.9 sec / 50 ppm / 100 ipm	
Colour 200 dpi	3.9 sec / 50 ppm / 100 ipm	
ADF Function		
Support Paper Thickness	64 – 95 g/m <sup>2</sup>	
Paper Capacity	50 sheets	
Fax Function		
Type of Fax	Walk-up black-and-white and colour fax capability	
Receive Memore / Page Memory	6 MB, Page memory Up to 550 pages (ITU-T No.1 char	t)
Communication Standards	CCITT/ITU G3, SuperG3 (V34)	
Error Correction Mode	ITU-T T.30	
Fax Speed (Data Transfer Rate)	Up to 33.6kbps, Approx. 3sec/page	
Fax Resolution	0, 1, 1, 0, 1, 1, 0, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	7.7" / 0 5' 0 1 / 454" /
Black & White	Standard: 8pels/mm x 3.85lines/mm, Fine: 8pels/mm x	7./Ilnes/mm, Super Fine: 8peis/mm x 15.4lines/mm,
0-1	Ultra Fine: 16pels/mm x 15.4lines/mm	
Colour Transmission Paper Size	Fine: 200 x 200 dpi, Photo: 200 x 200 dpi	
Flatbed	Half Letter, A5, Letter, A4, Legal	
ADF	Half Letter, A5, Letter, A4, Legal	
Receiving Paper Size	Half Letter, A5, Letter, A4, Legal	
Speed Dial / Group Dial	Up to 2,000 numbers, 200 groups	
Fax Features		Touch Dial, Address Book, Transmit Reservation, Broadcast Fax (Mono only),
	Polling Reception, Fax Preview, Fax to E-mail, Memory	, , , , , , , , , , , , , , , , , , , ,
Paper Handling		
Paper Feed Method	Friction Feed	
Number of Paper Trays (Standard)	2 (Paper Cassette: 1, MP Tray: 1)	
Paper Hold Capacity		DT (00 L ())
Input Capacity	Up to 600 sheets (80 g/m²), (Paper Cassette 1: 500 + M	
Maximum Input Capacity	Up to 2,100 sheets (80 g/m²), (Paper Cassettes 1 - 4: 50	30 x 4 + MP Iray: 150 sheets)
Output Capacity	Up to 300 sheets (80 g/m²)	
Paper Size	AG AG AA DG DE Half latter From the ACK L !! I	agal Custom Siras 95 v 140 mm - 015 0 v 007 mm
Plain Paper C1 MP Tray	A6, A5, A4, B6, B5, Half Letter, Executive, 16K, Letter, L	egal, Custom Size: 85 x 140 mm = 215.9 x 297 mm egal, Letter, 8.5 x 13, Legal, Custom Size: 55 x 140 mm = 215.9 x 1,200 mm
	#10, DL, C6, C5	egai, Lettel, 0.5 x 15, Legai, Ouston 512e. 33 x 140 mm - 213.9 x 1,200 mm
Envelopes C1 MP Tray	#10, DL, C6, C5 #10, DL, C6, C5, C4	
Maximum Paper Size	215.9 x 1,200 mm	
Support Paper Weight	52 – 250 g/m <sup>2</sup>	
Interface	<del></del>	
USB	USB 3.0	
Network	Ethernet	
Network Protocol	TCP/IPv4, TCP/IPv6, LPD, IPP,PORT9100, WSD	
Network Management Protocols	SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDI	NS, SNTP, SLP, WSD, LLTD
Security Functions	Panel Lock, IP Filter, Confidential Print, Access Control,	
Card Slot / USB Host Function		
Type of Devices	Memory Devices	
Function	USB Host (Scan to Memory Device / Storage function)	
Direct Print Paper Size		r, Half Letter, Executive, 20 x 25 cm, 16K, 100 x 148mm,
	Envelopes DL, #10, C4, C5, C6	

#### **SPECIFICATIONS**

AM-C400	AM-C550		
	oson Email Print, Remote Print Driv		
Apple AirPrint, Mopria i	Print Service, ChromeOS, Microso	t Universal Print	
10 1 inch / 25 7 cm TE	T Colour Tough I CD		
10.1 IIICI1/ 23.7 CIII IF	1 Colour Touch LCD		
		2/2016/2019/2022	
	,		
AC 100 - 240V			
0.19 kW/h	_0.21 kW/h		
04.144	1 00 14/		
U.1 VV	0.1 W		
6.5 B(A) / 53.7 dB(A)	66 R(A) / 55	9 dB(A)	
	1 <u>0.0 D( () 7 00.</u>	~ ~~v y	
	30 a/m²)		
52 – 250 g/m²			
A6, A5, A4, B6, B5, Half Letter, Executive, 16K, Indian-Legal, Letter, 8.5 x 13, Legal			
Custom Size: 85 x 140 mm – 215.9 x 355.6 mm			
Envelopes: #10, DL, C6, C5			
	).9 kg		
Up to 1,000 sheets (A4, 80 g/m²)			
	52 – 250 g/m <sup>2</sup>		
400 X 490 X 328 IIIM, 2	.u.+ ny		
Wi_Fi (IFFFR02 11b/a/r	) Wi-Fi Direct (May 8 devices)		
	ij, vvi i i Dilect (iviax o devices)		
Order Code			
C12C937441			
C12C937461			
C12C934491			
C12C937011			
C12C936801			
C12C937381			
C12C936771			
C12C937221			
Order Code			
<b>Order Code</b> 7110574			
Order Code 7110574 s C12C938801			
Order Code 7110574 s C12C938801 7111310			
Order Code 7110574 s C12C938801 7111310 C12C938761			
Order Code 7110574 s C12C938801 7111310 C12C938761 Order Code			
7110574 S C12C938801 7111310 C12C938761 Order Code C12C938771			
Order Code 7110574 s C12C938801 7111310 C12C938761 Order Code C12C938771 C12C938781			
Order Code 7110574 s C12C938801 7111310 C12C938761 Order Code C12C938771 C12C938781 C12C938791			
Order Code 7110574 s C12C938801 7111310 C12C938761 Order Code C12C938771 C12C938781 C12C938791 C12C938841	Order Code for AM-C400	Order Code for AM-C550	
Order Code 7110574 s C12C938801 7111310 C12C938761 Order Code C12C938771 C12C938781 C12C938791	Order Code for AM-C400 C13T08L100	Order Code for AM-C550 C13T08M100	
Order Code 7110574 s C12C938801 7111310 C12C938761 Order Code C12C938771 C12C938781 C12C938791 C12C938841 Page Yield'5			
Order Code 7110574 s C12C938801 7111310 C12C938761 Order Code C12C938771 C12C938781 C12C938791 C12C938841 Page Yield'5	C13T08L100	C13T08M100	
Order Code 7110574 s C12C938801 7111310 C12C938761 Order Code C12C938771 C12C938781 C12C938791 C12C938841 Page Yield'5 31,500 pages	C13T08L100 C13T08L200	C13T08M200	
Order Code 7110574 s C12C938801 7111310 C12C938761 Order Code C12C938771 C12C938781 C12C938791 C12C938841 Page Yield'5 31,500 pages	C13T08L100 C13T08L200 C13T08L300 C13T08L400	C13T08M100 C13T08M200 C13T08M300 C13T08M400 C937201	
Order Code 7110574 s C12C938801 7111310 C12C938761 Order Code C12C938771 C12C938781 C12C938791 C12C938841 Page Yield'5 31,500 pages	C13T08L100 C13T08L200 C13T08L300 C13T08L400  C120 C120	C13T08M100 C13T08M200 C13T08M300 C13T08M400	
	Apple AirPrint, Mopria  10.1 inch / 25.7 cm TF  Windows 7 / 8 / 8.1 / 1 Mac OS X 10.9.5 or late  AC 100 – 240V  50 – 60 Hz  0.19 kW/h  84 W  39 W  0.9 W  0.1 W  6.5 B(A) / 53.7 dB(A)  Up to 500 sheets (A4, 8   52 – 250 g/m²  A6, A5, A4, B6, B5, Ha Custom Size: 85 x 140  Envelopes: #10, DL, C6   465 x 490 x 160 mm, 9  Up to 1,000 sheets (A4   52 – 250 g/m²  A6, A5, A4, B6, B5, Ha Custom Size: 85 x 140  Envelopes: #10, DL, C6   465 x 490 x 328 mm, 2  Wi-Fi (IEEE802.11b/g/r TCP/IPv4, TCP/IPv6  Order Code   C12C937441   C12C937461   C12C937611   C12C9376801	Apple AirPrint, Mopria Print Service, ChromeOS, Microsof  10.1 inch / 25.7 cm TFT Colour Touch LCD  Windows 7 / 8 / 8.1 / 10 / 11, Windows Server 2008 / 201 Mac OS X 10.9.5 or later, macOS 11.x or later  AC 100 – 240V 50 – 60 Hz 0.19 kW/h  84 W 39 W 0.9 W 0.1 W  6.5 B(A) / 53.7 dB(A)  Up to 500 sheets (A4, 80 g/m²) 52 – 250 g/m² A6, A5, A4, B6, B5, Half Letter, Executive, 16K, Indian-Leg Custom Size: 85 x 140 mm – 215.9 x 355.6 mm Envelopes: #10, DL, C6, C5 465 x 490 x 160 mm, 9.9 kg  Up to 1,000 sheets (A4, 80 g/m²) 52 – 250 g/m² A6, A5, A4, B6, B5, Half Letter, Executive, 16K, Indian-Leg Custom Size: 85 x 140 mm – 215.9 x 355.6 mm Envelopes: #10, DL, C6, C5 465 x 490 x 160 mm, 9.9 kg  Wip to 1,000 sheets (A4, 80 g/m²) 52 – 250 g/m² A6, A5, A4, B6, B5, Half Letter, Executive, 16K, Indian-Leg Custom Size: 85 x 140 mm – 215.9 x 355.6 mm Envelopes: #10, DL, C6, C5 465 x 490 x 328 mm, 20.4 kg  Wi-Fi (IEEE802.11b/g/n), Wi-Fi Direct (Max 8 devices) TCP/IPv4, TCP/IPv6  Order Code C12C937461 C12C937461 C12C9376011 C12C936801	

### **Dimensions & Weight** AM-C400 / C550

Weight: 58.7kg (129.5 lb)



### AM-C400 / C550

- + Optional Single Cassette-P1 + Optional Dual Cassette-P2
- Weight: 89.0kg (196.3 lb)



©2024 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON is a registered trademark of Seiko Epson Corporation.

All other product and company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

" Print speed (Pages Per Minute) is calculated when printed on A4 plain paper in the fastest mode. Print speed may vary depending on system configuration, Dealer's Stamp

Information correct at time of printing. Printed May 2024

Epson Singapore Pte Ltd









Find out more at www.epson.com.sg/enterpriseprinting

438B Alexandra Road, Block B Alexandra Technopark, #04-01/04, Singapore 119968. Tel: (65) 6586-5500

Epson Customer Care Center 100G Pasir Panjang Road, #01-09 Interlocal Centre, Singapore 118523. Epson Helpdesk: 800 120 5564. Please refer to www.epson.com.sg/contact for opening hours.

print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.

<sup>&</sup>lt;sup>2</sup> The maximum number of printed pages per month based on the performance capabilities of the printer, including ISO rated print speeds and paper handling capabilities.

<sup>&</sup>lt;sup>13</sup> Epson recommends that the average number of printed pages per month not exceed the stated ranges for longer term print quality and reliability.

<sup>&</sup>lt;sup>14</sup> Default mode in accordance with ISO7779 for MFPs.

<sup>&</sup>lt;sup>15</sup> Yields based on ISO/IEC 24711/24712 tests in Default Mode printing continuously. Actual yields will be lower with higherdensity images, hot or dusty conditions, less frequent printing, or printing predominantly with one color. All ink colours are used for printing and printer/all-in-one maintenance, and all colours have to be installed for printing. For print quality, part of the ink from the included cartridges is used for printer startup and a variable amount of ink remains in the cartridges after the "replace cartridge" signal.