





















asset-tagging for schools, factories, hospitals and more, Epson LabelWorks printers offer easy-to-use, professional solutions for every labelling need. Choose from a wide selection of Epson label media in a variety of widths, patterns, labels with minimal waste and maximum savings.

### Better Value by Design

Dramatically smaller side margins let you print perfectly sized labels that reduce margin wastage by up to 60 percent<sup>#1</sup>.

From Ordinary to Extraordinary
 Enjoy greater creative flexibility with up to 14 font types and 10 different styles (bold, shadow, outline, etc), 457 symbols and 87 frames. Tape widths range from 9mm to 36mm, in standard, metallic and pastel colours, patterns and special-use types.

#### · Create Once, Reuse Anytime

Design your label once and store it for future use anytime. Store up to 30 custom designs on the LW-300, or up to 50 with the LW-400. The LW-900P lets you store as many designs as your connected PC or Mac allows.

### IMAGING INNOVATION

Whether at home or at work, finding what you are looking for has never been quicker and easier with an Epson LabelWorks printer. The lightweight and portable LW-300 and LW-400 feature fast and efficient label printing while the LW-900P connects to your PC or Mac for the ultimate in speed and flexibility.

### **Better Value by Design**

All LabelWorks printers are designed from the ground up for greater cost efficiency. Through the use of significantly smaller side margins, margin wastage is reduced by up to 60 percent#1. Labels are perfectly sized for fast and easy application.



### From Ordinary to Extraordinary



LabelWorks printers offer tremendous creative flexibility with up to 14 font types and 10 different styles (bold, shadow, outline, etc), 457 symbols and 87 frames, for users to create unique labels for every need. Epson's wide selection of high-quality labels in a variety of styles, sizes and colours lets you create labels as eye-catching, personal or professional as needs be. Tape widths range from 9mm to 36mm, in standard, metallic and pastel colours, patterns, and even specialised applications such as iron-on, glow-in-the-dark, cable wrap and index tapes.

### **Create Once, Reuse Anytime**

Say no to spending precious time and effort to recreate your favourite labels. The LabelWorks LW-300 can store up to 30 custom designs, while the LW-400 can store up to 50 custom designs so that users can easily reprint label designs when necessary. With LW-900P, you can store as many designs as the available hard disk space on your connected PC or Mac allows.



## **Ultimate Versatility with Epson Label Editor** (LW-900P only)



The LW-900P can be connected to a PC or an Apple Mac OS X computer to personalise and create larger labels up to 36mm in width. Epson Label Editor software allows users to insert images and company logos on the labels. Additionally a full range of font types are available on a user's PC or Mac. With a resolution of 360dpi and a print speed of up to 25mm/s, the LW-900P is perfect for high volume printing of labels for filling, storage, equipment identification and signage, as well as for post rooms, goods in/out and facilities management.

<sup>#110</sup>mm margins versus competitive label printer brands with 26mm margins.

# **Economical, Longer-lasting Labels**

Whether you work in an office, factory, retail outlet, medical environment or a school, a wide selection of tape types, sizes and colours means you can be sure Epson has exactly the right one for you. With the new LabelWorks range, you even get the choice of our transparent, pastel, metallic ranges as well as specialist cable wrap labels.

Epson labels can withstand exposure to heat, cold and wet conditions, making them ideal for any application in offices through to tough industrial environments. The powerful LabelWorks range is designed to work perfectly with Epson tapes every time, leaving minimal margins and less waste. And with Epson's 8-metre tapes, you get more labels for your money.

- Save money with economical 8-metre tapes
- Lift and reposition standard labels within 24 hours
- Fully tested, durable labels that survive extreme temperatures and wet conditions
- Labels stick fast to almost any surface even curved, glass and stainless steel
- No residue from adhesive when labels are removed

### LabelWorks LW-300

Compact and efficient helper

- Electronic label maker with integrated keyboard
- Accepts 9 and 12mm tape widths
- Simple to use with ergonomic buttons and high-quality LCD screen
- Dedicated buttons give quick access to cutting and printing functions
- Store up to 30 custom label designs for instant recall



# LabelWorks LW-400

Powerful and flexible organiser

- Portable electronic label maker with built-in keyboard
- Accepts 9, 12 and 18mm tape widths
- Ideal for office labelling, including filing, storage, asset tagging and barcode printing
- Simple to use with ergonomic buttons
- Dedicated buttons give quick access to cutting and printing functions
- Store up to 50 custom label designs for instant recall
- Backlit LCD screen for a clear view, whatever the light conditions



# LabelWorks LW-900P

Professional labelling from your Mac or PC

 Desktop electronic label printing system that connects to your PC or Mac

• Accepts 9, 12, 18, 24 and 36mm tape widths

• Ideal for office labelling, including filing, storage, asset tagging and barcode printing

• Easy-to-use label editing software included

 Choose from pre-defined templates or design your own

 Easily insert images, borders, barcodes and symbols

 Import data in csv, txt and xls(x) formats and print labels for each line of data





# LabelWorks™ LW-300/400/900P

MODEL	LW 000	LW 400	LW COOP
MODEL	LW-300	LW-400	LW-900P
PRINTING	Th	The second transfer	The second description
TECHNOLOGY	Thermal transfer	Thermal transfer	Thermal transfer
TAPE WIDTH	9, 12mm	9, 12, 18mm	9, 12, 18, 24, 36mm
RESOLUTION	180 dpi	180 dpi	360 dpi
PRINTABLE DOT NUMBERS	64	64	384
MAX. PRINT HEIGHT	9mm	9mm	27.1mm
MAX. PRINT SPEED	6mm/sec	6mm/sec	25mm/sec
MAX. NO. OF PRINTABLE LINES	2	4	Custom
MAX. TEXT LENGTH	80	80	Custom
MULTI-BLOCK	NA	NA	Yes
PRINT SETTINGS			
REPEAT PRINTING	1 – 9 (Cut-mark)	1 – 9 (Cut-mark)	Yes
AUTO INCREMENT	0 - 9	0 – 9, a – z, A – Z	Yes
MIRROR PRINTING	Yes	Yes	Yes
VERTICAL PRINTING	Yes	Yes	Yes
MARGIN SETTING			
	10mm fixed	10mm fixed	Manual / Auto
FIXED LENGTH	Auto / 30mm – 400mm (1" – 15")	Auto / 30mm – 400mm (1" – 15")	NA
SETTING AREA	Whole label	Whole label	Custom
WIRE WRAP	NA	Yes	Yes
FLAG	NA	Yes	Yes
BARCODES	NA	8 (EAN-8 / EAN-13 / CODE39 /	14 (EAN-8 / EAN13 / CODE39 /
		CODE128 / UPC-A / UPC-E /	CODE128 / UPC-A / UPC-E /
		CODABAR / ITF)	CODABAR / ITF / EAN128 / GS1DataBar
			QRcode / MaxiCode / PDF417 / Data Matrix)
FONTS & STYLES			GI 1000E / IVIANIOUGE / FDF417 / Data IVIALITA)
FONTS	14 (Sans serif, Sans serif HG, Sans serif ST, Gothic,	14 (Sans serif, Sans serif HG, Sans serif ST, Gothic,	Dependent on user's PC
TONIO	Bold Gothic, Roman, US Roman, CL Roman, Mincho,	Deld Cathia Danca HC Danca CL Dan	Dependent on user's PO
	Bold Gotnic, Roman, US Roman, CL Roman, Mincho,	Bold Gothic, Roman, US Roman, CL Roman, Mincho,	
	Gyosho, Reisho, BR, CB, Script PL)	Gyosho, Reisho, BR, CB, Script PL)	
FONT SIZE	5	5	Dependent on user's PC
FRAMES	87	87	Dependent on user's PC
TABLES	2	2	Dependent on user's PC
STYLES	10 (Normal, Italic, Bold, Outline, Shadow, Shadow +	10 (Normal, Italic, Bold, Outline, Shadow, Shadow +	Dependent on user's PC
011220	Outline, Bold + Italic, Outline + Italic, Shadow	Outline, Bold + Italic, Outline + Italic, Shadow	Bopondon on door or o
	+ Italic, Shadow + Outline + Italic)	+ Italic, Shadow + Outline + Italic, Shadow	
LAYOUT ALIGNMENT	Left	Left	D 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
LETTER PITCH		Leit	Dependent on user's PC
	Yes	Yes	Dependent on user's PC
LETTER WIDTH	3	2	Dependent on user's PC
MEMORY			
ALPHANUMERIC	62	62	Dependent on user's PC
ACCENT	179	179	Dependent on user's PC
ACCENT LEARNING	Yes	Yes	NA
SYMBOLS	457	457	Dependent on user's PC
SAVED LABEL DESIGN	30	50	Dependent on user's PC
LAST LABEL	Yes	Yes	NA
HARDWARE			
CUTTER	Manual	Manual	Auto, Half, Trim
DETECTION	Tape width, cover open	Tape width, cover open	Tape width, cover open
STRAP HOLE	Yes	Yes	Yes
POWER LAMP	NA	NA	Yes
HALF CUT LAMP	NA	NA	Yes
FEED BUTTON	NA	NA	Yes
KEYBOARD	101		100
TYPE / NO. OF KEYS	QWERTY / 59	QWERTY / 61	Dependent on user's PC
	QTVLITT / UU	QWENT / UI	Dopondont on user's FO
DISPLAY	100 10 -1-1	100 00 -1-4	NA
SIZE	128 × 16 dot	128 x 32 dot	NA
BACKLIT DISPLAY	NA	Yes	NA
NO. OF CHARACTERS PER LINE	6	16	NA
NO. OF LINES	1	2	NA
PREVIEW	Yes	Yes	NA
LANGUAGE	7 (English, French, German, Spanish,	7 (English, French, German, Spanish,	NA
	Portuguese, Italian, Dutch)	Portuguese, Italian, Dutch)	
OTHER FUNCTIONS	Auto power off, Software reset, Unit switch (mm / inch)	Auto power off, Software reset, Unit switch (mm / inch)	NA
PC CONNECTION	The part of the contract food, of the control (Hill)	in the part of the contract of the contract (min / mon)	
INTERFACE	NA	NA NA	USB
OPERATING SYSTEM	NA	NA	Windows 7 (32/64 bit), Vista (32/64 bit),
			XP (32/64 bit), Mac OS X
HARD DISK SPACE	NA	NA	Approx. 100 MB
PC DISPLAY REQUIREMENTS	NA	NA	XGA (1024 x 768) or better
INCLUDED SOFTWARE (PC/MAC COMPATIBLE)	NA	NA	Epson Label Editor: Wizard, Pre-set
,			labels (format), View history, Import data
			(.xls, .xslx, .txt, .csv), Background patterns
POWER CONSUMPTION			Land, Mari, 1007), Davinground patterns
PRINTING (AVERAGE)	2.280W	2.555W	13.630W
READY	0.360W	0.556W	0.700W
POWER OFF	0.180W	0.180W	0.270W
GENERAL			
BATTERIES	6 AAA – not included	6 AA – not included	NA
LOW BATTERY INDICATOR	Yes	Yes	NA NA
DIMENSIONS (D × W × H) WEIGHT	150 × 145 × 55mm	170 x 110 x 56mm	85 x 182 x 146mm
	435g	418g	900g
	B1 1 110 1 1 0		
COLOUR	Black, White and Geen	Black, White and Green	Pale Grey and Green
	Black, White and Geen 1 year	Black, White and Green  1 year	1 year

LabelWorks<sup>™</sup> **LW-300** 



LabelWorks<sup>™</sup> **LW-400** 



LabelWorks<sup>™</sup> **LW-900P** 















EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation.

All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

EPSON disclaims any and all rights in those marks. Scan/Print samples shown herein are simulations. Specifications are subject to change without notice.

### EPSON SINGAPORE PTE LTD

1 HarbourFront Place #03-02 , HarbourFront Tower One, Singapore 098633 Tel : (65) 6586-5500 Fax : (65) 6271-9755

#### EPSON CUSTOMER CARE CENTRE

108 Pasir Panjang Road, #04-08 Golden Agri Plaza, Singapore 118535 Call Epson Helpdesk at (65) 6586-3111 for Service Centre Location.

Information correct at time of printing.

Dealer's Stamp



Sales Enquiries 6586 3111

www.epson.com.sg

Printed March 2012

