SPECIFICATIONS SURECOLOR[™] SC-T3130/T3130N/T3430/T5130/T5430

SC-T5130

2400 x 1200 dpi

Black: 50ml 80ml

4.0pl

31 sec

3 mm

N/A

N/A

1GB

Windows

Mac Setup Navi N/A

AC 100-240V Frequency: 50/60Hz

Power Off: Approx 0.2W

1268 x 696 x 913 (WxDxH)

Maintenance box and Roll Spindle

46ka (without ink)

Roll Feed Spindle (36")

Auto Cutter Spare Blade Maintenance Box

3-years warranty

Operating: Approx. 28W; Ready: Approx. 8W; Sleep: Approx. 1.6 W;

Operating: 20 to 80% (no condensation), Storage: 5 to 85% (no condensation)

Yes (Up to A3)

USB/LAN/WiFi

4.3" Touch Screer

PrecisionCore TFP® Printhead 1.3"

Epson UltraChrome XD2 Pigment Ink

Cyan, Magenta, Yellow: 26ml, 50ml

Cutsheet(ASF): A4 to A3 Cutsheet(1 sheet): 210 mm to 910 mm

Inkjet Coated Paper, Tracing Paper, Plain Paper

Auto Sheet Feeder/Cutsheet: 0.12 mm to 0.27 mm

Super-Speed USB*, 100BASE-TX /1000BASE-T/ IEEE802.11b/g/n

Install Navi - Printer driver - EpsonNet Setup - EpsonNet Print - EpsonNet Config Epson Software Updater - LFP Print Plug-In for Office - Epson manuals

ESC/P raster HP-GL/2, HP RTL *1 Supports Epson Document Scanner

Crop/Rotate/Enlarge Tools

2" core, Max. 110 mm/5kg

Roll: 329 mm to 914 mm

Roll: 0.05 mm to 0.21 mm

4 colours - Cyan, Magenta, Yellow, Black

3200 nozzles (800 nozzles x 4 channels x 1 head)

22 sec

Epson Edge Dashboard Accounting Tool

Operating: Approx. 38W

1385 x 966 x 1060 mm (WxDxH)

76kg (without ink)

Ready: Approx. 1.3W; Sleep: Approx. 1.3W; Power Off: Approx 0.25W

Model Name

Printer Width Print Technology

Maximum Resolution

Minimum Ink Droplet Volume

Printhead Nozzle Configuration

Print Speed

CAD (A1)

Colours

Ink Capacity

Paper Width

Media Type Side Margin

Media Thickness

Borderless Print

Connectivity

Printer Interfaces

Printer Languages

Scanner Integration Advanced Printer Drive

Software (Bundled in CD)

Printer Management

Power Requirements

Power Consumption

Recommended Operating

Femperature & Humidity

Printer Dimensions

What's in the box

Consumables

Warranty

Dimensions

Weight

Options

Power and Operating Requirements

Memory

I/F USB Direct

Auto-Sheet Feede Control Panel

Paper Handling

Maximum Roll Diameter/Weight

Ink System Ink Type



LARGE FORMAT PRINTERS SURECOLOR[™] SC-T3130/T3130N/T3430/T5130/T5430

SC-T5430	Dimensions and Weight	
	SureColor SC-T5130 Weight: 46kg (without ink cartridges)	
22 sec	913mm	FAST AND ACCUI DOWN TO THE FI
Cyan, Magenta, Yellow and Black: 110ml Cyan, Magenta, Yellow and Black: 350ml	SureColor SC-T5430 Weight: 76kg (without ink)	
2/3" Core, Max. 170 mm/12kg Roll: 254 mm to 914 mm Cutsheet: 210 mm to 914 mm	1385mm	
Up to 0.3 mm	966mm	
Yes N/A	*Compatible with the USB 3.0 specification.	
	_	JULUUL
Yes		
Super-Speed USB, 100BASE-TX / 1000BASE-T,IEEE802.11b/g/n, USB Host		



are engineered to enhance work processes. With their ability to print your vision and ideas clearly in your prints because the details, matter.

36 "		Direct	genuine		PC free
Up to	Wi-Fi	Wi-Fi	Epson	Water	PC Free
36" Wide1		Direct	Genuine Inks	Resistant	USB Memory ²

Information correct at time of printing Printed September 2019

Dealer's Stamp

© 2019 Epson Singapore Pte Ltd. All Rights Reserved.

Reproduction in part or in whole, without the writter ermission from Epson, is strictly prohibited, EPSON

and EXCEED YOUR VISION are registered trademark of Seiko Epson Corporation. All other product names

identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks.

Print samples shown are simulations only. Specifications

and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc.

registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

and other company names used herein are for



Sales Enquiries 800 120 5564

📑 EpsonSEA 🧿 EpsonSEA 🄰 @EpsonSEA You 🗰 EpsonSoutheastAsia in Epson Southeast Asia For latest specifications, visit www.epson.com.sg/T-series or call 800 120 5564.

Epson Singapore Pte Ltd 1 Harbourfront Place, #03-02 HarbourFront Tower One, Singapore 098633. Tel: (65) 6586-5500 Fax: (65) 6271-9755 Epson Customer Care Centre 108 Pasir Panjang Road, #04-08 Golden Agri Plaza, Singapore 118535. Epson Helpdesk: 800 120 5564. Operating hours: Monday - Friday, 9am - 6pm, Saturday, 9am - 1pm. Closed on Sunday and Public Holiday.

Printer, Printer stand, Initial ink cartridge, AC power cable, setup guide, software CD-ROM



¹Up to 36" for SC-T5130/T5430 and up to 24" for SC-T3130/T3130N/T3430. ²Supported only on SC-T3430 and T5430. ³Print speed is based on the SC-T5430.



Introducing the new Epson SureColor T-series printers that are able to meet a variety of printing needs with an exacting eye on details. With all core technologies developed by Epson, such as the PrecisionCore printheads and the UltraChrome XD2 ink, expect reliable performance and exceptional quality that works perfectly with your business.



Compact, User-Friendly Design

Small Footprint

Sleek, minimally designed, the T-series is of a comfortable size that fits into tight work spaces effortlessly. At just 970 x 505 x 230mm without the stand, the SC-T3130N has one of the smallest footprint in its class.



Ideal For Corners

As the printers are built for a full front operation, they can be placed ideally in any corner of the office, without taking up too much space.



User Convenience In Mind

Designed with the user in mind, the printer will print and cut printouts without dropping it from the printer, until it is ready to be collected.



Ergonomically Design

Designed with the user in mind, the T-series printers' smart design can cater to users of different heights to help make it comfortable for them to load the media as well as to operate the printers.



Auto Switch Function*

As the T-series printers takes into account smaller sized offices, it is developed to allow loading of a range of paper sizes. The Auto Switch Function enables a seamless switch between roll paper and cut sheet paper, reducing the need for a second printer for additional A3 or A4 printing.

*Supported only on SC-T3130/T3130N/T5130



Trusted Productivity

Wireless Connectivity

The T-series is integrated with Wi-Fi and Wi-Fi Direct, making it convenient to print right from smart devices from anywhere in the office. The Wi-Fi Direct function acts as an access point, allowing devices to connect directly to the printer without a router. Additionally, the T-series printers come equipped to allow direct wireless printing from any Apple devices through Apple AirPrint, without the need for any additional drivers.







LARGE FORMAT PRINTERS SURECOLOR[™] SC-T3130/T3130N/T3430/T5130/T5430

Control At Your Fingertips

A 4.3 inch touch panel on the T-series gives you the convenience of an easy setup and a PC-less operation that just makes things extra efficient.



Preview Before Printing

Save time and money when you preview your documents before printing, preventing accidental misprints that could otherwise lead to wastage.



Seamless Scan To Print

Scan and enlarge your printouts in just four easy steps without needing to connect to a computer. Using compatible Epson scanners*, you can seamlessly scan and print directly from the T-series printers.

*Recommended scanners: WorkForce DS-530, DS-6500, DS-60000.



Precision Printhead Technology

The T-series comes equipped with the next-generation PrecisionCore printhead technology, enabling superior print speed, quality and reliability. PrecisionCore technology utilises piezo elements to mechanically eject the ink. This heatless technology prolongs printhead longevity, providing reliable long-term operation.



The PrecisionCore technology, as well as Variable Size Dot Technology, allow the ink droplets to be controlled to the finesse of 3.5 picolitres.

Nozzle Verification Technology

Print without interruptions with the advanced built-in Nozzle Verification Technology (NVT). This technology monitors nozzle health and adjusts print quality automatically without interruption, even during printing.



The piezo element (sensor) detects the residual vibration (pressure change) in the ink chamber and diagnoses the nozzle condition.

If a clogged nozzle is indicated by an irregular vibration pattern, the printer automatically adjusts the , print quality.



Anti-dust Design

Incorporating a unique anti-dust design, the T-Series printers require minimal cleaning and maintenance that are required for environments that are traditionally dusty, such as, construction sites.



Outstanding Speed & Quality

Impressive Print Speeds

The PrecisionCore printhead technology enables remarkable print speeds that will print A1 printouts in 22 seconds* – the fastest in speed among all Epson T-series printers.

*Print speed is based on the SC-T5430.



Security & Workflow Management

The T-series printers support the following security standards: • IEEE802.1X: LAN Standard

- SNMPv3: Network Device Management
- Encryption Standard: TLS/SSL. HTTPs, IPsec

Applications

Small Enterprise	Medium Enterprise	
Small Office / Home Office	Architectures / Advertising Agencies / Interior Designs	Geog Syste
 Home Poster Cut Art Papers Photo Printing Sewing Pattern 	 Architecture Drawings Business Proposals Advertisements Interior 3D Drawings 	• Bui • Pat • GIS • Blu
Education ABCDEFG HIJKLMN OPORSTU VWXYZ01 2345678	Retails / Hotels / Bookstores	F&B
 Education Materials Brochures Alphabetical Posters Rewards Chart 	 Point Of Sales Posters Wobblers Brochures 	• Poi • Wo • Bro • Not

Unsurpassable Quality

With an improved formulation that works especially well with plain paper and special media such as tracing paper, the UltraChrome XD2 delivers accurate and sharp line printing that is suitable for vector images or luster data. The all-pigment ink achieves less bleed-through and is better at withstanding the harsh weather conditions compared to dye-inks. Additionally, the T3430 and T5430 printers support borderless printing.



Furthermore, the printers enable a smoother workflow management for multiple printers with the use of these software:

- Epson Edge Dashboard
- EpsonNet Setup Manager
- Epson Device Admin



LARGE FORMAT PRINTERS SURECOLOR[™] SC-T3130/T3130N/T3430/T5130/T5430

Convenience & Accessibility

Featuring front access for all your operations, you can easily place the T-series printers up against a wall and in a corner, keeping your space free for other things. Printouts, ink changes, and paper replacements can all be easily accessed from the front, to enable greater convenience.



PARTNERS IN PERFECTION



WorkForce DS-530

WorkForce DS-6500

WorkForce DS-60000

Scan and enlarge your printouts effortlessly with Epson scanners. The SureColor T-series is compatible with the Epson WorkForce DS-530, DS-6500 and DS-60000 scanners. Simply connect the scanner to the printer and you can enlarge the printout.

SPECIFICATIONS SURECOLOR[™] SC-T3130/T3130N/T3430/T5130/T5430

Model Name	SC-T3130	SC-T3130N	SC-T3430
	24"	30-1313014	30-13430
Printer Width	24		
Print Technology			
Printhead	PrecisionCore TFP® Printhead 1.3"		
Nozzle Configuration	3200 nozzles (800 nozzles x 4 channels x 1 head)		
Maximum Resolution	2400 x 1200 dpi		
Minimum Ink Droplet Volume	4.0pl		
Print Speed	24		25
CAD (A1)	34 sec		25 sec
Ink System	Encon UltraChromo	(D2 Digmont Ink	
Ink Type Colours	Epson UltraChrome >	-	
Ink Capacity	4 colours - Cyan, Ma Black: 50ml , 80ml	genta, reliow, black	Cyan, Magenta, Yellow and Black: 110ml
пк сараску	Cyan, Magenta, Yello	w: 26ml, 50ml	Cyan, Magenta, Yellow and Black: 110ml Cyan, Magenta, Yellow and Black: 350ml
Paper Handling			
Maximum Roll Diameter/Weight	2" core, Max. 110 mr	n/3kg	2/3" Core, Max. 170 mm/8kg
Paper Width	Roll: 329 mm to 610	-	Roll: 254 mm to 610 mm
	Cutsheet (ASF): A4 to Cutsheet (1 sheet): 2		Cutsheet: 210 mm to 610 mm
Madia Tura			
Media Type Side Margin	3 mm	Tracing Paper, Plain Paper	
Media Thickness	Roll: 0.05 mm to 0.21	mm	Up to 0.3 mm
Wedia mickness	ASF/Cutsheet: 0.12 n		0p to 0.3 mm
Borderless Print	N/A		Yes
Auto-Sheet Feeder	Yes (Up to A3)		N/A
Control Panel	4.3" Touch Screen		-
Connectivity			
I/F	USB/LAN/WiFi		
USB Direct	N/A		Yes
Printer Interfaces	Super-Speed USB*, 100BASE-TX /1000B	ASE-T/IEEE802.11b/g/n	Super-Speed USB, 100BASE-TX / 1000BASE-T,IEEE802.11b/g/n, USB Host
Printer Languages	ESC/P rasterHP-GL/2, HP RTL		
Scanner Integration	Supports Epson Document Scanner		
Advanced Printer Driver	Crop/Rotate/Enlarge Tools		
Memory	1GB		
Software (Bundled in CD)		iriver - EpsonNet Setup - EpsonNet P ater - LFP Print Plug-in for Office - Ep	
Printer Management	N/A		Epson Edge Dashboard
			Accounting Tool
Power and Operating Requirements			
Power Requirements	AC 100-240V Frequency: 50/60Hz		
Power Consumption	Operating: Approx. 2 Ready: Approx. 8W; 5 Power Off: Approx 0.	Sleep: Approx. 1.6 W;	Operating: Approx. 34W; Ready: Approx. 1.3W; Sleep: Approx. 1.3 W Power Off: Approx 0.25W
Recommended Operating Temperature & Humidity	Operating: 20 to 80% (no condensation), Storage: 5 to 85% (no condensation)		
Printer Dimensions			
Dimensions	970 x 696 x 913 (WxI	DxH) 970 x 505 x 230 (WxDxH)	1080 x 750 x 1060 (WxDxH)
Weight	38kg (without ink cartridge	s) 27kg (without ink cartridges)	64kg (without ink)
What's in the box		Printer, Printer stand, Initial ink cartridge, AC power cable, setup guide, software CD-ROM, Maintenance box and Roll Spindle	
Options	Roll Feed Spindle (24	") Stand (24") Roll Feed Spindle (24")	Roll Feed Spindle (24")
Consumables	Auto Cutter Spare Bla Maintenance Box	ade	
Warranty	3-years warranty		



-T3130N	SC-T3430
inels x 1 head)	
	25 sec
	20 580
۱k	
Black	
l	Cyan, Magenta, Yellow and Black: 110m Cyan, Magenta, Yellow and Black: 350m
	2/3" Core, Max. 170 mm/8kg
	Roll: 254 mm to 610 mm Cutsheet: 210 mm to 610 mm
mm	Cuisneer. 210 min to 610 min
, Plain Paper	
n	Up to 0.3 mm
	Yes
	N/A
	Yes
2.11b/g/n	Super-Speed USB, 100BASE-TX / 1000BASE-T,IEEE802.11b/g/n, USB Hos
r	
	Net Print - EpsonNet Config - e - Epson manuals
	Epson Edge Dashboard

Dimensions and Weight

SureColor SC-T3130 Weight: 38kg (without ink cartridges)



SureColor SC-T3130N Weight: 27kg (without ink cartridges)



SureColor SC-T3430 Weight: 64kg (without ink)



Compatible with the USB 3.0 specification.