SPECIFICATIONS

CKU Code	SC-V1030	DImensions & Weight
SKU Code Printing Technology	C11CK69402	— SC-V1030
Technology 1	MicroPiezo Inkjet Technology	Weight: 59 kg (130 lb)
Technology 2	Variable-Sized Droplet Technology	
Printhead	MicroPiezo Printhead	A 444
Curing Method	LED-UV Type	- 426mm
Nozzle Configuration	1,440 nozzles (180 nozzles x 8 lines x 1 head)	
	CMYK: 180 nozzles for each colour	(16.8")
	Vr/Wh: 180 nozzles x 2 lines	
Maximum Ink Droplet Volume	1,440 x 1,440 dpi 5.5pl	
Printing Specifications	0.0pi	
Print Speed	720 x 720 dpi, 12 Pass (Colour): 0.89m²/h	
	1,440 x 720 dpi, 16 Pass (White): 0.65m²/h	699mm 699mm
Graphic Mode	Production (Colour): 0.68m ² /h ; Quality (Colour): 0.5m2/h	(27.5") (27.5")
Text Mode	Production (Colour): 0.68m ² /h	
Ink System		
Ink Type Ink Brand Name	UV Curable Ink Epson UltraChrome UV Ink	
Colours	Black, Cyan, Magenta, Yellow, White, Varnish	
Ink Capacity	140ml	-
Ink Case	Ink Supply Unit	
Media Handling		— 042mm
Maximum Printing Area	212 x 299 mm	
Maximum Media Size	210 x 297 mm	(37")
Maximum Media Thickness	70 mm	
Maximum Media Weight	3 kg	
Control Panel	4.3" Touch Screen	
Colour/Size Connectivity	4.3 Touch Screen	
Interface	SuperSpeed USB (Compatible with the USB 3.0 Specification),	
	100BASE-TX / 1000BASE-T / IEEE802.11b/g/n/az/ac	
Printer Language	ESC/P raster	-
Memory	1GB	— 699mm ² 699mm
Operating System Requireme		— (27.5") (27.5")
PC System Requirement	Windows 7 (32/64) or later	
	For Epson Edge Print:	
	OS: Windows® 11, Windows® 10 (64bit), Windows® 8.1 (64bit) CPU: Intel® Core™ i5 3.0GHz or more	
	Memory: 8GB or more free space	
	HDD: 50GB or more free space	
	Monitor: 1,280 x 1,024 or more	
Mac System Requirement	Mac OS 10.6.8 or later	What's in the box:
Utility Software		Printer
Web Delivery	Web Installer, Firmware Update, Epson Manual Launcher, Epson Edge Print PRO,	 Ink Charging Unit
	Epson Edge Dashboard, LFP Accounting Tool, Epson Cloud Solution PORT for mobile,	Tray Attachment
Dimensions & Weight	Epson Remote Monitoring System, Epson Cloud Solution PORT	 Cleaning Ink Supply Unit x 6pcs
Dimensions (W x H x D)	Printing: 699 x 426 (Cover Closed) / 942 (Cover Opened) x 699 mm	Wiper Unit
	Stowed: 699 x 426 x 699 mm	
Weight	Stowed: 699 x 426 x 699 mm 59 kg	Air Filter x 2 pcs
Electrical Specifications Voltage	59 kg AC 220 - 240 V, 50/60Hz	Air Filter x 2 pcs
Voltage Rated Current	59 kg	 Air Filter x 2 pcs AC Power Cable
Electrical Specifications Voltage Rated Current Environmental Conditions	59 kg AC 220 - 240 V, 50/60Hz	 Air Filter x 2 pcs AC Power Cable
Electrical Specifications Voltage Rated Current Environmental Conditions Temperature	59 kg AC 220 - 240 V, 50/60Hz AC 100 - 240V, 6.4 - 3.8A	 Air Filter x 2 pcs AC Power Cable
Electrical Specifications Voltage Rated Current Environmental Conditions Temperature Operating	59 kg AC 220 - 240 V, 50/60Hz AC 100 - 240V, 6.4 - 3.8A 15°C - 30°C	 Air Filter x 2 pcs AC Power Cable
Electrical Specifications Voltage Rated Current Environmental Conditions Temperature Operating Storage	59 kg AC 220 - 240 V, 50/60Hz AC 100 - 240V, 6.4 - 3.8A	 Air Filter x 2 pcs AC Power Cable
Electrical Specifications Voltage Rated Current Environmental Conditions Temperature Operating Storage	59 kg AC 220 - 240 V, 50/60Hz AC 100 - 240V, 6.4 - 3.8A 15°C - 30°C	 Air Filter x 2 pcs AC Power Cable Note that items may vary depending on the region.
Electrical Specifications Voltage Rated Current Environmental Conditions Temperature Operating Storage Humidity	59 kg AC 220 - 240 V, 50/60Hz AC 100 - 240V, 6.4 - 3.8A 15°C - 30°C -20°C - 40°C	 Air Filter x 2 pcs AC Power Cable
Electrical Specifications Voltage Rated Current Environmental Conditions Temperature Operating Storage Humidity Operating Storage Acoustic Noise Level	59 kg AC 220 - 240 V, 50/60Hz AC 100 - 240V, 6.4 - 3.8A 15°C - 30°C -20°C - 40°C 20% - 80% (No Condensation)	Air Filter x 2 pcs AC Power Cable Note that items may vary depending on the region.
Electrical Specifications Voltage Rated Current Environmental Conditions Temperature Operating Storage Humidity Operating Storage Acoustic Noise Level Sound Pressure Level	59 kg AC 220 - 240 V, 50/60Hz AC 100 - 240V, 6.4 - 3.8A 15°C - 30°C -20°C - 40°C 20% - 80% (No Condensation) 5% - 85% (No Condensation) Approx. 60db	Air Filter x 2 pcs AC Power Cable Note that items may vary depending on the region. C2024 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON is a registered trademark of Seiko Epson
Electrical Specifications Voltage Rated Current Environmental Conditions Temperature Operating Storage Humidity Operating Storage Acoustic Noise Level Sound Pressure Level Sound Power Level	59 kg AC 220 - 240 V, 50/60Hz AC 100 - 240V, 6.4 - 3.8A 15°C - 30°C -20°C - 40°C 20% - 80% (No Condensation) 5% - 85% (No Condensation)	Air Filter x 2 pcs AC Power Cable Note that items may vary depending on the region. @
Electrical Specifications Voltage Rated Current Environmental Conditions Temperature Operating Storage Humidity Operating Storage Acoustic Noise Level Sound Pressure Level Sound Pressure Level Certifications	59 kg AC 220 - 240 V, 50/60Hz AC 100 - 240V, 6.4 - 3.8A 15°C - 30°C -20°C - 40°C 20% - 80% (No Condensation) 5% - 85% (No Condensation) Approx. 60db 7.5B or less	Air Filter x 2 pcs AC Power Cable Note that items may vary depending on the region. (2024 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON is a registered trademark of Seiko Epson Corporation. All other product and company names used herein are for identification purposes only and are the trademarks
Electrical Specifications Voltage Rated Current Environmental Conditions Temperature Operating Storage Humidity Operating Storage Acoustic Noise Level Sound Pressure Level Sound Pressure Level Certifications	59 kg AC 220 - 240 V, 50/60Hz AC 100 - 240V, 6.4 - 3.8A 15°C - 30°C -20°C - 40°C 20% - 80% (No Condensation) 5% - 85% (No Condensation) Approx. 60db 7.5B or less USA (UL), Canada (CSA), Mexico (NOM), Argentina, EU (CE), UK (UKCA), Germany (GS),	Air Filter x 2 pcs AC Power Cable Note that items may vary depending on the region. ©2024 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON is a registered trademark of Seiko Epson Corporation. All other product and company names used herein are
Electrical Specifications Voltage Rated Current Environmental Conditions Temperature Operating Storage Humidity Operating Storage Acoustic Noise Level Sound Pressure Level Sound Pressure Level Certifications	59 kg AC 220 - 240 V, 50/60Hz AC 100 - 240V, 6.4 - 3.8A 15°C - 30°C -20°C - 40°C 20% - 80% (No Condensation) 5% - 85% (No Condensation) Approx. 60db 7.5B or less	Air Filter x 2 pcs AC Power Cable Note that items may vary depending on the region. @
Electrical Specifications Voltage Rated Current Environmental Conditions Temperature Operating Storage Humidity Operating Storage Acoustic Noise Level Sound Pressure Level Sound Power Level Certifications Safety	59 kg AC 220 - 240 V, 50/60Hz AC 100 - 240V, 6.4 - 3.8A 15°C - 30°C -20°C - 40°C 20% - 80% (No Condensation) 5% - 85% (No Condensation) Approx. 60db 7.5B or less USA (UL), Canada (CSA), Mexico (NOM), Argentina, EU (CE), UK (UKCA), Germany (GS), Ukraine, Morocco, India (BIS), Singapore (Consumer Protection [Safety Requirements]	Air Filter x 2 pcs AC Power Cable Note that items may vary depending on the region. @2024 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON is a registered trademark of Seiko Epson Corporation. All other product and company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary.
Electrical Specifications Voltage Rated Current Environmental Conditions Temperature Operating Storage Humidity Operating Storage Acoustic Noise Level Sound Pressure Level Sound Pressure Level Sound Power Level Certifications Safety Electromagnetic	59 kg AC 220 - 240 V, 50/60Hz AC 100 - 240V, 6.4 - 3.8A 15°C - 30°C -20°C - 40°C 20% - 80% (No Condensation) 5% - 85% (No Condensation) 5% - 85% (No Condensation) Approx. 60db 7.5B or less USA (UL), Canada (CSA), Mexico (NOM), Argentina, EU (CE), UK (UKCA), Germany (GS), Ukraine, Morocco, India (BIS), Singapore (Consumer Protection [Safety Requirements] Registration Scheme), Cambodia, Hong Kong (EPSR) USA (FCC), Canada (ICES), EU (CE), UK (UKCA), Ukraine, Morocco, Australia (RCM), Korea (Korean MSIP Regulation), Japan (VCCI, Harmonics Regulation)	 Air Filter x 2 pcs AC Power Cable Note that items may vary depending on the region. ©2024 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON is a registered trademark of Seiko Epson Corporation. All other product and company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and
Electrical Specifications Voltage Rated Current Environmental Conditions Temperature Operating Storage Humidity Operating Storage Acoustic Noise Level Sound Pressure Level Sound Pressure Level Sound Power Level Certifications Safety Electromagnetic Inks & Consumables	59 kg AC 220 - 240 V, 50/60Hz AC 100 - 240V, 6.4 - 3.8A 15°C - 30°C -20°C - 40°C 20% - 80% (No Condensation) 5% - 85% (No Condensation) 5% - 85% (No Condensation) Approx. 60db 7.5B or less USA (UL), Canada (CSA), Mexico (NOM), Argentina, EU (CE), UK (UKCA), Germany (GS), Ukraine, Morocco, India (BIS), Singapore (Consumer Protection [Safety Requirements] Registration Scheme), Cambodia, Hong Kong (EPSR) USA (FCC), Canada (ICES), EU (CE), UK (UKCA), Ukraine, Morocco, Australia (RCM), Korea (Korean MSIP Regulation), Japan (VCCI, Harmonics Regulation) Order Code	Air Filter x 2 pcs AC Power Cable Note that items may vary depending on the region. @2024 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON is a registered trademark of Seiko Epson Corporation. All other product and company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary.
Electrical Specifications Voltage Rated Current Environmental Conditions Temperature Operating Storage Humidity Operating Storage Acoustic Noise Level Sound Pressure Level Sound Pressure Level Sound Power Level Certifications Safety Electromagnetic Inks & Consumables	59 kg AC 220 - 240 V, 50/60Hz AC 100 - 240V, 6.4 - 3.8A 15°C - 30°C -20°C - 40°C 20% - 80% (No Condensation) 5% - 85% (No Condensation) Approx. 60db 7.5B or less USA (UL), Canada (CSA), Mexico (NOM), Argentina, EU (CE), UK (UKCA), Germany (GS), Ukraine, Morocco, India (BIS), Singapore (Consumer Protection [Safety Requirements] Registration Scheme), Cambodia, Hong Kong (EPSR) USA (FCC), Canada (ICES), EU (CE), UK (UKCA), Ukraine, Morocco, Australia (RCM), Korea (Korean MSIP Regulation), Japan (VCCI, Harmonics Regulation) Order Code Black C13T53R120	 Air Filter x 2 pcs AC Power Cable Note that items may vary depending on the region. ©2024 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON is a registered trademark of Seiko Epson Corporation. All other product and company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local
Electrical Specifications Voltage Rated Current Environmental Conditions Temperature Operating Storage Humidity Operating Storage Acoustic Noise Level Sound Pressure Level Sound Pressure Level Sound Power Level Certifications Safety Electromagnetic Inks & Consumables	59 kg AC 220 - 240 V, 50/60Hz AC 100 - 240V, 6.4 - 3.8A 15°C - 30°C -20°C - 40°C 20% - 80% (No Condensation) 5% - 85% (No Condensation) Approx. 60db 7.5B or less USA (UL), Canada (CSA), Mexico (NOM), Argentina, EU (CE), UK (UKCA), Germany (GS), Ukraine, Morocco, India (BIS), Singapore (Consumer Protection [Safety Requirements] Registration Scheme), Cambodia, Hong Kong (EPSR) USA (FCC), Canada (ICES), EU (CE), UK (UKCA), Ukraine, Morocco, Australia (RCM), Korea (Korean MSIP Regulation), Japan (VCCI, Harmonics Regulation) Order Code Black C13153R120 Cyan C13153R220	Air Filter x 2 pcs AC Power Cable Note that items may vary depending on the region. @2024 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON is a registered trademark of Seiko Epson Corporation. All other product and company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.
Electrical Specifications Voltage Rated Current Environmental Conditions Temperature Operating Storage Humidity Operating Storage Acoustic Noise Level Sound Pressure Level Sound Pressure Level Sound Power Level Certifications Safety Electromagnetic Inks & Consumables	59 kg AC 220 - 240 V, 50/60Hz AC 100 - 240V, 6.4 - 3.8A 15°C - 30°C -20°C - 40°C 20% - 80% (No Condensation) 5% - 85% (No Condensation) 5% - 85% (No Condensation) Approx. 60db 7.5B or less USA (UL), Canada (CSA), Mexico (NOM), Argentina, EU (CE), UK (UKCA), Germany (GS), Ukraine, Morocco, India (BIS), Singapore (Consumer Protection [Safety Requirements] Registration Scheme), Cambodia, Hong Kong (EPSR) USA (FCC), Canada (ICES), EU (CE), UK (UKCA), Ukraine, Morocco, Australia (RCM), Korea (Korean MSIP Regulation), Japan (VCCI, Harmonics Regulation) Order Code Black C13T53R120 Cyan C13T53R320	 Air Filter x 2 pcs AC Power Cable Note that items may vary depending on the region. ©2024 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON is a registered trademark of Seiko Epson Corporation. All other product and company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local
Electrical Specifications Voltage Rated Current Environmental Conditions Temperature Operating Storage Humidity Operating Storage Acoustic Noise Level Sound Pressure Level Sound Pressure Level Sound Power Level Certifications Safety Electromagnetic Inks & Consumables	59 kg AC 220 - 240 V, 50/60Hz AC 100 - 240V, 6.4 - 3.8A 15°C - 30°C -20°C - 40°C 20% - 80% (No Condensation) 5% - 85% (No Condensation) 5% - 85% (No Condensation) Approx. 60db 7.5B or less USA (UL), Canada (CSA), Mexico (NOM), Argentina, EU (CE), UK (UKCA), Germany (GS), Ukraine, Morocco, India (BIS), Singapore (Consumer Protection [Safety Requirements] Registration Scheme), Cambodia, Hong Kong (EPSR) USA (FCC), Canada (ICES), EU (CE), UK (UKCA), Ukraine, Morocco, Australia (RCM), Korea (Korean MSIP Regulation), Japan (VCCI, Harmonics Regulation) Order Code Black C13T53R120 Cyan C13T53R220 Magenta C13T53R320 Yellow C13T53R420	Air Filter x 2 pcs AC Power Cable Note that items may vary depending on the region. @2024 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON is a registered trademark of Seiko Epson Corporation. All other product and company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.
Electrical Specifications Voltage Rated Current Environmental Conditions Temperature Operating Storage Humidity Operating Storage Acoustic Noise Level	59 kg AC 220 - 240 V, 50/60Hz AC 100 - 240V, 6.4 - 3.8A 15°C - 30°C -20°C - 40°C 20% - 80% (No Condensation) 5% - 85% (No Condensation) Approx. 60db 7.5B or less USA (UL), Canada (CSA), Mexico (NOM), Argentina, EU (CE), UK (UKCA), Germany (GS), Ukraine, Morocco, India (BIS), Singapore (Consumer Protection [Safety Requirements] Registration Scheme), Cambodia, Hong Kong (EPSR) USA (FCC), Canada (ICES), EU (CE), UK (UKCA), Ukraine, Morocco, Australia (RCM), Korea (Korean MSIP Regulation), Japan (VCCI, Harmonics Regulation) Order Code Black C13153R120 Cyan C13153R220 Magenta C13153R20 Yellow C13153R20 White C13153R420	Air Filter x 2 pcs AC Power Cable Note that items may vary depending on the region. @2024 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON is a registered trademark of Seiko Epson Corporation. All other product and company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.
Electrical Specifications Voltage Rated Current Environmental Conditions Temperature Operating Storage Humidity Operating Storage Acoustic Noise Level Sound Pressure Level Sound Pressure Level Sound Power Level Certifications Safety Electromagnetic Inks & Consumables	59 kg AC 220 - 240 V, 50/60Hz AC 100 - 240V, 6.4 - 3.8A 15°C - 30°C -20°C - 40°C 20% - 80% (No Condensation) 5% - 85% (No Condensation) 5% - 85% (No Condensation) Approx. 60db 7.5B or less USA (UL), Canada (CSA), Mexico (NOM), Argentina, EU (CE), UK (UKCA), Germany (GS), Ukraine, Morocco, India (BIS), Singapore (Consumer Protection [Safety Requirements] Registration Scheme), Cambodia, Hong Kong (EPSR) USA (FCC), Canada (ICES), EU (CE), UK (UKCA), Ukraine, Morocco, Australia (RCM), Korea (Korean MSIP Regulation), Japan (VCCI, Harmonics Regulation) Order Code Black C13T53R120 Cyan C13T53R220 Magenta C13T53R320 Yellow C13T53R420	Air Filter x 2 pcs AC Power Cable Note that items may vary depending on the region. @2024 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON is a registered trademark of Seiko Epson Corporation. All other product and company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

A4 DESKTOP UV PRINTER SURECOLOR SC-V1030

IPLIFY CREAT WITH CUSTOMISABLE **NOVELTY GOODS** 5 15 18 11 15 15 15 15 J

An edge above the competition with a compact and versatile A4 desktop UV printer.

Designed for the competitive niche market of customisable products, the Epson SureColor SC-V1030 is the perfect printer for businesses prioritising versatility and performance in their A4 desktop UV printing needs. The printer's extensive substrate compatibility, including wood and stainless steel, consistently delivers high-quality prints, providing new opportunities for businesses.

ENGINEERED FOR GOOD

Precise Print Quality

Print confidently even on small customised goods with precise images, crisp text, and thin lines on every print.

Compact Footprint

The SC-V1030's compact front load design enables flexible placement, making it suitable for placement at tight spaces without any obstructions to printing.

5 YEARS

To find out more, visit www.epson.com.sg/gobig-signage or call 1800-81-7349 (Toll-Free). f in EpsonMalaysia You tube EpsonSoutheastAsia

Check your warranty terms at 5] www.epson.com.my/warrantytnc

Information correct at time of printing. Printed May 2024

Epson Malaysia Sdn Bhd (211204-x) 3rd Floor, East Tower, Wisma Consplant 1, No. 2, Jalan SS16/4, 47500 Subang Jaya, Selangor Darul Ehsan. Tel: 603-56 288 288 Fax: 603-56 212 088 Epson is the registered trademark of Seiko Epson Corporation. All other product names and other company names used herein are for caption purposes only and are the trademarks or registered trademarks of their respective owners. EPSON disclaims any and all rights in those marks. Scan/Print samples shown here are simulations. Specifications are subject to change without notice.





♦ A4 **→** Print up to A4

F 70mm Up to 70mm Media Thickness



Compact Footprint AUTO

Automatic Media Height Adjustmen

Low Maintenance

Epson Edge Print PRO







Safe Maintenance

The no-ink-contact design facilitates easy and safe maintenance as wiper unit automatically wipes the ink and deposits it into the tank after the UV ink has been cured.

A4 DESKTOP UV PRINTER SURECOLOR SC-V1030

Unleash creativity using the precise and powerful **A4 Desktop UV Printer**

With the versatility and performance of the SureColor SC-V1030, expand your business opportunities to cater to the growing market for customised novelty gifts.



ULTRACHROME

Fine Print Quality

Achieve impeccable results with fine lines and sharp text on a wide range of compatible substrates. With Epson UltraChrome UV inks, users can expect vibrant outputs in every print.




Note: Jigs are to be purchased separately.



Auto Height Adjustment

The platen will automatically adapt its height to accommodate substrates that's up to 70mm, ensuring optimal printing performance.





Substrate Handling Capability: Size Thickness Weight Up to 210x297mm Up to 70mm Up to 3kg

Flexible Placement

With its compact design, the printer can be placed on desks or workbenches, making monitoring of print jobs easy. The front operation design streamlines maintenance in tight spaces and allows convenient wire-free placement at the rear. To maximise space usage, multiple printers can be placed side-by-side.



Easy Maintenance and Operation



Safe Maintenance


ink into the tank.

Featuring automatic printhead

cleaning function, ink contact is

minimised with the wiper unit that

cleans and safely deposits cured UV




Internal Air Circulation

With two built-in air filters that reduces odour, the printer is safe for operation in a closed environment.

Wide Gap Function

The Wide Gap mode improves clarity of text and images on three-dimensional substrates such as golf balls, pens and phone cases.



Print on a Variety of Substrates

Print directly onto a large variety of substrates including wood, stainless steel, acrylic, plastics, ceramic, and more. Businesses can provide high-value novelty goods that are unique and personlised, offering customised products that are not commonly found.



Air filt



Ceramic



Large Display Panel

Effortlessly manage and oversee your print jobs, monitor ink levels, and perform printhead cleaning using the LED display panel. The panel also provides convenient visibility in low-light environments.

Epson Cloud Solution PORT

Comprehensive printer fleet management software offering a secure real-time view of production, equipment use, and service details, enhancing efficiency and optimising Epson printing workflows.

www.epson.com.sg/cloud-solution-port