

YOUR IDEAL MULTI-FUNCTIONAL HOME ENTERTAINMENT PROJECTORS.

Fulfil your desire for a spectacular cinematic experience right at home with Epson.

Complete your home entertainment setup and indulge in your favourite shows with Epson's home entertainment projectors. With 4K resolution^{*1}, maintenance-free laser light source^{*2}, and gentler light reflection, you can now host movie nights or simply binge-watch your favourite shows with absolute joy and ease.



IT'S IN THE DETAILS.



Exceptional Image Quality

Watch as every scene come alive at stunning true-to-life quality, lit up in vivid colours.

Smart Media Player Function

Explore a world of unlimited entertainment with Android TV™ and Chromecast built-in™ functions.


All-in-One Entertainment

Experience the perfect balance of visual and sound, encapsulated in a compact and stylish design.


^{*1} Selected models only, 4K Enhancement Technology shifts each pixel diagonally to double Full HD resolution, Resolution is Full HD in 3D Mode.

^{*2} No maintenance for the laser light source required for up to 20,000 hours. Approximate time until brightness decreases 50% from first usage. Measured by acceleration test assuming use of 0.04-0.20 mg/m3 of particulate matter. Time varies depending on usage conditions and environment. Replacement of parts other than the light source may be required in a shorter period.


* Google, Google Play, YouTube, Android TV and other marks are trademarks of Google LLC. Google Assistant is not available in certain languages and countries. Availability of services varies by country and language.




Flexible Screen Size



High Contrast Ratio




Laser Light Source*



Lens Shift*



High Dynamic Range (HDR)*




Inbuilt Smart Streaming Function*



Built-in Speaker*



Horizontal Keystone Adjuster*



Fuss Free set up



Smart Wireless Connectivity*

*Applies to selected models only.

High definition Stunning image quality

It is no longer impossible to recreate that cinematic adventure in your own home with Epson's range of home projectors. Enjoy a truly captivating, detail-packed experience right from the comfort of your couch.



Plug-and-play Fuss-free set up

All you need is to plug in the power and your entertainment begins. Home entertainment is made more accessible and fuss-free with Epson's home projectors, which come ready with Android TV™* function.

*Selected models only.

Truly flexible Project wherever you are

Our stylish and compact home entertainment projectors are designed with the aim to blend in with the aesthetics of your room easily. With flexible screen sizes and keystone correction functions, you can now place the projector anywhere in your living room and still enjoy a perfect vivid projection.





Up close and personal

Bringing the actions closer to you with a bigger viewing screen, you can also stream to your heart's content with Android TV™* now. Indulge in high contrast videos that bring forth a vivid viewing experience – enjoy your favourite shows without compromising on its quality wherever you are.



CO-FH01



CO-FH02

EpiqVision Mini



EF-11



EF-12



Lightweight and Portable

As light as 1.2kg¹, you now have the flexibility and convenience to bring the projector around the house, set it up at any corner of your living space, and start watching the latest shows with your family and friends.



Get Connected Virtually

Simply start up your projector and begin video conferencing with no additional fuss. Conduct virtual calls with your colleagues, friends and family by simply connecting your USB webcams².



¹ Weight reference for EpiqVision Mini EF-11. ² For EpiqVision Mini EF-12 only. Check compatible webcam listing on Epson website.

Brilliant and Sharp HDR10-Compatible

Except CO-FH01/FH02 and EF-11

Compatible with High Dynamic Range content, revel in crisp, detailed, and realistic images with enhanced details on your Epson Ultra Lifestyle projectors. Now you can enjoy an optimal viewing experience with prime picture quality for all your favorite shows.



With HDR Function

Without HDR Function

Cinematic Sound Experience with Built-in Yamaha Speaker

EpiqVision Mini EF-12 Only

Party as if you are there in person! Immerse in rich audio with the built-in Yamaha speaker, or use it as a standalone bluetooth speaker for your music while you chill.



sound by  YAMAHA

Get more done with voice control on **androidtv**



Explore a plethora of entertainment possibilities with the Android TV™* and Chromecast built-in™*. With the intuitive integrated UI and Voice Control function*, you can now do more with Google Assistant. Simply connect to the Wi-Fi and your favourite content is just a voice command away.

Unlimited entertainment

Start a new drama, binge-watch your favourite movies, or stream the latest hits simply with a voice command.

Wealth of information

Learn more about the shows you are watching. Ask about your favourite movies, actors, or even get the latest scoring status for your favourite teams.

Plan your day

Manage your calendar, flight information, daily commute and more with your smart projector.

 Chromecast built-in

*Google, Google Home, Chromecast Built-in, Android TV and other related marks and logos are trademarks of Google LLC. Chromecast is available for iOS or Android devices, Mac or Windows computer or Chromebook. Available for selected model. Voice control is applicable to Android TV only.



Vibrant, Dynamic and High-Performing.

THE PERFECT COMPANION FOR WORK & PLAY


CO-FH02



POWERED BY
androidtv

RESOLUTION **Full HD 1080p** | SUPPORT BLUETOOTH AUDIO | COMPACT SIZE **2.6kg**

UP TO **391"** SCREEN SIZE | **3000** LUMENS | **AUTO VERTICAL KEYSTONE ADJUSTMENT** | **5W** MONO SPEAKERS



THE VERSATILE HOME ENTERTAINMENT PROJECTOR

CO-FH01



Chromecast built-in™, Bluetooth audio support, and streaming of Android TV™ content requires purchase of ELPAP12 Android TV™ Dongle. Dongle is sold separately.

RESOLUTION **Full HD 1080p** | COMPACT SIZE **2.4kg**

UP TO **391"** SCREEN SIZE | **3000** LUMENS | **5W** MONO SPEAKERS



WORLD'S SMALLEST 3LCD LASER PROJECTOR[^]

EpiqVision Mini EF-11

EpiqVision



Over **2,500,000:1** Contrast Ratio | RESOLUTION **Full HD 1080p**

UP TO **150"** SCREEN SIZE | **1000** LUMENS | **AUTO VERTICAL KEYSTONE ADJUSTMENT** | **1.5W** MONO (2-WAY) SPEAKERS



WORLD'S SMALLEST 3LCD LASER PROJECTOR[^] WITH ANDROID TV™

EpiqVision Mini EF-12

EpiqVision



POWERED BY
sound by **YAMAHA** **androidtv**

Over **2,500,000:1** Contrast Ratio | RESOLUTION **Full HD 1080p** | SUPPORT BLUETOOTH AUDIO

UP TO **150"** SCREEN SIZE | **1000** LUMENS | **AUTO VERTICAL & HORIZONTAL KEYSTONE ADJUSTMENT** | **5W** STEREO SPEAKERS



[^]Survey conducted by FutureSource Consulting Limited, for 3LCD laser projectors of more than 500lm in brightness, as of 22nd Oct, 2020.

¹ Wi-Fi CERTIFIED Miracast™ is a trademark of Wi-Fi Alliance®. ² Support up to 4k/60Hz 4:2:0 8bit.



Aesthetically pleasing no matter where you place it

Take your home viewing experience to the next level with Epson's Android TV™ ready lineup*. Chill and stream endless entertainment contents online using Android TV™ from the comfort of your living room.



EH-TW6250



EH-TW7000

EpiqVision Ultra



EH-LS800B



Immersive and Frameless Large Sized Display

Maximise your on-screen entertainment with these feature-packed projectors, providing a frameless capability by breaking image size constraints. Your best alternative for home entertainment, projecting up to a 500-inch[^] screen size – much larger than what a conventional TV screen can provide.



Complete the Big Screen Experience with ELPSC35 ALR Screen

For EpiqVision Ultra EH-LS800B


Be immersed in a cinematic experience right at home with 4K content on the ELPSC35 ALR Screen. With the ambient light rejecting ability, be prepared to get blown away by the vibrant and realistic images with better contrasts and deeper blacks enhanced for your viewing pleasure.



[^]For EH-TW7000 and EH-TW6250.

Flexible Placement Optimal Placement

These sleek and compact projectors blend in seamlessly anywhere in your living space. Choose a projector that fits your requirement from a wide range of choices.




Standard Screen's Throw distance

Plug-and-Play Quick Start-Up

For EH-LS800B

You no longer have to wait to boot up your EpiqVision projectors to begin watching your favourite shows. With the shorter start-up time compared to a conventional projector setup, enjoy your favourite shows with a simple click on the remote.



Fine-tune your sound experience with YAMAHA speaker

For EpiqVision Ultra EH-LS800B



Bask in a multi-dimensional true sound with 3D surround, designed with YAMAHA's unique DSP processing technology – AudioEngine™. Striking a careful balance and delivering controlled beams of sound, you can now immerse in spectacularly powerful and supreme sound quality, regardless of whether it is a clear acoustic sound or rich bass music.

Choose the most suitable music mode based on the content you are playing:

STUDIO
For Music

STADIUM
For Sports

CONCERT
For Live Music

KARAOKE
For Singing

TV
For Broadcasting

THEATRE
For Movie

Flexible, Immersive Projection.

SMART 4K UHD HOME THEATRE PROJECTOR

EH-TW6250



POWERED BY
androidtv

RESOLUTION 4K PRO-UHD

UP TO **500"** | **2800** | **AUTO VERTICAL KEYSTONE** | **10W**
SCREEN SIZE | LUMENS | ADJUSTMENT | MONO SPEAKERS



FULL-HD 3D HOME THEATRE PROJECTOR

EH-TW7000



RESOLUTION 4K PRO-UHD

UP TO **500"** | **3000** | **VERTICAL & HORIZONTAL KEYSTONE**
SCREEN SIZE | LUMENS | ADJUSTMENT



ULTRA SHORT THROW PROJECTOR SERIES

SMART 4K PRO-UHD LASER PROJECTION TV

EpiqVision Ultra EH-LS800B



EpiqVision Ultra

POWERED BY
androidtv

sound by **YAMAHA**

Over **2,500,000:1**
Contrast Ratio

RESOLUTION 4K PRO-UHD

UP TO **150"** | **4000** | UP TO **20W**
SCREEN SIZE | LUMENS | SOUND OUTPUT
@ JUST 0.54m | INCL. 1x WOOFER



¹ Support up to 4K/60Hz 4:2:0 8bit.



Inspiring New Viewing Experiences

With ease of installation, wider lens shift, 4K resolution¹, and less light leakage, you can now enjoy your favourite movies in a perfect viewing environment. Experience breathtaking and vivid projection quality with Epson's Bright Cinema mode, and customise each show according to your preferences, thanks to the picture quality processing functions².



EH-TW9400



EH-LS12000B



Exceptional Realism Stunning 4K Experience*

Make your home the centre stage for all the action with the advanced pixel-shifting technology that works in parallel with three individual high-definition LCD chips to produce an exceptionally sharp 4K picture without sacrificing on brightness.



*Achieved by shift-technology.

Breathtaking, Phenomenal Images The Evolution of HDR

Showcasing the finest details even for the most subtle shadow tones. HDR is a key technology emphasized by filmmakers that helps convey the visual intent of a film more faithfully.



HDR10+™ logo is a trademark of HDR10+ Technologies, LLC.*

Flexibility in Installation Wide-range Lens Shift

With the wide range powered lens shift and zoom function that only high-end home models provide, it allows extraordinary installation flexibility that can be installed in living rooms as well as dedicated home theatre rooms with no worry for obstructions!



Smooth Fast-Moving 4K Video Frame Interpolation

For EH-LS12000B


With the improved frame interpolation technology, never miss out on any detail when watching fast-moving sports or gaming. Get clear image contours and smooth motion for a more holistic 4K viewing experience.



Ultimate State-Of-The-Art Big Screen Experience

For EH-LS12000B

Bring home the state-of-the-art cinema experience with Epson's premium model - the EH-LS12000B. This laser model delivers phenomenal image quality for an enthralling big screen experience.



New and Improved Laser Diode Package For Unparalleled Colour Realism

Equipped with a unique cutting-edge laser optical engine, the EH-LS12000B delivers incredible contrast and 2,700 lumens of equal white and colour brightness from jet black to rich, vibrant colours with its superb colour reproduction¹.



2-axis shifting 4K Innovation For Clear Precise Images

Using Epson's proprietary shift device technology² and quietness-enhancing technology in the shift device, the high aperture ratio 1080p panel is upscaled to 4K, achieving 8.3mil pixels. Delivering bright and vivid images in every projection, the LS12000B projects with incredible accuracy and precision.



Dedicated 4K Lens For Consistent Focus

Made in Japan, this high-quality 4K lens ensures high focus level (even when zoom to maximum of x2.1). The lenses coupled with the new 4K image processing chip which supports HDR10 and HDR10+ allows better colour reproduction and management, for the ultimate unrivalled experience.

¹ Improved compared to previous Epson 3LCD lamp projectors.

² Epson patented unique feedback control technology ensures precise and unmatched shift device movement.

Phenomenal Brilliance.

HIGH DYNAMIC 4K PRO-UHD HOME THEATRE PROJECTOR

EH-TW9400



1,200,000:1
Contrast Ratio

RESOLUTION 4K PRO-UHD

UP TO **300"**
SCREEN SIZE

2600
LUMENS

POWERED
LENS SHIFT



PREMIUM 4K ULTRA HD HOME THEATRE PROJECTOR

EH-LS12000B



Over **2,500,000:1**
Contrast Ratio

RESOLUTION **4K**

UP TO **300"**
SCREEN SIZE

2700
LUMENS

POWERED
LENS SHIFT




HDR10+™ logo is a trademark of HDR10+ Technologies, LLC.™

The advantage of Laser Projector

For EH-LS12000B

Next generation laser light source offers improved usability and reliability compared to conventional lamp light sources.




Only 8 seconds to start up from power on¹




Multiple brightness adjustment settings



Maintenance-free, no lamp replacement²



Low power consumption is friendly for both home and the environment.



Long-life design³



Reduced light leakage in theater room environments⁴

¹ Supports fast-on lighting.

² Use of multiple laser diodes makes light source more reliable than a lamp. Additionally provides a light source life of 20,000 hours.


³ Low-temperature light source brings lower impact on peripheral components and increased deterioration resistance.

⁴ Products using laser light sources are designed for better hermetic sealing to minimize light leakage.

OTHER FEATURES

Wide Range of Connectivity

Home entertainment is now made more accessible than ever! Epson's own range of projectors allows integrated support for multiple connection methods including HDMI connection to suit a wide range of entertainment devices.



Smart Device

Computer

Game


Video/DVD



Miracast
(For selected models only)



Camera



Bluetooth Speaker
(For selected models only)



CO-FH02

EH-TW7000



EpiqVision Ultra EH-LS800B

EH-TW9400

EH-LS12000B



Air intake


Compact Design for Easy Ventilation

The sleek and compact designs of Epson's home entertainment projectors allow you to easily install them even in the narrowest of spaces. With air intake valves positioned at the front, you will no longer have to worry about ventilation.

Built-in Wireless Projection*

Projecting high-contrast, vivid high-definition images smoothly is made possible with the built-in wireless transmission function in Epson's projectors. Conveniently project and enjoy your favourite shows and movies directly from Android and Apple iOS smart devices and PCs via Wi-Fi or Miracast today.

*Selected models. Check the model specification for more information.



iProjection app



Unveil The True Colours

EPSON 3LCD PROJECTORS

1-CHIP PROJECTORS

True BRIGHTNESS

True COMFORT

True REALISM

Up to 3x
Brighter Colours

No Rainbow
Effect

3x Wider
Colour Gamut

EPSON 3LCD PROJECTORS

1 - CHIP PROJECTORS



WHITE 3000 LUMENS



COLOUR 3000 LUMENS



WHITE 3000 LUMENS



COLOUR 430 LUMENS**



LIGHT SOURCE

PRISM



LIGHT SOURCE

ROTATING COLOUR WHEEL



WIDER COLOUR RANGE



SMALLER COLOUR RANGE



Scan here to find out more



IT'S IN THE DETAILS.

SPECIFICATIONS

MODEL NUMBER		CO-FH01	CO-FH02	
Projection Technology		RGB liquid crystal shutter projection system		
Specification of Main Parts				
LCD	Size	0.62" (C ² Fine)		
	Native Resolution	Full HD (1080p)		
	Projection Lens	Type	No Optical Zoom / Focus (Manual)	
		F-Number	1.44	
		Focal Length	16.4 mm	
Zoom Ratio		1 – 1.35 (Digital Zoom)		
	Throw Ratio	1.19 – 1.61		
Lightsource	Type	Lamp: 188W UHE		
	Life ¹	Normal: 6,000 / Eco: 12,000 hours		
Screen Size (Projected Distance)				
Zoom: Wide		34" to 391" [0.89 to 10.40 m]		
Zoom: Tele		26" to 290" [0.91 to 10.41 m]		
Standard Size		60" screen 1.58 m		
Brightness²				
Colour Light Output		3,000 lm		
White Light Output (Normal / Eco)		3,000 lm / 2,000 lm		
Internal Speaker(s)				
Sound Output		5W Monoaural (without enclosure)	5W Monoaural (with enclosure)	
Geometric Correction				
Keystone	Vertical	±30°		
	Horizontal	±30°		
Auto Keystone Correction		N/A	Yes (Vertical)	
Quick Corner		Yes		
Connectivity				
Analog Input	D-Sub 15pin	N/A		
	Composite	N/A		
Digital Input	HDMI	1		
Audio In		N/A		
Audio Out		N/A		
USB Interface	USB Type A	1 (for Wireless LAN, Firmware Update, Copy OSD Settings)	1 (for Power Supply, Firmware Update, Copy OSD Settings)	
	USB Type B	1 (for Firmware Update, Copy OSD Settings)		
Network	Wired LAN	N/A		
	Wireless	Optional	N/A	
Wireless Specifications (Smart Media Player Functions)				
Wireless LAN				
Wi-Fi Generation Name		Wi-Fi 5		
Supported Standards and Frequency		IEEE 802.11a (5GHz) ³ , IEEE 802.11b (2.4GHz) ³ , IEEE 802.11g (2.4GHz) ³ , IEEE 802.11n (2.4GHz and 5GHz) ³ , IEEE 802.11ac (5GHz) ³		
Supported Security Type		WPA2/WPA3-PSK (AES)		
Wireless Specifications (Optional Wireless LAN)				
Wireless LAN				
Wi-Fi Generation Name		Wi-Fi 4	N/A	
Supported Standards and Frequency		IEEE 802.11b (2.4GHz): 11 Mbps ³ , IEEE 802.11g (2.4GHz): 54 Mbps ³ , IEEE 802.11n (2.4GHz) ³ : 72.2 Mbps ³ , IEEE 802.11a (5GHz) ³ : 54 Mbps ³ , IEEE 802.11n (5GHz) ³ : 150 Mbps ³ ,	N/A	
Supported Mode		Infrastructure, Access Point	N/A	
Supported Security Type		Infrastructure: Open, WPA2/WPA3-PSK Access Point: WPA2-PSK (AES)	N/A	
Adjustment Functions				
Light Output		Yes [High, Low (Eco)]		
Colour Mode		Dynamic, Vivid, Cinema, Presentation, Blackboard, sRGB	Dynamic, Vivid, Cinema, Natural	
Scene Adaptive Gamma		Yes		
Aspect Mode		Yes		
Operating Temperature				
		5 - 40 °C <41 - 104 °F> (0m / 0ft - 2,286m / 7,500ft) 5 - 35 °C <41 - 95 °F> (over 2,286m / 7,500ft) [20%-80% Humidity, No Condensation]		
Operating Altitude				
Direct Power On/Off		0 m to 3,048 m <0 ft to 10,000 ft> Yes / Yes		
Start-Up Period				
Cool Down Period		Instant Off		
Power Supply Voltage		100 - 240 V AC ±10%, 50/60 Hz		
Power Consumption (220-240V)				
Lamp On (Normal / Eco)		270W / 214W		
Standby (Network On / Off)		N/A / 0.5W		
Dimension Excluding Feet (D X W X H)		211 x 295 x 82 mm	211 x 320 x 82 mm	
Weight		Approx. 2.4kg	Approx. 2.6kg	
Fan Noise (Normal / Eco)		38dB / 29dB	37dB / 29dB	

¹ Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time.

² Colour brightness (colour light output) and white brightness (white light output) will vary depending on usage conditions. Colour light output measured in accordance with IDMS 15:4; white light output measured in accordance with ISO 21118.

³ These modes and actual data throughputs depend on supported wireless mode of source devices and/or environmental conditions.

CO-FH01

Supplied Accessories

Power Cable: 1.8m x 1
Remote Control with 2 x AAA Battery
Quick Start Guide

Optional Accessories

Document Camera: ELPDC21
Soft Carrying Bag: ELPKS69
Wireless Presentation Systems: ELPWP20
Smart Media Player: ELPAP12



CO-FH02

Supplied Accessories

Power Cable: 1.8m x 1
ELPAP12 Android TV Dongle with USB and HDMI Cable
Remote Control with 2 x AAA Battery
Netflix BT Remote Control with 2 x AAA Battery
Quick Start Guide

Optional Accessories

Wireless Presentation Systems: ELPWP20



©2023 Epson Malaysia Sdn. Bhd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited.

EPSON is a registered trademark of Seiko Epson Corporation.

All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct at time of printing.
Printed June 2023



SPECIFICATIONS

MODEL NUMBER		EpiqVision Mini EF-11	EpiqVision Mini EF-12	
Projection Technology		RGB liquid crystal shutter projection system (3LCD)		
Specifications of Main Parts				
LCD	Size	0.62"		
	Native Resolution	Full HD (1080p)		
	Aspect Ratio	16:9		
Projection Lens	Type	Focus (Manual) / No Optical Zoom Focus (Auto) / No Optical Zoom		
	F-Number	2.0		
	Focal Length	13.90 mm		
	Zoom Ratio	1 – 1.35 (Digital Zoom)	1.0 – 2.01 (Digital Zoom)	
	Throw Ratio	1 (Wide to Tele)		
Lightsource	Type	Laser Diode		
	Life (Normal / Quiet)	20,000 hours		
Screen Size (Projected Distance)				
Zoom: Wide	30" – 150" [0.6 – 3.4 m]			
Zoom: Tele	20" – 114" [0.6 – 3.4 m]	15" – 75" [0.6 – 3.4 m]		
Standard	60" screen 1.33 m			
Brightness¹				
Colour Light Output	1,000 lm			
White Light Output (Normal / Eco)	1,000 lm / 500 lm			
Contrast Ratio		Over 2,500,000:1		
Internal Speaker(s)				
Sound Output	1.5W 2 Way [Mono]	5W [Stereo] Enclosure		
Geometric Correction				
Vertical / Horizontal Keystone	±34° / ±40°	±34° / ±40° (With Real time Auto keystone Correction)		
Quick Corner	Yes			
Projection Orientation	360° Free			
Connectivity				
Digital Input	HDMI	1 (HDCP1.4)	2 (HDCP2.3)	
Audio Output	Stereo Mini Jack	1 (for headphone)		
USB I/O	Type A	1	1	
		(for PC Free, Firmware Update, Copy OSD Settings, 5V/2A power supply)		
	Type B	1 (for Firmware Update, Copy OSD Settings)		
Wireless Specification (Screen Mirroring)				
Supported Speed For Each Mode	IEEE 802.11g (2.4GHz): 54 Mbps ² , IEEE 802.11n (2.4GHz): 130 Mbps ² , IEEE 802.11a (5GHz): 54 Mbps ² , IEEE 802.11n (5GHz): 270 Mbps ² , IEEE 802.11ac (5GHz): 780 Mbps ²	N/A		
Supported Security Type	WPA2-PSK (AES)	N/A		
Wireless Specification (Streaming Media Player Function)				
Supported Standard and Frequency	N/A	IEEE 802.11a (5GHz), IEEE 802.11b (2.4GHz), IEEE 802.11g (2.4GHz), IEEE 802.11n (2.4GHz and 5GHz), IEEE 802.11ac (5GHz)		
Supported OS	N/A	Android OS		
Supported VOD Platform	N/A	Android TV		
Video Output Resolution	N/A	Up to 1,920 x 1080, 60fps, 4:4:4		
Operating Temperature				
	Low Altitude (0 - 2,286 m / 0 - 7,500 ft): 5 - 35 °C <41 - 95 °F> [20% - 80% Humidity, No Condensation] High Altitude (Over 2,286 m / 7,500 ft): 5 - 30 °C <41 - 86 °F> [20% - 80% Humidity, No Condensation]			
Operating Altitude				
	0 - 3,000 m <0 - 9,843 ft>			
Start-Up Period				
	Less than 6 seconds. Warm-up period: 30 seconds			
Cool Down Period				
	Instant Off			
Air Filter				
Maintenance Cycle	5,000 hours ³			
Power Supply Voltage				
	100 - 240 V AC ±10%, 50/60 Hz			
Power Consumption (220 - 240V)				
Laser Diode ON (Normal / Extended)	102W / 73W			
Standby (Network / Energy Saving)	N/A / 0.5 W	2.0 W / 0.5 W		
Dimension Excluding Feet (D X W X H)				
	175 x 175 x 58 mm		175 x 175 x 128 mm	
Weight				
	Approx. 1.2 kg		Approx. 2.1 kg	
Fan Noise (Normal / Eco)				
	27dB / 22dB			

Supplied Accessories

Power Cable: 1m x 1
AC for Power Cable
Remote Control with 2 x AAA Battery
Quick Start Guide

Optional Accessories

Mount Plate: ELPMB65
Air Filter: ELPAF61
Streaming Media Dongle: ELPAP12 (EF-11 only)

EF-11



EF-12



©2023 Epson Malaysia Sdn. Bhd. All Rights Reserved.
Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited.

EPSON is a registered trademark of Seiko Epson Corporation.

All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct at time of printing.
Printed June 2023

For latest specifications, visit www.epson.com.my or call 1800-8-17349.



EpsonMalaysia



epsonMalaysia



EpsonSoutheastAsia



EpsonMalaysia

Epson Malaysia Sdn. Bhd. Customer Care Center

Epson Malaysia Sdn Bhd. 3rd Floor, East Tower, Wisma Consplant 1, No.2 Jalan SS 16/4, 47500 Subang Jaya. Tel: 603-56 288 288 Fax: 603-56 212 088
Toll-free line 1800-8-17349 Accessible 09:00am to 06:00pm, Mon - Fri (Except public holiday)
Brunei Customers. Please call: 6-03-56 288 288 Ext 351 / 353. Accessible from 09:00am to 06:00pm, Mon - Fri (Except public holidays)

SPECIFICATIONS

MODEL NUMBER	EH-TW6250	
Projection Technology	RGB liquid crystal shutter projection system	
Specifications of Main Parts		
LCD	Size	0.61" wide panel (D10, C° Fine, 10Bit)
	Native Resolution	Full HD (1080p)
Projection Lens	Type	Optical Zoom (Manual) / Focus (Manual)
	F-Number	1.49 – 1.77
	Focal Length	18.2 – 29.2 mm
	Zoom Ratio	1 – 1.62
	Throw Ratio	1.32 – 2.15 (Wide – Tele)
Lightsource	Type	Lamp: 200W UHE
	Lamp Life ¹	Normal: 4,500 / Eco: 7,500 hours
Screen Size (Projected Distance)		
Zoom: Wide	40" to 500" [1.15 to 14.83 m]	
Zoom: Tele	40" to 500" [1.89 to 24 m]	
Standard Size	80" screen 2.34 to 3.81 m	
Brightness²		
Colour Light Output	2,800 lm	
White Light Output (Normal / Eco)	2,800 lm / 1,900 lm	
Contrast Ratio	35,000:1	
Internal Speaker(s)		
Sound Output	10W Monaural	
Geometric Correction		
Vertical / Horizontal Keystone	±30° / ±30°	
Auto Keystone Correction	Yes (Vertical ±30°, Zoom: Tele)	
Horizontal Slide Keystone Correction	Yes	
Quick Corner	Yes	
Lens Shift Range		
Lens Shift	Vertical: ±60%	
Connectivity		
Digital Input	HDMI	1 (HDCP 2.3)
Audio Out		Stereo Mini Jack x 1
USB Interface	USB Type B	1 (for Firmware Update and Copy OSD Settings)
Wireless		Yes (only for Smart Media Player)
Wireless Specifications (Smart Media Player Function)		
Wireless LAN		
Wi-Fi Generation	Wi-Fi 5	
Supported Speed For Each Mode	IEEE 802.11a (5GHz), IEEE 802.11b (2.4GHz), IEEE 802.11g (2.4GHz), IEEE 802.11n (2.4GHz and 5GHz), IEEE 802.11ac (5GHz) ³	
Bluetooth		
Version	5.0	
Frequency Used	2.4GHz	
Supported Codec	SBC	
Supported OS	Android OS	
Supported VOD Platform	Android TV	
Video Output Resolution	Up to 3,840 x 2,160 60fps 4:4:4	
Adjustment Functions		
Aspect Mode	Yes (Auto / Normal / Full / Zoom)	
Operating Temperature		
	5 - 35 °C <41 - 95 °F> (0m / 0ft - 2,286m / 7,500ft) 5 - 30 °C <41 - 86 °F> (Over 2,286m / 7,500ft) (20% - 80% Humidity, No Condensation)	
Operating Altitude		
Direct Power On / Off	Yes / N/A	
Start-Up Period		
	Under 15 seconds Warm-up period: 30 seconds	
Cool Down Period		
	Under 5 seconds	
Power Supply Voltage		
	100 - 240 V AC ±10%, 50/60 Hz	
Power Consumption (220 - 240V)		
Lamp On (Normal / Quiet, Extended)	301W / 231W	
Energy Saving	0.3W	
Dimension Excluding Feet (D X W X H)		
	275 x 333 x 123 mm	
Weight		
	Approx. 4.1kg	
Fan Noise (Normal / Eco)		
	36dB / 28dB	

¹ Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time.

² Colour brightness (colour light output) and white brightness (white light output) will vary depending on usage conditions. Colour light output measured in accordance with IDMS 15:4; white light output measured in accordance with ISO 21118.

³ These modes and actual data throughputs depend on supported wireless mode of source devices and/or environmental conditions.

Supplied Accessories

Power Cable: 3m x 1 (Black)
Remote Control with 2 x AAA Battery
Interface Cover
Bluetooth Remote Control for SMP with 2 x AAA Battery
User Guide
ELPAP12 Android TV Dongle with USB and HDMI Cable

Optional Accessories

Spare Lamp: ELPPLP97
Air Filter: ELPAPF54
Ceiling Mount (White Colour): ELPMB23
Safety Wire: ELPWR01



©2023 Epson Malaysia Sdn. Bhd. All Rights Reserved.
Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited.

EPSON is a registered trademark of Seiko Epson Corporation.

All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct at time of printing.
Printed June 2023



SPECIFICATIONS

MODEL NUMBER	EH-TW7000
Projection Technology	RGB liquid crystal shutter projection system (3LCD)
Specifications of Main Parts	
LCD	Size: 0.61" wide panel (C ² Fine, 10 Bit) Native Resolution: Full HD (1080p)
Resolution On-Screen (Maximum)	Resolution: 4K ^{*1} Pixel Number: 4.2M Dots (1920 x 1080 x 2)
Projection Lens	Type: Optical Zoom (Manual) / Focus (Manual) F-Number: 1.49 – 1.77 Focal Length: 18.2 – 29.2 mm Zoom Ratio: 1 – 1.62 Throw Ratio (Wide – Tele): 1.32 – 2.15
Lightsources	Type: Lamp: 250W UHE Lamp Life ^{*2} : High: 3,500 / Medium: 4,000 / Eco: 5,000 hours
Screen Size (Projected Distance)	
Zoom: Wide	40" to 500" [1.16 to 14.87 m]
Zoom: Tele	40" to 500" [1.89 to 24.01 m]
Standard Size	100" screen 2.95 to 4.77 m
Brightness^{*3}	
Colour Light Output	3,000 lm
White Light Output (Normal / Eco)	3,000 lm / 2,000 lm
Contrast Ratio	
40,000:1	
Geometric Correction	
Vertical / Horizontal Keystone	±30° / ±30°
Image Enhancement	
4K Enhancement	Yes (On/Off)
Picture In Picture	N/A
Aspect Mode	Yes (Auto / Normal / Full / Zoom)
Frame Interpolation	Off / Low / Normal / High (2D and 3D Mode)
Image Preset Mode	Yes
MPEG Noise Reduction	Yes
Super Resolution	Yes
Detail Enhancement	Yes
3D Features	
3D Display	Yes
2D – 3D Conversion	N/A
3D Format	Side by Side / Top and Bottom
3D Depth	-10 to +10
Connectivity	
Analog Input	D-Sub 15Pin: N/A 5BNC: N/A
Digital Input	DVI-D: N/A HDMI: 2 (HDCP 2.2)
Output Terminal	D-Sub 15Pin: N/A
Audio Input	Stereo Mini Jack: N/A
Audio Output	Stereo Mini Jack: 1
Others	USB Type A: 2 (Port1: Wireless LAN, Firmware Update, Copy OSD Settings) (Port 2: for Streaming Media Player with 2,000 mA Power Supply)
Control I/O	USB Type Mini-B: 1 (for Service, Firmware Update) RS-232C: N/A Remote Control Input: NA
Network	Wired LAN: N/A Wireless: Optional (ELPAP10)
Wireless Specification	
Supported Connection Mode	Infrastructure, Access Point
Supported Speed For Each Mode	IEEE 802.11b (2.4GHz): 11 Mbps ^{*4} , IEEE 802.11g (2.4GHz): 54 Mbps ^{*4} , IEEE 802.11n (2.4GHz): 130.0 Mbps ^{*4} ,
Wireless LAN Security	Quick Mode: WPA2-PSK Advanced Mode: WPA/WPA2-PSK
Operating Temperature	
5 - 35 °C <41 - 95 °F> (0m / 0ft - 2,286m / 7,500ft) 5 - 30 °C <41 - 86 °F> (Over 2,286m / 7,500ft) (20% - 80% Humidity, No Condensation)	
Operating Altitude	
0 m to 3,048 m <0 ft to 10,000 ft>	
Direct Power On / Off	
Yes / N/A	
Start-Up Period	
Up to 19 seconds, Warm-up Period: 30 seconds	
Cool Down Period	
Up to 7 seconds	
Power Supply Voltage	
100 - 240 V AC ±10%, 50/60 Hz	
Power Consumption (220 - 240V)	
Lamp (Normal / Eco)	368W / 280W
Standby (Network On / Off)	2.0W (Optional Wireless LAN) / 0.5 W
Dimension Excluding Feet (D X W X H)	
310 x 410 x 157 mm	
Weight (Including Standard Lens)	
Approx. 6.6 kg	
Fan Noise (Normal / Eco)	
35dB / 24dB	

Supplied Accessories

Power Cable: 3m x 1
Remote Control with 2 x AA Battery
User Manual CDROM
Quick Start Guide

Optional Accessories

Spare Lamp: ELPLP85
Air Filter: ELPAF39
Wireless LAN unit: ELPAP10
Ceiling Mount: ELPLMB22



©2023 Epson Malaysia Sdn. Bhd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited.

EPSON is a registered trademark of Seiko Epson Corporation.

All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct at time of printing.
Printed June 2023

For latest specifications, visit www.epson.com.my or call **1800-8-17349**.



EpsonMalaysia



epsonMalaysia



EpsonSoutheastAsia



EpsonMalaysia

Epson Malaysia Sdn. Bhd. Customer Care Center

Epson Malaysia Sdn Bhd. 3rd Floor, East Tower, Wisma Consplant 1, No.2 Jalan SS 16/4, 47500 Subang Jaya. Tel: **603-56 288 288** Fax: **603-56 212 088**
Toll-free line 1800-8-17349 Accessible 09:00am to 06:00pm, Mon - Fri (Except public holiday)
Brunei Customers. Please call: 6-03-56 288 288 Ext 351 / 353. Accessible from 09:00am to 06:00pm, Mon - Fri (Except public holidays)

SPECIFICATIONS

MODEL NUMBER	EpiqVision Ultra EH-LS800B	
Projection Technology		
Specifications of Main Parts		
LCD	Size	0.62" (C ² Fine)
	Native Resolution	
	Aspect Ratio	
Resolution On-Screen (Maximum)		
	Resolution	4K ¹
	Pixel Number	4.2M Dots (1920 x 1080 x 2)
Projection Lens		
	Type	
	F-Number	1.8
	Focal Length	2.3 mm
	Zoom Ratio	1 – 2.5 (Digital Zoom)
	Throw Ratio (Wide – Tele)	0.16 – 0.40
Lightsource	Type	
	Life	20,000 hours (Normal / Eco)
Screen Size (Projected Distance)		
Zoom: Wide	80" to 150" [0.28 to 0.54 m]	
Zoom: Tele	32" to 60" [0.28 to 0.54 m]	
Standard Size	90" screen 0.32 m	
Brightness²		
Colour Light Output	4,000 lm	
White Light Output (Normal / Eco)	4,000 lm / 2,000 lm	
Contrast Ratio		
Internal Speakers		
Sound Output		
Image Enhancement		
4K Enhancement	Yes (On/Off)	
Aspect Mode	Yes (Auto / Full / Zoom)	
Frame Interpolation	Yes (Off / Low / Normal / High)	
Image Preset Mode	Yes	
Noise Reduction	Yes (Except 4K Signal)	
Detail Enhancement	N/A	
Super Resolution	Yes	
Connectivity		
Digital Input	HDMI	3 (HDCP 2.3)
Audio Output	1 (Stereo Mini), 1 (S/PDIF)	
Others	USB Type A	USB3 is for 5V/2A Power Supply, No USB Function
	USB Type Mini-B	
Control I/O	RS-232C	N/A
Network	Wired LAN	N/A
	Wireless	Yes (Only for Smart Media Player)
Wireless Specification (Smart Media Player Function)		
Wireless LAN		
Supported Speed For Each Mode		
Bluetooth		
	Bluetooth 5.0 Class 2 (2.4GHz)	
Supported OS		
Supported VOD Platform		
Video Output Resolution		
	Up to 3,840 x 2,160 60fps at 4:2:0	
Operating Temperature		
	0 - 40 °C <32 - 104 °F> (0m / 0ft - 2,286m / 7,500ft)	
	0 - 35 °C <32 - 95 °F> (Over 2,286m / 7,500ft)	
	(20% - 80% Humidity, No Condensation)	
Operating Altitude		
Start-Up Period		
	Less than 8 seconds, Warm-up period: 30 seconds	
Cool Down Period		
Power Supply Voltage		
Power Consumption (220 - 240V)		
	Lamp On (Normal / Quiet, Extended)	
	Standby (Network On / Off)	
	335W / 210W	
	2.0W / 0.4 W	
Dimension Excluding Feet (D X W X H)		
	341 x 695 x 145 mm	
Weight (Including Standard Lens)		
	Approx. 12.3 kg	
Fan Noise (Normal / Eco)		
	32dB / 19dB	

EpiqVision Ultra EH-LS800B

Supplied Accessories

Power Cable: 1.8m x 3 (Black or White)
Remote Control with 2 x AAA Battery
User Guide Kit

Optional Accessories

Air Filter: ELPAF64
Wireless LAN: ELPAP12
100" ALR Screen: ELPSC35
Ceiling Mount: ELPMB22



©2023 Epson Malaysia Sdn. Bhd. All Rights Reserved.
Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited.

EPSON is a registered trademark of Seiko Epson Corporation.

All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct at time of printing.
Printed June 2023

¹ Pixel shift technology.

² Colour brightness (colour light output) and white brightness (white light output) will vary depending on usage conditions. Colour light output measured in accordance with IDMS 15:4; white light output measured in accordance with ISO 21118.

³ These modes and actual data throughputs depend on supported wireless mode of source devices and/or environmental conditions.



SPECIFICATIONS

MODEL NUMBER	EH-TW9400		EH-LS12000B	
Projection Technology	RGB liquid crystal shutter projection system			
Specifications of Main Parts				
LCD	Size		0.74" wide panel with MLA (C ² Fine, 12 bit, OD) 0.74" wide panel with SMLA (C ² Fine, 12bit, OD)	
	Native Resolution		1080p	
Resolution On-Screen (Maximum)	Resolution		4K ^{*1} 4K ^{*1}	
	Pixel Number		4.2M Dots (1920 x 1080 x 2) 8.3M Dots (1920 x 1080 x 4)	
Projection Lens	Type		Power Zoom, Power Focus	
	F-Number		2.0 – 3.0	
	Focal Length		22.5 – 46.7 mm	
	Zoom Ratio		1 – 2.1	
	Throw Ratio		1.35 – 2.84	
Lightsources	Type		Lamp: 250W UHE Laser Diode: 198W	
	Life		Lamp ^{*2} : High: 3,500 / Medium: 4,000 / Eco: 5,000 hours Laser Life: 20,000 hours (Normal / ECO)	
Screen Size (Projected Distance)				
Zoom: Wide	50" to 300" [1.48 to 9.08 m]			
Zoom: Tele	50" to 300" [3.13 to 18.99 m]			
Standard Size	100" screen 3.00 to 6.30 m			
Brightness³				
Colour Light Output	2,600 lm		2,700 lm	
White Light Output (Normal / Eco)	2,600 lm / 640 lm		2,700 lm / 1,000 lm	
Contrast Ratio	1,200,000:1		Over 2,500,000:1	
Geometric Correction				
Vertical Keystone	±30 degrees			
Lens Shift Range				
Vertical Lens Shift	±96.3 % (H Center, Powered)			
Horizontal Lens Shift	±47.1 % (V Center, Powered)			
Connectivity				
Analog Input	D-Sub 15Pin	1 (Blue)	N/A	
Digital Input	HDMI	2 (HDCP 2.2)	2 (HDCP2.3; HDMI2: eARC/ARC)	
USB Interface	USB Type A	2 (Right USB: Wireless LAN, Firmware Update, Copy OSD Settings) (Left USB: Opt. HDMI cable with 300mA power supply)	2 (1: Firmware Update, Copy OSD Settings, Save Log or 5V/2A Power Supply; 2: For Opt HDMI and 5V/300mA Power Supply)	
	USB Type Mini-B	1 (for Service and Firmware Update)	1 (for Firmware Update, Copy OSD Settings)	
Control I/O	RS-232C	D-Sub 9pin x 1		
	Trigger Out (12V)	3.5mm Mini Jack x 1		
Network	Wired LAN	RJ45 x 1		
	Wireless	Optional (ELPAP10)	N/A	
Wireless Specifications (Wireless LAN)				
Supported Speed For Each Mode	IEEE 802.11b (2.4GHz): 11 Mbps ⁴ , IEEE 802.11g (2.4GHz): 54 Mbps ⁴ , IEEE 802.11n (2.4GHz): 130 Mbps ⁴ ,		N/A	
Supported Connection Mode	Infrastructure, Access Point		N/A	
Wireless LAN Security	Quick Mode: OPEN, WPA2-PSK Advanced Mode: OPEN, WPA/WPA2-PSK		N/A	
Adjustment Functions				
High Dynamic Range	HDR10		Yes (HDR10, HDR10+) ⁵	
Aspect Mode	Yes (Auto / Normal / Full / Zoom / Anamorphic Wide / Horiz. Squeeze)		Yes (Auto / Full / Zoom / Anamorphic Wide / Horiz. Squeeze)	
Frame Interpolation	Yes			
Auto Contrast Enhancement	N/A		Yes	
Scene Adaptive Gamma	N/A		Yes	
Image Enhancement				
Image Preset Mode	Yes (Off / Preset1 / Preset2 / Preset3 / Preset4 / Preset5)			
MPEG Noise Reduction	Yes			
Super Resolution	Yes (Fine line adjust / Soft focus detail)			
Detail Enhancement	Yes (Range / Strength)			
3D Features				
3D Display	Yes (Auto / 3D / 2D)		N/A	
3D Format	Side by Side / Top and Bottom		N/A	
3D Depth	-10 to +10		N/A	
Operating Temperature				
	5 - 35 °C <41 - 95 °F> (0m / 0ft - 2286m / 7,500ft)			
	5 - 30 °C <41 - 86 °F> (Over 2,286m / 7,500ft)			
	20% - 80% Humidity, No Condensation			
	0 m to 3,048 m <0 ft to 10,000 ft> (over 1,500 m / 4,921 ft : with High altitude mode)			
Operating Altitude				
Direct Power On / Off	Yes / NA			
Start-Up Period	19 seconds Warm-up period: 30 seconds		Less than 8 seconds Warm-up period: 30 seconds	
Cool Down Period	16 seconds		Instant Off	
Power Supply Voltage	100 - 240 V AC +/- 10%, 50/60 Hz			
Power Consumption (220 - 240V)				
Lamp/LD On (Normal / Eco)	355W / 271W		302W / 198W	
Standby (Network On / Off)	2W / 0.3W		2W / 0.4W	
Dimension Excluding Feet (D X W X H)	450 x 520 x 170 mm		447 x 520 x 169 mm	
Weight	Approx. 11.2 kg		Approx. 12.7 kg	
Fan Noise (Normal / Eco)	31 dB / 20dB		30 dB / 22dB	

EH-TW9400

Supplied Accessories

Power Cable: 3m x 1
Remote Control with 2 x AA Battery
HDMI Cable Clamp: 2

Optional Accessories

Spare Lamp: ELPLP89
Air Filter: ELPAF39
Wireless LAN Unit: ELPAP10
Ceiling Mount: ELPMB22
Cable Cover: ELPC05W, ELPC05B



EH-LS12000B

Supplied Accessories

Power Cable: 3m x 1
Remote Control with 2 x AA Battery
Cable Cover

Optional Accessories

Air Filter: ELPAF62
Ceiling Mount: ELPMB22
Streaming Media Dongle: ELPAP12



©2023 Epson Malaysia Sdn. Bhd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited.

EPSON is a registered trademark of Seiko Epson Corporation.

All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners.

Epson disclaims any and all rights in those marks. Projected images shown herein are simulations. The actual product design and contents may vary. Specifications are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct at time of printing.
Printed June 2023

¹ Pixel shift technology.

² Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness decreases over time.

³ Colour brightness (colour light output) and white brightness (white light output) will vary depending on usage conditions. Colour light output measured in accordance with IDMS 15.4; white light output measured in accordance with ISO 21118.

⁴ These modes and actual data throughputs depend on supported wireless mode of source devices and/or environmental conditions.

⁵ Certified Conditions (HDR10+): Projection Size: 80 inch, Color Mode: Natural, HDR10/HDR10+ Setting: 3.



DEBUNKING THE MYTHS ABOUT HOME PROJECTORS

MYTH 1

A television is just as good as a projector.

There is less strain on your eyes viewing content from a projector screen, as compared to a television screen, due to a gentler light reflection. You also have the flexibility of having a big screen experience of up to 500-inches in the comfort of your home.

TRUTH



MYTH 4

I need a blank wall.

You could easily purchase a pull-down screen or a portable screen that can be kept away when it is not in use.

TRUTH



MYTH 2

Projectors and its maintenance are expensive.

Depending on your needs, you can choose between laser or lamp projectors, and before you know it, you have your money back from saving all those trips to the cinema with our wallet-friendly home projectors! Also, expensive lamp replacements are a thing of the past. With laser projectors' 20,000 maintenance free hours*, you can indulge in 5-hour movie marathons daily for up to 10 years!

TRUTH

Laser Projectors Have

20000

Maintenance Free Hours*

*For selected models only.

MYTH 5

A dark room is needed.

Thanks to our 3LCD technology, projected contents from Epson home projectors remain brilliant even when viewed in well-lit areas, with equal white and colour brightness of up to 4,000 lumens and high brightness contrast ratio over 2,500,000:1.

TRUTH



MYTH 3

A projection screen is too big for your home?

You can easily adjust the screen size from 60-inches to 100-inches, by shifting your home projectors at a distance of 0.26m to 3m^ from the wall.

TRUTH

^Throw distance range is an estimate and will vary depending on model.



MYTH 6

Troublesome installation.

Simply turn on the power and be entertained instantly by the inbuilt smart streaming function* of your projector.

TRUTH

*For selected models only.

