



At Epson, we focus on every detail of your business. Designed to support high-volume scanning environments, the WorkForce DS-30000 and DS-32000 combine performance, speed and durability in a sleek, compact design. With a daily duty cycle of up to 40,000 pages and speeds of up to 180 ipm on the DS-32000, these scanners deliver efficient document scanning with a diverse range of media handling at exceptional quality, for higher productivity.





IT'S IN THE DETAILS.



Scan



180 ipm<sup>3</sup>







One-pass 2.7" Colour Duplex LCD Scanning

OCR

# **High-Speed Quality Scanning**

Impressive image quality and scan speeds of up to 180 ipm with a daily duty cycle of up to 40,000 pages and a 120-sheet ADF for A4 media\*.

#### **High Versatility**

Capable of handling a wide range of media up to A3. From passports to even thin, old and damaged documents\*.

#### **High Reliability**

With paper protection function, abnormalities will be detected during scanning to minimise paper damage.



Fast, durable and versatile, the WorkForce DS-30000 and DS-32000 are the perfect high-speed, high-volume, high-quality scanners for offices that require heavy-duty scanning. Packed with smart features such as automatic size recognition and paper protection function, you enjoy high-precision quality scans every time. On top of that, the ability to support a wide range of media up to A3 provides greater flexibility for higher productivity gains.



# **Compact Size**

Compact in size for better mobility and smaller footprint; enjoy the option of keeping the DS-32000 in a storage position\* after use.



# **High Quality Image**

With built-in functions to improve colour production, the scanner can also remove crease marks, reduce bleed through and even select background colour based on paper type.

# **Durable, High-speed Scanning**

Designed for fast, high-volume scanning, enjoy scanning speeds of up to 70 ppm/140 ipm on the DS-30000 and 90 ppm/180 ipm on the DS-32000. With a 120-sheet Automatic Document Feeder for A4 media and high daily duty cycle of up to 40,000 pages\*, these scanners provide the robust reliability that businesses need.



# 2.7" Colour LCD

Equipped with a large screen size of 2.7", users get a clear display of job contents at a glance and can even view and assign up to 30 jobs at a time on the panel. Operate the scanner easily using push scan functions and change the scan settings directly from the panel without having to use a PC.

# **Automatic Size Recognition**

Place documents of different sizes up to A3 in the middle of the feeding tray and the DS-30000/32000 will automatically detect and scan everything in the correct size, all in a single batch.



# Diverse Media Handling with Flexible Scanning Modes



With Epson's smart design, these WorkForce models are able to scan up to A3 on a wide range of media types of varying thickness (up to 413 g/m²) and up to paper length of 5,588 mm.



Scanning passports with a special carrier sheet will be automatically detected by the scanners when using Manual Feed mode. This Manual Feed mode can also be used to stitch A2 documents and documents with post-its.



Switching to Delicate Feed\* mode on DS-32000 allows you to scan fragile and extremely thin paper (up to 20 g/m²) easily.

# **User-friendly Features**

# **Automatic Feeding Mode**



The Automatic Feeding Mode enables large volumes of documents to immediately be scanned continuously. In addition, this mode allows you to scan documents one at a time without needing to arrange them by size and they will be saved into a single PDF.

## **Double Feed Detection Skip Function**



Activate the Double Feed Detection Skip function to scan documents with stickers and labels.

#### **Epson PaperCare: Paper Protection Function**



Epson's Paper Protection Technology detects abnormalities in paper posture as well as stapled/folded paper, preventing damage to your important documents. The inbuilt advanced paper-protection sensors prevent documents from being damaged and ultra-sonic sensors ensure all documents are scanned, maintaining data integrity.

# **Epson Scan 2**

#### Text Enhancement

Improves text recognition when scanning text documents, whether in colour, greyscale or black-and-white. Removes background for better clarity, which is especially useful for double-sided printed documents.

#### **Document Skew Correction**

Automatically adjusts and straightens scanned images.

#### **Colour Enhancement & Colour Dropout**



Remove or enhance the visibility of ink signatures such as "Confidential" and "Urgent" stamps. Users can pick one of the preset colours (red, green, blue, pink, purple, yellow, orange, or all colours except black), or use the customised settings to dropout or enhance up to 5 colours of your choice with a single scan. Up to 10 preset colours can be saved for reuse.

#### **PDF Features for Added Convenience**

The built-in OCR enables searchable PDF files. Secure your PDF files by setting a password to prevent unauthorised viewing, editing or printing.

# **Document Management**

### **Document Capture Pro^**



Easily scan, view, edit, save and transfer scanned documents. The software recognises barcodes, characters and blank pages in scanned documents for batch

separation. It allows you to create up to 30 customised job settings, with the option to assign shortcuts of the scan jobs to the scanner's operation panel to simplify scan workflow. With the built-in OCR capability, searchable PDF files can be created and documents can be saved into editable Microsoft Office formats. In addition, device and documents can be secured through password protection, by locating and tracking documents using the Advanced Log function.

 $^{\wedge}\mbox{Limited}$  functionality for Mac version of Document Capture software.

# **Document Capture Pro Server^^**



Document Capture Pro Server helps to centralise your scanning and manage your fleet of scanners without the need to install drivers on individual computers.

^^Only for Windows Server OS.

# Compatible with Epson Device Admin



With Epson Device Admin, you can now manage, monitor and configure your Epson device fleet easily. It is compatible with a large range of networked printers and scanners, and all information can be viewed via one smart, intuitive interface.

# **Epson Device Admin Functions**

- Manage Epson devices in groups
- Receive automatic alerts for quick response when the device faces an error or when it runs out of consumables
- Generate reports automatically for cost-savings activities
- Configure multiple devices efficiently with templates to simplify large deployments

For more information, please refer to http://www.epson.com.sg/epsondeviceadmin

# WORKFORCE DS-30000/32000



MODEL NUMBER	DS-30000	DS-32000
Scanner	_	
Scanner Type	A3 sheet-fed, one-pass duplex colour scan	ner
Sensor Type	Colour Contact Image Sensor (CIS) x 2	
Scanning Method	Fixed carriage and moving document	
Light Source	White LED x 4	
Optical Resolution*1	600 x 600 dpi	
Output Resolution	50 - 1,200 dpi (in 1 dpi increments)	
•	30 - 1,200 apr (iii 1 apriliciements)	
Bit Depth	00 64 5 4 04 64 5-4 4	
Colour	30-bit input, 24-bit output	
Greyscale	10-bit input, 8-bit output	
Black & White	10-bit input, 1-bit output	
Document Size		
Minimum	50.8 x 69 mm	
Maximum	304.8 x 5588 mm	
Supported Paper Weight	27 - 413 g/m²	20 - 413 g/m²
ADF Capacity	A4: 120 sheets, A3: 60 sheets	A4: 120 sheets, A3: 60 sheets
		Delicate Feed Mode: 20 sheets (A4), 10 sheets (A3)
Document Size	Up to 30,000 sheets / day	Up to 40,000 sheets / day
Multi-feed Detection	Ultrasonic Sensor and Length Detection	·
Interface	USB 3.0	
Scanning Speed*2	_	
Resolution (A4, Colour / Monochro	ome)	
200 dpi	70 ppm / 140 ipm	90 ppm / 180 ipm
300 dpi	70 ppm / 140 ipm	90 ppm / 180 ipm
600 dpi	22 ppm / 44 ipm	26 ppm / 52 ipm
Drivers and Software	22 ppiii / 44 ipiii	20 ppin / 32 ipin
Supported OS (Scanner Driver)	Window VD 0D0 (Vinto 17 (0 (04 /40 /	0
Windows	Windows XP SP3 / Vista / 7 / 8 / 8.1 / 10 / Server 2003 / Server 2008 / Server 2012 / Server 2016 / Server 2019	
Mac	Mac OS X 10.6.8 or later	
Driver Compatibility	TWAIN, SANE, WIA, ICA, ISIS	
Software Bundle	Epson Scan 2	
	Epson Scan OCR Component	
	Epson Scan PDF Extensions	
	Document Capture Pro (Windows)	
	Document Capture (Mac)	
	Document Capture Pro Server Epson Device Admin	
Software Solutions Compatibility		
	Epson Device Admin	Searchable PDF, BMP, PNG
	Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF,	
File Format	Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF,	
File Format  Control Panel	Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF,	
File Format  Control Panel  LCD Screen	Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Document Capture Pro: JPEG, JPEG2000, E	
File Format  Control Panel  LCD Screen  Electrical Specifications	Epson Device Admin  Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Document Capture Pro: JPEG, JPEG2000, E  2.7* Colour LCD Touchscreen	
File Format  Control Panel  LCD Screen  Electrical Specifications  Rated Voltage	Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Document Capture Pro: JPEG, JPEG2000, E  2.7" Colour LCD Touchscreen  AC 100 – 240V	
Control Panel LCD Screen Electrical Specifications Rated Voltage Rated Frequency	Epson Device Admin  Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Document Capture Pro: JPEG, JPEG2000, E  2.7* Colour LCD Touchscreen	
Control Panel LCD Screen Electrical Specifications Rated Voltage Rated Frequency Power Consumption	Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Document Capture Pro: JPEG, JPEG2000, E  2.7" Colour LCD Touchscreen  AC 100 – 240V 50 – 60Hz	BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX
Control Panel LCD Screen  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating	Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Document Capture Pro: JPEG, JPEG2000, E  2.7" Colour LCD Touchscreen  AC 100 – 240V 50 – 60Hz	BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX
Control Panel LCD Screen  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode	Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Document Capture Pro: JPEG, JPEG2000, E  2.7* Colour LCD Touchscreen  AC 100 – 240V 50 – 60Hz  17W 9.0W	BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX    20W
· -	Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Document Capture Pro: JPEG, JPEG2000, E  2.7" Colour LCD Touchscreen  AC 100 – 240V 50 – 60Hz	3MP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX
Control Panel LCD Screen  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode	Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Document Capture Pro: JPEG, JPEG2000, E  2.7* Colour LCD Touchscreen  AC 100 – 240V 50 – 60Hz  17W 9.0W	BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX    20W
Control Panel LCD Screen  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode Power off	Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Document Capture Pro: JPEG, JPEG2000, E  2.7* Colour LCD Touchscreen  AC 100 – 240V 50 – 60Hz  17W 9.0W 1.4W	BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX  20W 9.5W 1.4W
Control Panel LCD Screen  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode Power off  Environmental Conditions	Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Document Capture Pro: JPEG, JPEG2000, E  2.7* Colour LCD Touchscreen  AC 100 – 240V 50 – 60Hz  17W 9.0W 1.4W	BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX  20W 9.5W 1.4W
Control Panel LCD Screen  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode Power off  Environmental Conditions	Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Document Capture Pro: JPEG, JPEG2000, E  2.7* Colour LCD Touchscreen  AC 100 – 240V 50 – 60Hz  17W 9.0W 1.4W	BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX    20W
Control Panel LCD Screen  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode Power off  Environmental Conditions Temperature	Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Document Capture Pro: JPEG, JPEG2000, E  2.7* Colour LCD Touchscreen  AC 100 – 240V 50 – 60Hz  17W 9.0W 1.4W 0.1W	BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX    20W
Control Panel LCD Screen  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode Power off  Environmental Conditions Temperature Operating Storage	Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Document Capture Pro: JPEG, JPEG2000, E  2.7* Colour LCD Touchscreen  AC 100 – 240V 50 – 60Hz  17W 9.0W 1.4W 0.1W	BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX  20W 9.5W 1.4W
Control Panel LCD Screen  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode Power off  Environmental Conditions Temperature Operating Storage Humidity	Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Document Capture Pro: JPEG, JPEG2000, E  2.7* Colour LCD Touchscreen  AC 100 – 240V 50 – 60Hz  17W 9.0W 1.4W 0.1W	BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX  20W 9.5W 1.4W
File Format  Control Panel LCD Screen  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode Power off  Environmental Conditions Temperature Operating Storage Humidity Operating	Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Document Capture Pro: JPEG, JPEG2000, E  2.7" Colour LCD Touchscreen  AC 100 – 240V 50 – 60Hz  17W 9.0W 1.4W 0.1W  5 - 35°C -25 - 60°C	BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX  20W 9.5W 1.4W
Control Panel LCD Screen  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode Power off  Environmental Conditions Temperature Operating Storage Humidity Operating Storage	Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Document Capture Pro: JPEG, JPEG2000, E  2.7* Colour LCD Touchscreen  AC 100 – 240V 50 – 60Hz  17W 9.0W 1.4W 0.1W  5 - 35°C -25 - 60°C  15 - 80% (No condensation)	BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX    20W
Control Panel LCD Screen  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode Power off  Environmental Conditions Temperature Operating Storage Humidity Operating Storage Options / Consumables	Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Document Capture Pro: JPEG, JPEG2000, E  2.7" Colour LCD Touchscreen  AC 100 – 240V 50 – 60Hz  17W 9.0W 1.4W 0.1W  5 - 35°C -25 - 60°C  15 - 80% (No condensation) Durability	BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX    20W
Control Panel LCD Screen  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode Power off  Environmental Conditions Temperature Operating Storage Humidity Operating Storage Options / Consumables Pickup Roller	Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Document Capture Pro: JPEG, JPEG2000, E  2.7" Colour LCD Touchscreen  AC 100 – 240V 50 – 60Hz  17W 9.0W 1.4W 0.1W  5 - 35°C -25 - 60°C  15 - 80% (No condensation) 15 - 85% (No condensation)  Durability 300,000 scans	20W
File Format  Control Panel LCD Screen  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode Power off  Environmental Conditions Temperature Operating Storage Humidity Operating Storage Options / Consumables Pickup Roller Separation Roller	Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Document Capture Pro: JPEG, JPEG2000, E  2.7" Colour LCD Touchscreen  AC 100 – 240V 50 – 60Hz  17W 9.0W 1.4W 0.1W  5 - 35°C -25 - 60°C  15 - 80% (No condensation) Durability	20W   9.5W   1.4W   0.1W     Order Code   B12B819631
File Format  Control Panel LCD Screen  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode Power off  Environmental Conditions  Temperature Operating Storage Humidity Operating Storage Options / Consumables Pickup Roller Separation Roller Carrier Sheet	Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Document Capture Pro: JPEG, JPEG2000, E  2.7" Colour LCD Touchscreen  AC 100 – 240V 50 – 60Hz  17W 9.0W 1.4W 0.1W  5 - 35°C -25 - 60°C  15 - 80% (No condensation) 15 - 85% (No condensation)  Durability 300,000 scans	20W   9.5W   1.4W   0.1W     Order Code   B12B819631   B12B819051
Control Panel LCD Screen  Electrical Specifications Rated Voltage Rated Frequency Power Consumption Operating Ready Mode Sleep Mode Power off  Environmental Conditions Temperature Operating Storage Humidity Operating	Epson Device Admin Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Document Capture Pro: JPEG, JPEG2000, E  2.7" Colour LCD Touchscreen  AC 100 – 240V 50 – 60Hz  17W 9.0W 1.4W 0.1W  5 - 35°C -25 - 60°C  15 - 80% (No condensation) 15 - 85% (No condensation)  Durability 300,000 scans	20W   9.5W   1.4W   0.1W     Order Code   B12B819631



**DS-30000 Weight:** 5.8 kg / 13.4 lb



DS-32000 **Weight:** 6.9 kg / 15.4 lb



#### What's in the box:

- Scanner Main unit
- USB 3.0 Cable
- AC Adapter
- Power Cable
- Software CD
- Setup Guide

© 2022 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. epson disclaims any and airrights in nose marks.

Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Dealer's Stamp

Information correct at time of printing Printed September 2022

<sup>\*1</sup> Scanning resolution as defined by ISO14473.

<sup>\*2</sup> Based on A4 size documents

<sup>\*3</sup> PPTX for Windows version only