



Epson's WorkForce DS-1630 is your perfect companion for easy and effortless digital storage. Its small, unobtrusive size also means a more organised and productive workspace.







Scan up

to 25ppm

Automatic Duplex Scanning



IT'S IN THE DETAILS.

Clutter-free Workplace

Not only does the compact DS-1630 occupy little desk space, its built-in AC adapter ensures an orderly workplace at all times.

Convenient Scanning

Impressive scan speeds of up to 25ppm and a high ADF paper capacity of up to 50 pages minimise the need to manually replace documents.

Document Management Software

Easily scan, edit and manage documents for processing and integrate them into cloud services with Document Capture Pro.

Document scanning is simple and effective with the Workforce DS-1630. With fast speeds, fuss-free connectivity and a compact size, it is the workplace essential for easy digital storage.



Clutter-free Workplace

Not only does the compact DS-1630 occupy little desk space, its built-in AC adapter ensures you do not have to deal with messy cables. This allows you to enjoy an orderly workplace at all times.



Convenient Scanning

The DS-1630 reduces the need to manually replace documents with a high ADF capacity of up to 50 pages. Efficiency is achieved with scan speeds of up to 25ppm for simplex and 10ipm for duplex (3-pass automatic duplex). What's more, you can scan odd-sized documents easily.



Document Management

Document Capture Software*



Epson document scanners come bundled with document management software that allows you to easily manage your scanned files.

Easily scan, view, edit, save and transfer scanned documents. The software optically recognises barcodes, characters and blank pages in scanned documents to separate them into different folders. It allows you to create up to 30 customised job settings, making multiple scan jobs a breeze.

The software also provides quick access to post-scan destinations, including scan-to-print, email, Windows® Public Folder, FTP, Web Folder, and Scan-to-Cloud services such as Microsoft® SharePoint Server, Evernote®, Google® Drive™ and SugarSync®.

* Document Capture Pro (Windows), Document Capture (Mac OS X)

Ease of Use



A free stop hinge allows the lid to be easily opened and stopped at an angle between 15 to 70 degrees. This increases usability, even with one hand

Document Skew Correction

Automatically adjusts and straightens scanned images.



Misaligned document results in skewed scan



With Document Skew Correction, misaligned document is straightened when scanned

Epson Scan 2 Features





Text Enhancement

Improves text recognition when scanning text documents, whether in colour, greyscale or black-and-white. Removes background for better clarity, which is especially useful for double-sided printed documents.

Auto Area Segmentation

This function allows separate scanning of both image and text in a document. It also automatically detects and scans text in black-and-white mode and images in halftone, giving clear text quality while preserving image details.

Colour Enhancement & Colour Dropout



Remove or enhance the visibility of ink signatures such as "Confidential" and "Urgent" stamps. Users can pick one of the preset colours (red, green, blue, pink, purple, yellow, orange, or all colours except black), or use the customised settings to dropout or enhance up to 5 colours of your choice with a single scan.

PDF Features for Added Convenience

The built-in OCR enables searchable PDF files. Secure your PDF files by setting a password to prevent unauthorised viewing, editing or printing.

SPECIFICATIONS

WORKFORCE DS-1630



Model Number	DS-1630		Dimensions & Weight
Scanner	-		DS-1630 Weight: 4.1kg (9.04lb)
Scanner Type	A4 flatbed colour image scanner with ADF		- Weight: 4.1kg (9.04lb)
Sensor Type	Contact Image Sensor (CIS)		_
Flatbed Scanning Method	Fixed document and moving carriage		
Light Source	RGB LED		
Optical Resolution*1	1200 x 1200 dpi		121mm - (4.76")
Output Resolution	50 - 1,200 dpi (in 1 dpi increments)		(4.76")
Bit Depth	Input: 10 bits/pixel; Output: 8 bits/pixel		
Document Size			450mm (12.52"
Minimum	89 x 127 mm (ADF Simplex), 89 x 170 mm (ADF Duplex)		(17.71")
Maximum	216 x 297 mm (Flatbed), 215.9 x 3048 mm (ADF Simplex)		_
Supported Paper Weight	50 - 120 g/m²		*1 Scanning resolution as defined by ISO14473.
ADF Type	3-pass duplex ADF		*2 Based on A4 documents.
ADF Scanning Method	Fixed carriage and moving document		_
ADF Capacity	50 sheets (80g/m²)		_
Daily Scan Volume	up to 1,500 pages / day		_
Interface	USB 3.0		_
Scanning Speed *2			_
Flatbed	Colour	Mono	
200 dpi	Approx. 7.0 sec, 1.4 msec/line	Approx. 6.0 sec, 1.1 msec/line	
300 dpi	Approx. 7.0 sec, 1.4 msec/line	Approx. 6.0 sec, 1.1 msec/line	_
600 dpi	Approx. 26 sec, 3.2 msec/line	Approx. 14 sec, 1.6 msec/line	_
ADF			_
200 dpi	25 ppm / 10 ipm	25 ppm / 10 ipm	
300 dpi	25 ppm / 10 ipm	25 ppm / 10 ipm	_
600 dpi	9.0 ppm / 6.0 ipm	9.0 ppm / 6.0 ipm	_
Drivers and Software			_
Supported OS (Scanner Driver)			
Windows	Windows XP / Vista / 7 / 8 / 8.1 / 10 / Sen	ver 2003 / Server 2008 / Server 2012 / Server 2016	
Mac	Mac OS X 10.6.8 or later		_
Driver compatibility	TWAIN, SANE, WIA, ICA, ISIS		_
Bundled Software	Epson Scan 2		_
	ISIS Driver (Web Download)		
	Epson Scan OCR Component		
	Epson Scan PDF Extensions		
	Document Capture Pro (Windows)		
	Document Capture (Mac)		
	Presto! BizCard		
File Format	Epson Scan 2: JPEG, TIFF, Multi-TIFF, PDF, Searchable PDF, BMP, PNG		
	Document Capture Pro (Win): JPEG, BMP, PDF, Searchable PDF, TIFF, Multi-TIFF, PNG, DOCX, XLSX, PPTX		
Electrical Specifications			_
Rated Voltage	AC 100 - 240 V		
Rated Frequency	50 - 60 Hz		_
Power Consumption			_
Operating	11W		
Ready Mode	5.8W		© 2020 Epson Singapore Pte Ltd. All Rights Reserved.
Sleep Mode	0.8W		 Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and
Power Off	0.15W		EXCEED YOUR VISION are registered trademarks of
Environmental Conditions			Seiko Epson Corporation. All other products names and other company pages used baselines for identification.
Temperature			other company names used herein are for identification purposes only and are the trademarks or registered
·	10 - 35 ° C		trademarks of their respective owners. Epson disclaims
Operating	10 - 35 ° C		any and all rights in those marks. Scanned images shown
			herein are simulations. The actual product design and
Storage	-20 - 60 ° C		herein are simulations. The actual product design and contents may vary. Specifications and product availability
Storage Humidity Operating	-20 - 60 ° C 20 - 80% (No condensation)		

20 - 80% (No condensation)

Storage

between countries. Please check with local Epson offices for more information.

Information correct at time of printing Printed June 2020